Memory-Centric Computing

Onur Mutlu
omutlu@gmail.com
https://people.inf.ethz.ch/omutlu

26 February 2023

Real-World PIM Tutorial Opening Talk @ HPCA

SAFARI ETH zürich Carnegie Mellon

The Problem

Computing

is Bottlenecked by Data

Data is Key for AI, ML, Genomics, …

- Important workloads are all data intensive
- They require rapid and efficient processing of large amounts of data
- Data is increasing
  - We can generate more than we can process

Huge Demand for Performance & Efficiency

Exponential Growth of Neural Networks



1800x more compute

In just **2 years**

Tomorrow, **multi-trillion** parameter models

Source: https://youtu.be/Bh13Idwcb0Q?t=283

Data is Key for Future Workloads



In-memory Databases
[Mao+, EuroSys'12;
Clapp+ (**Intel**), IISWC'15]

Graph/Tree Processing
[Xu+, IISWC'12; Umuroglu+, FPL'15]

In-Memory Data Analytics
[Clapp+ (**Intel**), IISWC'15;
Awan+, BDCloud'15]



Datacenter Workloads
[Kanev+ (**Google**), ISCA'15]

Data Overwhelms Modern Machines



In-memory Databases

Graph/Tree Processing

Data → performance & energy bottleneck

In-Memory Data Analytics

[Clapp+ (**Intel**), IISWC'15; Awan+, BDCloud'15]



Datacenter Workloads

[Kanev+ (**Google**), ISCA'15]

Data is Key for Future Workloads

Chrome

Google's web browser

TensorFlow Mobile

Google's machine learning framework

VP9 YouTube

Video Playback

Google's video codec

VP9 YouTube

Video Capture

Google's video codec

Data Overwhelms Modern Machines

Chrome

TensorFlow Mobile

Data → performance & energy bottleneck

VP9

Video Playback

Google's **video codec**

VP9

Video Capture

Google's **video codec**

Data is Key for Future Workloads



development of high-throughput sequencing (HTS) technologies

Number of Genomes Sequenced



The Economist

http://www.economist.com/news/21631808-so-much-genetic-data-so-many-uses-genes-unzipped



1 Sequencing



Read Mapping 2

Genome Analysis

Data → performance & energy bottleneck

```
read4:          CGCTTCCAT
read5:              CCATGACGC
read6:           TTCCATGAC
```

3 Variant Calling

Scientific Discovery 4

We Need Faster & Scalable Genome Analysis

Understanding **genetic variations, species, evolution, …**



Predicting the presence and relative abundance of **microbes** in a sample

Rapid surveillance of **disease outbreaks**



Developing **personalized medicine**

And, many, many other applications …

New Genome Sequencing Technologies

Nanopore sequencing technology and tools for genome assembly: computational analysis of the current state, bottlenecks and future directions

Damla Senol Cali ✉, Jeremie S Kim, Saugata Ghose, Can Alkan, Onur Mutlu

Briefings in Bioinformatics, bby017, https://doi.org/10.1093/bib/bby017
Published: 02 April 2018 **Article history** ▾

Oxford Nanopore MinION

Senol Cali+, "**Nanopore Sequencing Technology and Tools for Genome Assembly: Computational Analysis of the Current State, Bottlenecks and Future Directions**," Briefings in Bioinformatics, 2018.
[Open arxiv.org version]

New Genome Sequencing Technologies

Nanopore sequencing technology and tools for genome assembly: computational analysis of the current state, bottlenecks and future directions

Damla Senol Cali ✉, Jeremie S Kim, Saugata Ghose, Can Alkan, Onur Mutlu

Briefings in Bioinformatics, bby017, https://doi.org/10.1093/bib/bby017
Published: 02 April 2018 **Article history** ▾

Oxford Nanopore MinION

Data → performance & energy bottleneck

Problems with (Genome) Analysis Today



Special-Purpose Machine
for **Data Generation**





General-Purpose Machine
for **Data Analysis**

FAST

SLOW

Slow and inefficient processing capability
Large amounts of data movement

This picture is similar for many "data generators & analyzers" today

Accelerating Genome Analysis [IEEE MICRO 2020]

- Mohammed Alser, Zulal Bingol, Damla Senol Cali, Jeremie Kim, Saugata Ghose, Can Alkan, and Onur Mutlu,
  "Accelerating Genome Analysis: A Primer on an Ongoing Journey"
  IEEE Micro (***IEEE MICRO***), Vol. 40, No. 5, pages 65-75, September/October 2020.
  [Slides (pptx)(pdf)]
  [Talk Video (1 hour 2 minutes)]

Accelerating Genome Analysis: A Primer on an Ongoing Journey

Mohammed Alser
ETH Zürich

Zülal Bingöl
Bilkent University

Damla Senol Cali
Carnegie Mellon University

Jeremie Kim
ETH Zurich and Carnegie Mellon University

Saugata Ghose
University of Illinois at Urbana–Champaign and Carnegie Mellon University

Can Alkan
Bilkent University

Onur Mutlu
ETH Zurich, Carnegie Mellon University, and Bilkent University

Beginner Reading on Genome Analysis

Mohammed Alser, Joel Lindegger, Can Firtina, Nour Almadhoun, Haiyu Mao, Gagandeep Singh, Juan Gomez-Luna, Onur Mutlu
"**From Molecules to Genomic Variations to Scientific Discovery: Intelligent Algorithms and Architectures for Intelligent Genome Analysis**"
Computational and Structural Biotechnology Journal, 2022
[Source code]



journal homepage: www.elsevier.com/locate/csbj

Review

From molecules to genomic variations: Accelerating genome analysis via intelligent algorithms and architectures

Mohammed Alser *, Joel Lindegger, Can Firtina, Nour Almadhoun, Haiyu Mao, Gagandeep Singh, Juan Gomez-Luna, Onur Mutlu *

ETH Zurich, Gloriastrasse 35, 8092 Zürich, Switzerland

FPGA-based Near-Memory Analytics

- Gagandeep Singh, Mohammed Alser, Damla Senol Cali, Dionysios Diamantopoulos, Juan Gómez-Luna, Henk Corporaal, and Onur Mutlu, **"FPGA-based Near-Memory Acceleration of Modern Data-Intensive Applications"**
  IEEE Micro (***IEEE MICRO***), 2021.

FPGA-based Near-Memory Acceleration of Modern Data-Intensive Applications

Gagandeep Singh[◇] **Mohammed Alser**[◇] **Damla Senol Cali**[⋈]
Dionysios Diamantopoulos[▽] **Juan Gómez-Luna**[◇]
Henk Corporaal[⋆] **Onur Mutlu**[◇⋈]

[◇]*ETH Zürich* [⋈]*Carnegie Mellon University*
[⋆]*Eindhoven University of Technology* [▽]*IBM Research Europe*

Near-Memory Acceleration using FPGAs

IBM POWER9 CPU

OCAPI



HBM-based FPGA board

Near-HBM FPGA-based accelerator

Two communication technologies: **CAPI2** and **OCAPI**
Two memory technologies: **DDR4** and **HBM**
Two workloads: **Weather Modeling** and **Genome Analysis**

Performance & Energy Greatly Improve





5-27× performance vs. a 16-core (64-thread) IBM POWER9 CPU

12-133× energy efficiency vs. a 16-core (64-thread) IBM POWER9 CPU

HBM alleviates memory bandwidth contention vs. DDR4

GenASM Framework [MICRO 2020]

- Damla Senol Cali, Gurpreet S. Kalsi, Zulal Bingol, Can Firtina, Lavanya Subramanian, Jeremie S. Kim, Rachata Ausavarungnirun, Mohammed Alser, Juan Gomez-Luna, Amirali Boroumand, Anant Nori, Allison Scibisz, Sreenivas Subramoney, Can Alkan, Saugata Ghose, and Onur Mutlu, **"GenASM: A High-Performance, Low-Power Approximate String Matching Acceleration Framework for Genome Sequence Analysis"**
  *Proceedings of the 53rd International Symposium on Microarchitecture (**MICRO**)*, Virtual, October 2020.
  [Lighting Talk Video (1.5 minutes)]
  [Lightning Talk Slides (pptx) (pdf)]
  [Talk Video (18 minutes)]
  [Slides (pptx) (pdf)]

GenASM: A High-Performance, Low-Power Approximate String Matching Acceleration Framework for Genome Sequence Analysis

Damla Senol Cali[†⋈] Gurpreet S. Kalsi[⋈] Zülal Bingöl[▽] Can Firtina[◇] Lavanya Subramanian[‡] Jeremie S. Kim[◇†]
Rachata Ausavarungnirun[⊙] Mohammed Alser[◇] Juan Gomez-Luna[◇] Amirali Boroumand[†] Anant Nori[⋈]
Allison Scibisz[†] Sreenivas Subramoney[⋈] Can Alkan[▽] Saugata Ghose[⋆†] Onur Mutlu[◇†▽]

[†]*Carnegie Mellon University* [⋈]*Processor Architecture Research Lab, Intel Labs* [▽]*Bilkent University* [◇]*ETH Zürich*
[‡]*Facebook* [⊙]*King Mongkut's University of Technology North Bangkok* [⋆]*University of Illinois at Urbana–Champaign*

In-Storage Genome Filtering [ASPLOS 2022]

- Nika Mansouri Ghiasi, Jisung Park, Harun Mustafa, Jeremie Kim, Ataberk Olgun, Arvid Gollwitzer, Damla Senol Cali, Can Firtina, Haiyu Mao, Nour Almadhoun Alserr, Rachata Ausavarungnirun, Nandita Vijaykumar, Mohammed Alser, and Onur Mutlu,
  "GenStore: A High-Performance and Energy-Efficient In-Storage Computing System for Genome Sequence Analysis"
  *Proceedings of the 27th International Conference on Architectural Support for Programming Languages and Operating Systems (**ASPLOS**)*, Virtual, February-March 2022.
  [Talk Slides (pptx) (pdf)]
  [Lightning Talk Slides (pptx) (pdf)]
  [Lightning Talk Video (90 seconds)]
  [Talk Video (17 minutes)]

GenStore: A High-Performance In-Storage Processing System for Genome Sequence Analysis

Nika Mansouri Ghiasi[1] Jisung Park[1] Harun Mustafa[1] Jeremie Kim[1] Ataberk Olgun[1]
Arvid Gollwitzer[1] Damla Senol Cali[2] Can Firtina[1] Haiyu Mao[1] Nour Almadhoun Alserr[1]
Rachata Ausavarungnirun[3] Nandita Vijaykumar[4] Mohammed Alser[1] Onur Mutlu[1]

[1]ETH Zürich [2]Bionano Genomics [3]KMUTNB [4]University of Toronto

Accelerating Sequence-to-Graph Mapping

- Damla Senol Cali, Konstantinos Kanellopoulos, Joel Lindegger, Zulal Bingol, Gurpreet S. Kalsi, Ziyi Zuo, Can Firtina, Meryem Banu Cavlak, Jeremie Kim, Nika MansouriGhiasi, Gagandeep Singh, Juan Gomez-Luna, Nour Almadhoun Alserr, Mohammed Alser, Sreenivas Subramoney, Can Alkan, Saugata Ghose, and Onur Mutlu,
  "SeGraM: A Universal Hardware Accelerator for Genomic Sequence-to-Graph and Sequence-to-Sequence Mapping"
  *Proceedings of the 49th International Symposium on Computer Architecture (**ISCA**)*, New York, June 2022.
  [arXiv version]

SeGraM: A Universal Hardware Accelerator for Genomic Sequence-to-Graph and Sequence-to-Sequence Mapping

Damla Senol Cali[1] Konstantinos Kanellopoulos[2] Joël Lindegger[2] Zülal Bingöl[3]
Gurpreet S. Kalsi[4] Ziyi Zuo[5] Can Firtina[2] Meryem Banu Cavlak[2] Jeremie Kim[2]
Nika Mansouri Ghiasi[2] Gagandeep Singh[2] Juan Gómez-Luna[2] Nour Almadhoun Alserr[2]
Mohammed Alser[2] Sreenivas Subramoney[4] Can Alkan[3] Saugata Ghose[6] Onur Mutlu[2]

[1]Bionano Genomics [2]ETH Zürich [3]Bilkent University [4]Intel Labs
[5]Carnegie Mellon University [6]University of Illinois Urbana-Champaign

Accelerating Basecalling + Read Mapping

Haiyu Mao, Mohammed Alser, Mohammad Sadrosadati, Can Firtina, Akanksha Baranwal, Damla Senol Cali, Aditya Manglik, Nour Almadhoun Alserr, and Onur Mutlu,
"GenPIP: In-Memory Acceleration of Genome Analysis via Tight Integration of Basecalling and Read Mapping"
Proceedings of the 55th International Symposium on Microarchitecture (***MICRO***), Chicago, IL, USA, October 2022.
[Slides (pptx) (pdf)]
[Longer Lecture Slides (pptx) (pdf)]
[Lecture Video (25 minutes)]
[arXiv version]

GenPIP: In-Memory Acceleration of Genome Analysis via Tight Integration of Basecalling and Read Mapping

Haiyu Mao[1] Mohammed Alser[1] Mohammad Sadrosadati[1] Can Firtina[1] Akanksha Baranwal[1]
Damla Senol Cali[2] Aditya Manglik[1] Nour Almadhoun Alserr[1] Onur Mutlu[1]
[1]*ETH Zürich* [2]*Bionano Genomics*

Designing & Accelerating Basecallers

A Framework for Designing Efficient Deep Learning-Based Genomic Basecallers

Gagandeep Singh[a] Mohammed Alser*[a] Alireza Khodamoradi*[b]
Kristof Denolf[b] Can Firtina[a] Meryem Banu Cavlak[a]
Henk Corporaal[c] Onur Mutlu[a]
[a]ETH Zürich [b]AMD [c]Eindhoven University of Technology

Nanopore sequencing is a widely-used high-throughput genome sequencing technology that can sequence long fragments of a genome. Nanopore sequencing generates noisy electrical signals that need to be converted into a standard string of DNA nucleotide bases (i.e., A, C, G, T) using a computational step called *basecalling*. The accuracy and speed of basecalling have critical implications for every subsequent step in genome analysis. Currently, basecallers are developed mainly based on deep learning techniques to provide high sequencing accuracy without considering the compute demands of such tools. We observe that state-of-the-art basecallers (i.e., Guppy, Bonito, Fast-Bonito) are slow, inefficient, and memory-hungry

 https://arxiv.org/pdf/2211.03079.pdf

Future of Genome Sequencing & Analysis

Mohammed Alser, Zülal Bingöl, Damla Senol Cali, Jeremie Kim, Saugata Ghose, Can Alkan, Onur Mutlu
"Accelerating Genome Analysis: A Primer on an Ongoing Journey" IEEE Micro, August 2020.

MinION from ONT

Accelerating Genome Analysis: A Primer on an Ongoing Journey
Sept.-Oct. 2020, pp. 65-75, vol. 40
DOI Bookmark: 10.1109/MM.2020.3013728

FPGA-Based Near-Memory Acceleration of Modern Data-Intensive Applications
July-Aug. 2021, pp. 39-48, vol. 41
DOI Bookmark: 10.1109/MM.2021.3088396

SmidgION from ONT

More on Fast & Efficient Genome Analysis …

- Onur Mutlu,
  "Accelerating Genome Analysis: A Primer on an Ongoing Journey"
  Invited Lecture at Technion, Virtual, 26 January 2021.
  [Slides (pptx) (pdf)]
  [Talk Video (1 hour 37 minutes, including Q&A)]
  [Related Invited Paper (at IEEE Micro, 2020)]

More on Fast & Efficient Genome Analysis …



Accelerating Genome Analysis - Onur Mutlu (Keynote Talk at Systems for Post-Moore Arch. @ EuroSys)

Onur Mutlu Lectures
28.7K subscribers
Analytics | Edit video
16 | Share | Download | Clip | Save

https://www.youtube.com/watch?v=NCagwf0ivT0

Detailed Lectures on Genome Analysis

- Computer Architecture, Fall 2020, Lecture 3a
  - **Introduction to Genome Sequence Analysis** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=CrRb32v7SJc&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=5
- Computer Architecture, Fall 2020, Lecture 8
  - **Intelligent Genome Analysis** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=ygmQpdDTL7o&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=14
- Computer Architecture, Fall 2020, Lecture 9a
  - **GenASM: Approx. String Matching Accelerator** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=XoLpzmN-Pas&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=15
- Accelerating Genomics Project Course, Fall 2020, Lecture 1
  - **Accelerating Genomics** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=rgjl8ZyLsAg&list=PL5Q2soXY2Zi9E2bBVAgCqLgwiDRQDTyId

https://www.youtube.com/onurmutlulectures

Data Overwhelms Modern Machines …

- Storage/memory capability
- Communication capability
- Computation capability
- Greatly impacts robustness, energy, performance, cost

A Computing System



- Three key components
- Computation
- Communication
- Storage/memory

Burks, Goldstein, von Neumann, "Preliminary discussion of the logical design of an electronic computing instrument," 1946.



Image source: https://lbsitbytes2010.wordpress.com/2013/03/29/john-von-neumann-roll-no-15/

Perils of Processor-Centric Design



Most of the system is dedicated to storing and moving data

Yet, system is still bottlenecked by memory

Deeper and Larger Memory Hierarchies



AMD Ryzen 5000, 2020

Core Count:

8 cores/16 threads

L1 Caches:

32 KB per core

L2 Caches:

512 KB per core

L3 Cache:

32 MB shared

https://wccftech.com/amd-ryzen-5000-zen-3-vermeer-undressed-high-res-die-shots-close-ups-pictured-detailed/

AMD's 3D Last Level Cache (2021)



https://community.microcenter.com/discussion/5134/comparing-zen-3-to-zen-2

AMD increases the L3 size of their 8-core Zen 3 processors from 32 MB to 96 MB

Additional 64 MB L3 cache die stacked on top of the processor die

- Connected using Through Silicon Vias (TSVs)
- Total of 96 MB L3 cache



https://youtu.be/gqAYMx34euU
https://www.tech-critter.com/amd-keynote-computex-2021/

Deeper and Larger Memory Hierarchies



IBM POWER10, 2020

Cores:

15-16 cores,
8 threads/core

L2 Caches:

2 MB per core

L3 Cache:

120 MB shared

https://www.it-techblog.de/ibm-power10-prozessor-mehr-speicher-mehr-tempo-mehr-sicherheit/09/2020/

Deeper and Larger Memory Hierarchies



Apple M1 Ultra System (2022)

https://www.gsmarena.com/apple_announces_m1_ultra_with_20core_cpu_and_64core_gpu-news-53481.php

Data Overwhelms Modern Machines

Chrome

TensorFlow Mobile

Data → performance & energy bottleneck

VP9 YouTube

Video Playback

Google's **video codec**

VP9 YouTube

Video Capture

Google's **video codec**

Data Movement Overwhelms Modern Machines

- Amirali Boroumand, Saugata Ghose, Youngsok Kim, Rachata Ausavarungnirun, Eric Shiu, Rahul Thakur, Daehyun Kim, Aki Kuusela, Allan Knies, Parthasarathy Ranganathan, and Onur Mutlu, **"Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks"** *Proceedings of the 23rd International Conference on Architectural Support for Programming Languages and Operating Systems (**ASPLOS**)*, Williamsburg, VA, USA, March 2018.

62.7% of the total system energy is spent on data movement

Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks

Amirali Boroumand[1] Saugata Ghose[1] Youngsok Kim[2]
Rachata Ausavarungnirun[1] Eric Shiu[3] Rahul Thakur[3] Daehyun Kim[4,3]
Aki Kuusela[3] Allan Knies[3] Parthasarathy Ranganathan[3] Onur Mutlu[5,1]

An Intelligent Architecture Handles Data Well

How to Handle Data Well

- **Ensure data does not overwhelm** the components
  - via intelligent algorithms, architectures & system designs: algorithm-architecture-devices
- **Take advantage of** vast amounts of **data** and metadata
  - to improve architectural & system-level decisions
- **Understand and exploit** properties of (different) **data**
  - to improve algorithms & architectures in various metrics

Corollaries: Computing Systems Today …

- Are processor-centric vs. **data-centric**
- Make designer-dictated decisions vs. **data-driven**
- Make component-based myopic decisions vs. **data-aware**

Fundamentally Better Architectures

Data-centric

Data-driven

Data-aware

We Need to Revisit the Entire Stack



We can get there step by step

A Blueprint for Fundamentally Better Architectures

- Onur Mutlu,
  "Intelligent Architectures for Intelligent Computing Systems"
  *Invited Paper in Proceedings of the Design, Automation, and Test in Europe Conference (**DATE**)*, Virtual, February 2021.
  [Slides (pptx) (pdf)]
  [IEDM Tutorial Slides (pptx) (pdf)]
  [Short DATE Talk Video (11 minutes)]
  [Longer IEDM Tutorial Video (1 hr 51 minutes)]

Intelligent Architectures for Intelligent Computing Systems

Onur Mutlu
ETH Zurich
omutlu@gmail.com

Data-Centric (Memory-Centric) Architectures

Data-Centric Architectures: Properties

- **Process data where it resides** (where it makes sense)
  - Processing in and near memory & sensor structures
- **Low-latency & low-energy data access**
- **Low-cost data storage & processing**
  - High capacity memory at low cost: hybrid memory, compression
- **Intelligent data management**
  - Intelligent controllers handling robustness, security, cost, perf.

Processing Data Where It Makes Sense

Process Data Where It Makes Sense



Apple M1 Ultra System (2022)

https://www.gsmarena.com/apple_announces_m1_ultra_with_20core_cpu_and_64core_gpu-news-53481.php

Processing in/near Memory: An Old Idea

- Kautz, "Cellular Logic-in-Memory Arrays", IEEE TC 1969.

IEEE TRANSACTIONS ON COMPUTERS, VOL. C-18, NO. 8, AUGUST 1969

Cellular Logic-in-Memory Arrays

WILLIAM H. KAUTZ, MEMBER, IEEE

Abstract—As a direct consequence of large-scale integration, many advantages in the design, fabrication, testing, and use of digital circuitry can be achieved if the circuits can be arranged in a two-dimensional iterative, or cellular, array of identical elementary networks, or cells. When a small amount of storage is included in each cell, the same array may be regarded either as a logically enhanced memory array, or as a logic array whose elementary gates and connections can be "programmed" to realize a desired logical behavior.

In this paper the specific engineering features of such cellular logic-in-memory (CLIM) arrays are discussed, and one such special-purpose array, a cellular sorting array, is described in detail to illustrate how these features may be achieved in a particular design. It is shown how the cellular sorting array can be employed as a single-address, multiword memory that keeps in order all words stored within it. It can also be used as a content-addressed memory, a pushdown memory, a buffer memory, and (with a lower logical efficiency) a programmable array for the realization of arbitrary switching functions. A second version of a sorting array, operating on a different sorting principle, is also described.

Index Terms—Cellular logic, large-scale integration, logic arrays logic in memory, push-down memory, sorting, switching functions.



Fig. 1. Cellular sorting array I.

https://doi.org/10.1109/T-C.1969.222754

Processing in/near Memory: An Old Idea

- Stone, "A Logic-in-Memory Computer," IEEE TC 1970.

A Logic-in-Memory Computer

HAROLD S. STONE

Abstract—If, as presently projected, the cost of microelectronic arrays in the future will tend to reflect the number of pins on the array rather than the number of gates, the logic-in-memory array is an extremely attractive computer component. Such an array is essentially a microelectronic memory with some combinational logic associated with each storage element.

Why In-Memory Computation Today?

- **Huge problems with Memory Technology**
  - Memory technology scaling is not going well (e.g., RowHammer)
  - Many scaling issues demand intelligence in memory
- **Huge demand from Applications & Systems**
  - Data access bottleneck
  - Energy & power bottlenecks
  - Data movement energy dominates computation energy
  - Need all at the same time: performance, energy, sustainability
  - We can improve all metrics by minimizing data movement
- **Designs are squeezed in the middle**

Processing-in-Memory Landscape Today





[Samsung 2021]



[Alibaba 2022]



[SK Hynix 2022]



[Samsung 2021]



[UPMEM 2019]

And, many other experimental chips and startups

Why In-Memory Computation Today?

- **Push from Technology**
  - DRAM Scaling at jeopardy

    → Controllers close to DRAM

    → Industry open to new memory architectures

Memory Scaling Issues **Are** Real

- Onur Mutlu,
  "Memory Scaling: A Systems Architecture Perspective"
  *Proceedings of the 5th International Memory Workshop (**IMW**)*, Monterey, CA, May 2013. Slides (pptx) (pdf)
  EETimes Reprint


Memory Scaling: A Systems Architecture Perspective

Onur Mutlu
Carnegie Mellon University
onur@cmu.edu
http://users.ece.cmu.edu/~omutlu/

https://people.inf.ethz.ch/omutlu/pub/memory-scaling_memcon13.pdf

As Memory Scales, It Becomes Unreliable

- Data from all of Facebook's servers worldwide
- Meza+, "Revisiting Memory Errors in Large-Scale Production Data Centers," DSN'15.



Intuition: quadratic increase in capacity

Infrastructures to Understand Such Issues



Kim+, "Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors," ISCA 2014.

Memory Testing Infrastructures



** SoftMC [Hassan+, HPCA'17] enhanced for DDR4*

Updated Memory Testing Infrastructure

FPGA-based SoftMC (Xilinx Virtex UltraScale+ XCU200)



Fine-grained control over **DRAM commands**, **timing (±1.5ns)**, **temperature (±0.1°C)**, and **voltage (±1mV)**

*Hassan et al., "SoftMC: A Flexible and Practical Open-Source Infrastructure for Enabling Experimental DRAM Studies," in HPCA, 2017. [Available on GitHub: https://github.com/CMU-SAFARI/SoftMC]

A Curious Phenomenon [Kim et al., ISCA 2014]

One can
predictably induce errors
in most DRAM memory chips

Kim+, "Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors," ISCA 2014.

Rowhammer

Modern Memory is Prone to Disturbance Errors



Repeatedly reading a row enough times (before memory gets refreshed) induces disturbance errors in **adjacent rows** in most real DRAM chips you can buy today

Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors, (Kim et al., ISCA 2014)

Most DRAM Modules Are Vulnerable

A company	B company	C company
 86% (37/43)	 83% (45/54)	 88% (28/32)
Up to 1.0×10^{7} errors	Up to 2.7×10^{6} errors	Up to 3.3×10^{5} errors

Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors, (Kim et al., ISCA 2014)

The RowHammer Vulnerability

A simple hardware failure mechanism
can create a widespread
system security vulnerability

WIRED

Forget Software—Now Hackers Are Exploiting Physics

BUSINESS | CULTURE | DESIGN | GEAR | SCIENCE

SHARE

SHARE
18276

TWEET

ANDY GREENBERG SECURITY 08.31.16 7:00 AM

FORGET SOFTWARE—NOW HACKERS ARE EXPLOITING PHYSICS

The Story of RowHammer Tutorial …

Onur Mutlu,
"Security Aspects of DRAM: The Story of RowHammer"
*Invited Tutorial at 14th IEEE Electron Devices Society International Memory Workshop (**IMW**)*, Dresden, Germany, May 2022.
[Slides (pptx)(pdf)]
[Tutorial Video (57 minutes)]



10 Years of RowHammer in 20 Minutes

- Onur Mutlu,
  "The Story of RowHammer"
  *Invited Talk at the Workshop on Robust and Safe Software 2.0 (**RSS2**), held with the 27th International Conference on Architectural Support for Programming Languages and Operating Systems (**ASPLOS**)*, Virtual, 28 February 2022.
  [Slides (pptx) (pdf)]



Memory Scaling Issues **Are** Real

- Yoongu Kim, Ross Daly, Jeremie Kim, Chris Fallin, Ji Hye Lee, Donghyuk Lee, Chris Wilkerson, Konrad Lai, and Onur Mutlu,
  "Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors"
  *Proceedings of the 41st International Symposium on Computer Architecture (**ISCA**)*, Minneapolis, MN, June 2014.
  [Slides (pptx) (pdf)] [Lightning Session Slides (pptx) (pdf)] [Source Code and Data] [Lecture Video (1 hr 49 mins), 25 September 2020]
  One of the 7 papers of 2012-2017 selected as Top Picks in Hardware and Embedded Security for IEEE TCAD (link).

Flipping Bits in Memory Without Accessing Them: An Experimental Study of DRAM Disturbance Errors

Yoongu Kim[1] Ross Daly* Jeremie Kim[1] Chris Fallin* Ji Hye Lee[1]
Donghyuk Lee[1] Chris Wilkerson[2] Konrad Lai Onur Mutlu[1]
[1]Carnegie Mellon University [2]Intel Labs

Memory Scaling Issues **Are** Real

- Onur Mutlu,
  "The RowHammer Problem and Other Issues We May Face as Memory Becomes Denser"
  *Invited Paper in Proceedings of the Design, Automation, and Test in Europe Conference (**DATE**)*, Lausanne, Switzerland, March 2017.
  [Slides (pptx) (pdf)]

The RowHammer Problem
and Other Issues We May Face as Memory Becomes Denser

Onur Mutlu
ETH Zürich
onur.mutlu@inf.ethz.ch
https://people.inf.ethz.ch/omutlu

Memory Scaling Issues **Are** Real

- Onur Mutlu and Jeremie Kim,
  "RowHammer: A Retrospective"
  IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems (***TCAD***) *Special Issue on Top Picks in Hardware and Embedded Security*, 2019.
  [Preliminary arXiv version]
  [Slides from COSADE 2019 (pptx)]
  [Slides from VLSI-SOC 2020 (pptx) (pdf)]
  [Talk Video (1 hr 15 minutes, with Q&A)]


RowHammer: A Retrospective

Onur Mutlu[§‡] Jeremie S. Kim[‡§]
[§]ETH Zürich [‡]Carnegie Mellon University

Memory Scaling Issues **Are** Real

- **Appears at ASP-DAC 2023**

Fundamentally Understanding and Solving RowHammer

Onur Mutlu
onur.mutlu@safari.ethz.ch
ETH Zürich
Zürich, Switzerland

Ataberk Olgun
ataberk.olgun@safari.ethz.ch
ETH Zürich
Zürich, Switzerland

A. Giray Yağlıkcı
giray.yaglikci@safari.ethz.ch
ETH Zürich
Zürich, Switzerland

https://arxiv.org/pdf/2211.07613.pdf

Hybrid Memory Enables Better Scaling



Hardware/software manage data allocation & movement
to achieve the best of multiple technologies

Meza+, "Enabling Efficient and Scalable Hybrid Memories," IEEE Comp. Arch. Letters, 2012.

Yoon+, "Row Buffer Locality Aware Caching Policies for Hybrid Memories," ICCD 2012 Best Paper Award.

The Push from Circuits and Devices

Main Memory Needs Intelligent Controllers

An Example Intelligent Controller

- A. Giray Yaglikci, Minesh Patel, Jeremie S. Kim, Roknoddin Azizi, Ataberk Olgun, Lois Orosa, Hasan Hassan, Jisung Park, Konstantinos Kanellopoulos, Taha Shahroodi, Saugata Ghose, and Onur Mutlu,
  "BlockHammer: Preventing RowHammer at Low Cost by Blacklisting Rapidly-Accessed DRAM Rows"
  *Proceedings of the 27th International Symposium on High-Performance Computer Architecture (**HPCA**)*, Virtual, February-March 2021.
  [Slides (pptx) (pdf)]
  [Short Talk Slides (pptx) (pdf)]
  [Intel Hardware Security Academic Awards Short Talk Slides (pptx) (pdf)]
  [Talk Video (22 minutes)]
  [Short Talk Video (7 minutes)]
  [Intel Hardware Security Academic Awards Short Talk Video (2 minutes)]
  [BlockHammer Source Code]
  Intel Hardware Security Academic Award Finalist (one of 4 finalists out of 34 nominations)

BlockHammer: Preventing RowHammer at Low Cost by Blacklisting Rapidly-Accessed DRAM Rows

A. Giray Yağlıkçı[1] Minesh Patel[1] Jeremie S. Kim[1] Roknoddin Azizi[1] Ataberk Olgun[1] Lois Orosa[1]
Hasan Hassan[1] Jisung Park[1] Konstantinos Kanellopoulos[1] Taha Shahroodi[1] Saugata Ghose[2] Onur Mutlu[1]
[1]*ETH Zürich* [2]*University of Illinois at Urbana–Champaign*

Industry Is Writing Papers About It, Too

DRAM Process Scaling Challenges

- **Refresh**
  - Difficult to build high-aspect ratio cell capacitors decreasing cell capacitance
  - Leakage current of cell access transistors increasing
- **tWR**
  - Contact resistance between the cell capacitor and access transistor increasing
  - On-current of the cell access transistor decreasing
  - Bit-line resistance increasing
- **VRT**
  - Occurring more frequently with cell capacitance decreasing



Refresh



tWR



VRT

Call for Intelligent Memory Controllers

DRAM Process Scaling Challenges

- **Refresh**
  - Difficult to build high-aspect ratio cell capacitors decreasing cell capacitance

THE MEMORY FORUM 2014

Co-Architecting Controllers and DRAM to Enhance DRAM Process Scaling

Uksong Kang, Hak-soo Yu, Churoo Park, *Hongzhong Zheng,
**John Halbert, **Kuljit Bains, SeongJin Jang, and Joo Sun Choi

*Samsung Electronics, Hwasung, Korea / *Samsung Electronics, San Jose / **Intel*



Refresh **tWR** **VRT**

Another Example Intelligent Controller

- Minesh Patel, Geraldo F. de Oliveira Jr., and Onur Mutlu,
  "HARP: Practically and Effectively Identifying Uncorrectable Errors in Memory Chips That Use On-Die Error-Correcting Codes"
  Proceedings of the 54th International Symposium on Microarchitecture (***MICRO***),
  Virtual, October 2021.
  [Slides (pptx) (pdf)]
  [Short Talk Slides (pptx) (pdf)]
  [Lightning Talk Slides (pptx) (pdf)]
  [Talk Video (20 minutes)]
  [Lightning Talk Video (1.5 minutes)]
  [HARP Source Code (Officially Artifact Evaluated with All Badges)]

HARP: Practically and Effectively Identifying Uncorrectable Errors in Memory Chips That Use On-Die Error-Correcting Codes

Minesh Patel
ETH Zürich

Geraldo F. Oliveira
ETH Zürich

Onur Mutlu
ETH Zürich

Aside: Intelligent Controller for NAND Flash



[DATE 2012, ICCD 2012, DATE 2013, ITJ 2013, ICCD 2013, SIGMETRICS 2014, HPCA 2015, DSN 2015, MSST 2015, JSAC 2016, HPCA 2017, DFRWS 2017, PIEEE 2017, HPCA 2018, SIGMETRICS 2018]

Cai+, "Error Characterization, Mitigation, and Recovery in Flash Memory Based Solid State Drives," Proc. IEEE 2017.

Intelligent Flash Controllers [PIEEE'17]

Proceedings of the IEEE, Sept. 2017

Error Characterization, Mitigation, and Recovery in Flash-Memory-Based Solid-State Drives

This paper reviews the most recent advances in solid-state drive (SSD) error characterization, mitigation, and data recovery techniques to improve both SSD's reliability and lifetime.

By Yu Cai, Saugata Ghose, Erich F. Haratsch, Yixin Luo, and Onur Mutlu

https://arxiv.org/pdf/1706.08642

Intel Optane Persistent Memory (2019)

- Non-volatile main memory
- Based on 3D-XPoint Technology

https://www.storagereview.com/intel_optane_dc_persistent_memory_module_pmm

Emerging Memories Also Need Intelligent Controllers

- Benjamin C. Lee, Engin Ipek, Onur Mutlu, and Doug Burger,
  "Architecting Phase Change Memory as a Scalable DRAM Alternative"
  *Proceedings of the 36th International Symposium on Computer Architecture (**ISCA**)*, pages 2-13, Austin, TX, June 2009. Slides (pdf)
  One of the 13 computer architecture papers of 2009 selected as Top Picks by IEEE Micro. Selected as a CACM Research Highlight.
  2022 Persistent Impact Prize.

Architecting Phase Change Memory as a Scalable DRAM Alternative

Benjamin C. Lee† Engin Ipek† Onur Mutlu‡ Doug Burger†

†Computer Architecture Group
Microsoft Research
Redmond, WA
{blee, ipek, dburger}@microsoft.com

‡Computer Architecture Laboratory
Carnegie Mellon University
Pittsburgh, PA
onur@cmu.edu

The Takeaway

Intelligent Memory Controllers Can Avoid Many Failures & Enable Better Scaling

The Push from Circuits and Devices

Main Memory Needs Intelligent Controllers

Why In-Memory Computation Today?

- **Push from Technology**
  - DRAM Scaling at jeopardy
    → Controllers close to DRAM
    → Industry open to new memory architectures

- **Pull from Systems and Applications**
  - Data access is the major system and application bottleneck
  - Systems are energy & power limited
  - Data movement much more energy-hungry than computation

Three Key Systems & Application Trends

1. Data access is the major bottleneck

- Applications are increasingly data hungry

2. Energy consumption is a key limiter

3. Data movement energy dominates compute

- Especially true for off-chip to on-chip movement

Do We Want This?

Source: V. Milutinovic

Or This?



Source: V. Milutinovic

Challenge and Opportunity for Future

High Performance,

Energy Efficient,

Sustainable

(All at the Same Time)

The Problem

Data access is the major performance and energy bottleneck

Our current

design principles

cause great energy waste

(and great performance loss)

The Problem

Processing of data

is performed

far away from the data

A Computing System

- Three key components
- Computation
- Communication
- Storage/memory



Burks, Goldstein, von Neumann, "Preliminary discussion of the logical design of an electronic computing instrument," 1946.



Image source: https://lbsitbytes2010.wordpress.com/2013/03/29/john-von-neumann-roll-no-15/

A Computing System

- Three key components
- Computation
- Communication
- Storage/memory



Burks, Goldstein, von Neumann, "Preliminary discussion of the logical design of an electronic computing instrument," 1946.



Image source: https://lbsitbytes2010.wordpress.com/2013/03/29/john-von-neumann-roll-no-15/

Today's Computing Systems

- Processor centric

- All data processed in the processor → at great system cost



It's the Memory, Stupid!

- "**It's the Memory, Stupid!**" (Richard Sites, MPR, 1996)

RICHARD SITES

It's the Memory, Stupid!

When we started the Alpha architecture design in 1988, we estimated a 25-year lifetime and a relatively modest 32% per year compounded performance improvement of implementations over that lifetime (1,000× total). We guestimated about 10× would come from CPU clock improvement, 10× from multiple instruction issue, and 10× from multiple processors.

5, 1996 MICROPROCESSOR REPORT

I expect that over the coming decade memory subsystem design will be the *only* important design issue for microprocessors.

http://cva.stanford.edu/classes/cs99s/papers/architects_look_to_future.pdf

The Performance Perspective



The Performance Perspective

- Onur Mutlu, Jared Stark, Chris Wilkerson, and Yale N. Patt,
  "Runahead Execution: An Alternative to Very Large Instruction Windows for Out-of-order Processors"
  *Proceedings of the 9th International Symposium on High-Performance Computer Architecture (**HPCA**)*, pages 129-140, Anaheim, CA, February 2003. Slides (pdf)
  One of the 15 computer arch. papers of 2003 selected as Top Picks by IEEE Micro. HPCA Test of Time Award (awarded in 2021).

Runahead Execution: An Alternative to Very Large Instruction Windows for Out-of-order Processors

Onur Mutlu § Jared Stark † Chris Wilkerson ‡ Yale N. Patt §

§ECE Department
The University of Texas at Austin
{onur,patt}@ece.utexas.edu

†Microprocessor Research
Intel Labs
jared.w.stark@intel.com

‡Desktop Platforms Group
Intel Corporation
chris.wilkerson@intel.com

The Performance Perspective (Today)

- All of Google's Data Center Workloads (2015):



Kanev+, "Profiling a Warehouse-Scale Computer," ISCA 2015.

The Performance Perspective (Today)

- All of Google's Data Center Workloads (2015):



Figure 11: Half of cycles are spent stalled on caches.

Kanev+, "Profiling a Warehouse-Scale Computer," ISCA 2015.

Perils of Processor-Centric Design

- Grossly-imbalanced systems
  - Processing done only in **one place**
  - All else just stores and moves data: **data moves a lot**

  → Energy inefficient

  → Low performance

  → Complex

- Overly complex and bloated processor (and accelerators)
  - To tolerate data access from memory
  - Complex hierarchies and mechanisms

  → Energy inefficient

  → Low performance

  → Complex

Perils of Processor-Centric Design



Most of the system is dedicated to storing and moving data

Yet, system is still bottlenecked by memory

The Energy Perspective



Data Movement vs. Computation Energy



A memory access consumes ~100-1000X the energy of a complex addition

Data Movement vs. Computation Energy



Han+, "EIE: Efficient Inference Engine on Compressed Deep Neural Network," ISCA 2016.

Data Movement vs. Computation Energy



A memory access consumes 6400X the energy of a simple integer addition

Data Movement vs. Computation Energy

- Data movement is a major system energy bottleneck
  - Comprises 41% of mobile system energy during web browsing [2]
  - Costs ~115 times as much energy as an ADD operation [1, 2]



[1]: Reducing data Movement Energy via Online Data Clustering and Encoding (MICRO'16)

[2]: Quantifying the energy cost of data movement for emerging smart phone workloads on mobile platforms (IISWC'14)

Energy Waste in Mobile Devices

- Amirali Boroumand, Saugata Ghose, Youngsok Kim, Rachata Ausavarungnirun, Eric Shiu, Rahul Thakur, Daehyun Kim, Aki Kuusela, Allan Knies, Parthasarathy Ranganathan, and Onur Mutlu, **"Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks"** *Proceedings of the 23rd International Conference on Architectural Support for Programming Languages and Operating Systems (**ASPLOS**)*, Williamsburg, VA, USA, March 2018.

62.7% of the total system energy is spent on data movement

Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks

Amirali Boroumand[1] Saugata Ghose[1] Youngsok Kim[2]
Rachata Ausavarungnirun[1] Eric Shiu[3] Rahul Thakur[3] Daehyun Kim[4,3]
Aki Kuusela[3] Allan Knies[3] Parthasarathy Ranganathan[3] Onur Mutlu[5,1]

We Do Not Want to Move Data!



A memory access consumes ~100-1000X the energy of a complex addition

We Need A **Paradigm Shift** To …

- Enable computation with minimal data movement
- Compute where it makes sense (where data resides)
- Make computing architectures more data-centric

Goal: Processing Inside Memory



- Many questions … How do we design the:
  - compute-capable memory & controllers?
  - processors & communication units?
  - software & hardware interfaces?
  - system software, compilers, languages?
  - algorithms & theoretical foundations?



PIM Review and Open Problems

A Modern Primer on Processing in Memory

Onur Mutlu[a,b], Saugata Ghose[b,c], Juan Gómez-Luna[a], Rachata Ausavarungnirun[d]

SAFARI Research Group

[a] *ETH Zürich*
[b] *Carnegie Mellon University*
[c] *University of Illinois at Urbana-Champaign*
[d] *King Mongkut's University of Technology North Bangkok*

Onur Mutlu, Saugata Ghose, Juan Gomez-Luna, and Rachata Ausavarungnirun,
"A Modern Primer on Processing in Memory"
Invited Book Chapter in ***Emerging Computing: From Devices to Systems - Looking Beyond Moore and Von Neumann***, Springer, to be published in 2021.

https://arxiv.org/pdf/1903.03988.pdf

A Modern Primer on Processing in Memory

Onur Mutlu[a,b], Saugata Ghose[b,c], Juan Gómez-Luna[a], Rachata Ausavarungnirun[d]

SAFARI Research Group

[a] *ETH Zürich*
[b] *Carnegie Mellon University*
[c] *University of Illinois at Urbana-Champaign*
[d] *King Mongkut's University of Technology North Bangkok*

Abstract

Modern computing systems are overwhelmingly designed to move data to computation. This design choice goes directly against at least three key trends in computing that cause performance, scalability and energy bottlenecks: (1) data access is a key bottleneck as many important applications are increasingly data-intensive, and memory bandwidth and energy do not scale well, (2) energy consumption is a key limiter in almost all computing platforms, especially server and mobile systems, (3) data movement, especially off-chip to on-chip, is very expensive in terms of bandwidth, energy and latency, much more so than computation. These trends are especially severely-felt in the data-intensive server and energy-constrained mobile systems of today.

At the same time, conventional memory technology is facing many technology scaling challenges in terms of reliability, energy, and performance. As a result, memory system architects are open to organizing memory in different ways and making it more intelligent, at the expense of higher cost. The emergence of 3D-stacked memory plus logic, the adoption of error correcting codes inside the latest DRAM chips, proliferation of different main memory standards and chips, specialized for different purposes (e.g., graphics, low-power, high bandwidth, low latency), and the necessity of designing new solutions to serious reliability and security issues, such as the RowHammer phenomenon, are an evidence of this trend.

This chapter discusses recent research that aims to practically enable computation close to data, an approach we call *processing-in-memory* (PIM). PIM places computation mechanisms in or near where the data is stored (i.e., inside the memory chips, in the logic layer of 3D-stacked memory, or in the memory controllers), so that data movement between the computation units and memory is reduced or eliminated. While the general idea of PIM is not new, we discuss motivating trends in applications as well as memory circuits/technology that greatly exacerbate the need for enabling it in modern computing systems. We examine at least two promising new approaches to designing PIM systems to accelerate important data-intensive applications: (1) *processing using memory* by exploiting analog operational properties of DRAM chips to perform massively-parallel operations in memory, with low-cost changes, (2) *processing near memory* by exploiting 3D-stacked memory technology design to provide high memory bandwidth and low memory latency to in-memory logic. In both approaches, we describe and tackle relevant cross-layer research, design, and adoption challenges in devices, architecture, systems, and programming models. Our focus is on the development of in-memory processing designs that can be adopted in real computing platforms at low cost. We conclude by discussing work on solving key challenges to the practical adoption of PIM.

Keywords: memory systems, data movement, main memory, processing-in-memory, near-data processing, computation-in-memory, processing using memory, processing near memory, 3D-stacked memory, non-volatile memory, energy efficiency, high-performance computing, computer architecture, computing paradigm, emerging technologies, memory scaling, technology scaling, dependable systems, robust systems, hardware security, system security, latency, low-latency computing

Contents

1 Introduction 2

2 Major Trends Affecting Main Memory 4

3 The Need for Intelligent Memory Controllers to Enhance Memory Scaling 6

4 Perils of Processor-Centric Design 9

5 Processing-in-Memory (PIM): Technology Enablers and Two Approaches 12
- 5.1 New Technology Enablers: 3D-Stacked Memory and Non-Volatile Memory . . 12
- 5.2 Two Approaches: Processing Using Memory (PUM) vs. Processing Near Memory (PNM) 13

6 Processing Using Memory (PUM) 14
- 6.1 RowClone 14
- 6.2 Ambit 15
- 6.3 Gather-Scatter DRAM 17
- 6.4 In-DRAM Security Primitives 17

7 Processing Near Memory (PNM) 18
- 7.1 Tesseract: Coarse-Grained Application-Level PNM Acceleration of Graph Processing 19
- 7.2 Function-Level PNM Acceleration of Mobile Consumer Workloads 20
- 7.3 Programmer-Transparent Function-Level PNM Acceleration of GPU Applications 21
- 7.4 Instruction-Level PNM Acceleration with PIM-Enabled Instructions (PEI) . . 21
- 7.5 Function-Level PNM Acceleration of Genome Analysis Workloads 22
- 7.6 Application-Level PNM Acceleration of Time Series Analysis 23

8 Enabling the Adoption of PIM 24
- 8.1 Programming Models and Code Generation for PIM 24
- 8.2 PIM Runtime: Scheduling and Data Mapping 25
- 8.3 Memory Coherence 27
- 8.4 Virtual Memory Support 27
- 8.5 Data Structures for PIM 28
- 8.6 Benchmarks and Simulation Infrastructures 29
- 8.7 Real PIM Hardware Systems and Prototypes 30
- 8.8 Security Considerations 30

9 Conclusion and Future Outlook 31

1. Introduction

Main memory, built using the Dynamic Random Access Memory (DRAM) technology, is a major component in nearly all computing systems, including servers, cloud platforms, mobile/embedded devices, and sensor systems. Across all of these systems,the data working set sizes of modern applications are rapidly growing, while the need for fast analysis of such data is increasing. Thus, main memory is becoming an increasingly significant bottleneck across a wide variety of computing systems and applications [1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16]. Alleviating the main memory bottleneck requires the memory capacity, energy, cost, and performance to all scale in an efficient manner across technology generations. Unfortunately, it has become increasingly difficult in recent years, especially the past decade, to scale all of these dimensions [1, 2, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49], and thus the main memory bottleneck has been worsening.

A major reason for the main memory bottleneck is the high energy and latency cost associated with *data movement*. In modern computers, to perform any operation on data that resides in main memory, the processor must retrieve the data from main memory. This requires the memory controller to issue commands to a DRAM module across a relatively slow and power-hungry off-chip bus (known as the *memory channel*). The DRAM module sends the requested data across the memory channel, after which the data is placed in the caches and registers. The CPU can perform computation on the data once the data is in its registers. Data movement from the DRAM to the CPU incurs long latency and consumes a significant amount of energy [7, 50, 51, 52, 53, 54]. These costs are often exacerbated by the fact that much of the data brought into the caches is *not reused* by the CPU [52, 53, 55, 56], providing little benefit in return for the high latency and energy cost.

The cost of data movement is a fundamental issue with the *processor-centric* nature of contemporary computer systems. The CPU is considered to be the master in the system, and computation is performed only in the processor (and accelerators). In contrast, data storage and communication units, including the main memory, are treated as unintelligent workers that are incapable of computation. As a result of this processor-centric design paradigm, data moves a lot in the system between the computation units and communication/ storage units so that computation can be done on it. With the increasingly *data-centric* nature of contemporary and emerging appli-

PIM Course (Spring 2022)

- **Spring 2022 Edition:**
  - https://safari.ethz.ch/projects_and_seminars/spring2022/doku.php?id=processing_in_memory
- **Youtube Livestream:**
  - https://www.youtube.com/watch?v=9e4Chnwdovo&list=PL5Q2soXY2Zi-841fUYYUK9EsXKhQKRPyX
- Project course
  - Taken by **Bachelor's/Master's** students
  - Processing-in-Memory lectures
  - Hands-on research exploration
  - Many research readings

https://www.youtube.com/onurmutlulectures



Spring 2022 Meetings/Schedule

Week	Date	Livestream	Meeting	Learning Materials	Assignments
W1	10.03 Thu.	Live	M1: P&S PIM Course Presentation (PDF) (PPT)	Required Materials Recommended Materials	HW 0 Out
W2	15.03 Tue.		Hands-on Project Proposals		
	17.03 Thu.	Premiere	M2: Real-world PIM: UPMEM PIM (PDF) (PPT)		
W3	24.03 Thu.	Live	M3: Real-world PIM: Microbenchmarking of UPMEM PIM (PDF) (PPT)		
W4	31.03 Thu.	Live	M4: Real-world PIM: Samsung HBM-PIM (PDF) (PPT)		
W5	07.04 Thu.	Live	M5: How to Evaluate Data Movement Bottlenecks (PDF) (PPT)		
W6	14.04 Thu.	Live	M6: Real-world PIM: SK Hynix AiM (PDF) (PPT)		
W7	21.04 Thu.	Premiere	M7: Programming PIM Architectures (PDF) (PPT)		
W8	28.04 Thu.	Premiere	M8: Benchmarking and Workload Suitability on PIM (PDF) (PPT)		
W9	05.05 Thu.	Premiere	M9: Real-world PIM: Samsung AxDIMM (PDF) (PPT)		
W10	12.05 Thu.	Premiere	M10: Real-world PIM: Alibaba HB-PNM (PDF) (PPT)		
W11	19.05 Thu.	Live	M11: SpMV on a Real PIM Architecture (PDF) (PPT)		
W12	26.05 Thu.	Live	M12: End-to-End Framework for Processing-using-Memory (PDF) (PPT)		
W13	02.06 Thu.	Live	M13: Bit-Serial SIMD Processing using DRAM (PDF) (PPT)		
W14	09.06 Thu.	Live	M14: Analyzing and Mitigating ML Inference Bottlenecks (PDF) (PPT)		
W15	15.06 Thu.	Live	M15: In-Memory HTAP Databases with HW/SW Co-design (PDF) (PPT)		
W16	23.06 Thu.	Live	M16: In-Storage Processing for Genome Analysis (PDF) (PPT)		
W17	18.07 Mon.	Premiere	M17: How to Enable the Adoption of PIM? (PDF) (PPT)		
W18	09.08 Tue.	Premiere	SS1: ISVLSI 2022 Special Session on PIM (PDF & PPT)		

We Need to Think Differently from the Past Approaches

Processing in Memory: Two Approaches

1. Processing using Memory
2. Processing near Memory

Approach 1: Processing Using Memory

- Take advantage of operational principles of memory to perform bulk data movement and computation in memory
  - Can exploit internal connectivity to move data
  - Can exploit analog computation capability
  - …

- Examples: RowClone, In-DRAM AND/OR, Gather/Scatter DRAM
  - RowClone: Fast and Efficient In-DRAM Copy and Initialization of Bulk Data (Seshadri et al., MICRO 2013)
  - Fast Bulk Bitwise AND and OR in DRAM (Seshadri et al., IEEE CAL 2015)
  - Gather-Scatter DRAM: In-DRAM Address Translation to Improve the Spatial Locality of Non-unit Strided Accesses (Seshadri et al., MICRO 2015)
  - "Ambit: In-Memory Accelerator for Bulk Bitwise Operations Using Commodity DRAM Technology" (Seshadri et al., MICRO 2017)

Starting Simple: Data Copy and Initialization

memmove & memcpy: 5% cycles in Google's datacenter [Kanev+ ISCA'15]



Forking



Zero initialization (e.g., security)



Checkpointing

VM Cloning Deduplication



Page Migration

• • •
Many more

Future Systems: In-Memory Copy



1046ns, 3.6uJ → 90ns, 0.04uJ

RowClone: In-DRAM Row Copy

Idea: Two consecutive ACTivates

Negligible HW cost



RowClone: Latency and Energy Savings



Seshadri et al., "RowClone: Fast and Efficient In-DRAM Copy and Initialization of Bulk Data," MICRO 2013.

More on RowClone

- Vivek Seshadri, Yoongu Kim, Chris Fallin, Donghyuk Lee, Rachata Ausavarungnirun, Gennady Pekhimenko, Yixin Luo, Onur Mutlu, Michael A. Kozuch, Phillip B. Gibbons, and Todd C. Mowry,
  "RowClone: Fast and Energy-Efficient In-DRAM Bulk Data Copy and Initialization"
  *Proceedings of the 46th International Symposium on Microarchitecture (**MICRO**)*, Davis, CA, December 2013. [Slides (pptx) (pdf)] [Lightning Session Slides (pptx) (pdf)] [Poster (pptx) (pdf)]

RowClone: Fast and Energy-Efficient In-DRAM Bulk Data Copy and Initialization

Vivek Seshadri vseshadr@cs.cmu.edu
Yoongu Kim yoongukim@cmu.edu
Chris Fallin* cfallin@c1f.net
Donghyuk Lee donghyuk1@cmu.edu
Rachata Ausavarungnirun rachata@cmu.edu
Gennady Pekhimenko gpekhime@cs.cmu.edu
Yixin Luo yixinluo@andrew.cmu.edu
Onur Mutlu onur@cmu.edu
Phillip B. Gibbons† phillip.b.gibbons@intel.com
Michael A. Kozuch† michael.a.kozuch@intel.com
Todd C. Mowry tcm@cs.cmu.edu
Carnegie Mellon University †Intel Pittsburgh

RowClone in Off-the-Shelf DRAM Chips

- Idea: Violate DRAM timing parameters to mimic RowClone

ComputeDRAM: In-Memory Compute Using Off-the-Shelf DRAMs

Fei Gao
feig@princeton.edu
Department of Electrical Engineering
Princeton University

Georgios Tziantzioulis
georgios.tziantzioulis@princeton.edu
Department of Electrical Engineering
Princeton University

David Wentzlaff
wentzlaf@princeton.edu
Department of Electrical Engineering
Princeton University

https://parallel.princeton.edu/papers/micro19-gao.pdf

Real Processing Using Memory Prototype

- End-to-end RowClone & TRNG using off-the-shelf DRAM chips
- Idea: Violate DRAM timing parameters to mimic RowClone

PiDRAM: A Holistic End-to-end FPGA-based Framework for Processing-in-DRAM

Ataberk Olgun[§†] Juan Gómez Luna[§] Konstantinos Kanellopoulos[§] Behzad Salami[§*]
Hasan Hassan[§] Oğuz Ergin[†] Onur Mutlu[§]

[§]ETH Zürich [†]TOBB ETÜ [*]BSC

https://arxiv.org/pdf/2111.00082.pdf

https://github.com/cmu-safari/pidram

https://www.youtube.com/watch?v=qeukNs5XI3g&t=4192s

Real Processing-using-Memory Prototype



https://arxiv.org/pdf/2111.00082.pdf

https://github.com/cmu-safari/pidram

https://www.youtube.com/watch?v=qeukNs5XI3g&t=4192s

Real Processing-using-Memory Prototype

README.md

Building a PiDRAM Prototype

To build PiDRAM's prototype on Xilinx ZC706 boards, developers need to use the two sub-projects in this directory. `fpga-zynq` is a repository branched off of UCB-BAR's fpga-zynq repository. We use `fpga-zynq` to generate rocket chip designs that support end-to-end DRAM PuM execution. `controller-hardware` is where we keep the main Vivado project and Verilog sources for PiDRAM's memory controller and the top level system design.

Rebuilding Steps

1. Navigate into `fpga-zynq` and read the README file to understand the overall workflow of the repository
   - Follow the readme in `fpga-zynq/rocket-chip/riscv-tools` to install dependencies
2. Create the Verilog source of the rocket chip design using the `ZynqCopyFPGAConfig`
   - Navigate into zc706, then run `make rocket CONFIG=ZynqCopyFPGAConfig -j<number of cores>`
3. Copy the generated Verilog file (should be under zc706/src) and overwrite the same file in `controller-hardware/source/hdl/impl/rocket-chip`
4. Open the Vivado project in `controller-hardware/Vivado_Project` using Vivado 2016.2
5. Generate a bitstream
6. Copy the bitstream (system_top.bit) to `fpga-zynq/zc706`
7. Use the `./build_script.sh` to generate the new `boot.bin` under `fpga-images-zc706`, you can use this file to program the FPGA using the SD-Card
   - For details, follow the relevant instructions in `fpga-zynq/README.md`

You can run programs compiled with the RISC-V Toolchain supplied within the `fpga-zynq` repository. To install the toolchain, follow the instructions under `fpga-zynq/rocket-chip/riscv-tools`.

Generating DDR3 Controller IP sources

We cannot provide the sources for the Xilinx PHY IP we use in PiDRAM's memory controller due to licensing issues. We describe here how to regenerate them using Vivado 2016.2. First, you need to generate the IP RTL files:

1- Open IP Catalog
2- Find "Memory Interface Generator (MIG 7 Series)" IP and double click

https://arxiv.org/pdf/2111.00082.pdf

https://github.com/cmu-safari/pidram

https://www.youtube.com/watch?v=qeukNs5XI3g&t=4192s

Microbenchmark Copy/Initialization Throughput



In-DRAM Copy and Initialization improve throughput by 119x and 89x

Lecture on RowClone & Processing using DRAM



DEPARTMENT OF INFORMATION TECHNOLOGY AND ELECTRICAL ENGINEERING (D-ITET)

Seminar in Computer Arch. - Meeting 3: RowClone: In-Memory Data Copy and Initialization (Fall 2021)

292 views • Streamed live on Oct 7, 2021

21 0 SHARE SAVE ...

Onur Mutlu Lectures
19.1K subscribers

SUBSCRIBED

https://www.youtube.com/watch?v=n6Pwg1qax_E&list=PL5Q2soXY2Zi_7UBNmC9B8Yr5JSwTG9yH4&index=4

Mindset: Memory as an Accelerator



Memory similar to a "conventional" accelerator

(Truly) In-Memory Computation

- We can support in-DRAM AND, OR, NOT, MAJ
- At low cost
- Using analog computation capability of DRAM
  - Idea: activating multiple rows performs computation
- 30-60X performance and energy improvement
  - Seshadri+, "Ambit: In-Memory Accelerator for Bulk Bitwise Operations Using Commodity DRAM Technology," MICRO 2017.

- New memory technologies enable even more opportunities
  - Memristors, resistive RAM, phase change mem, STT-MRAM, …
  - Can operate on data with minimal movement

In-DRAM AND/OR: Triple Row Activation



Final State
AB + BC + AC

C(A + B) + ~C(AB)

Seshadri+, "Fast Bulk Bitwise AND and OR in DRAM", IEEE CAL 2015.

Bulk Bitwise Operations in Workloads



[1] Li and Patel, BitWeaving, SIGMOD 2013
[2] Goodwin+, BitFunnel, SIGIR 2017

In-DRAM Acceleration of Database Queries



Figure 11: Speedup offered by Ambit over baseline CPU with SIMD for BitWeaving

Seshadri+, "Ambit: In-Memory Accelerator for Bulk Bitwise Operations using Commodity DRAM Technology," MICRO 2017.

More on Ambit

- Vivek Seshadri, Donghyuk Lee, Thomas Mullins, Hasan Hassan, Amirali Boroumand, Jeremie Kim, Michael A. Kozuch, Onur Mutlu, Phillip B. Gibbons, and Todd C. Mowry,
  "Ambit: In-Memory Accelerator for Bulk Bitwise Operations Using Commodity DRAM Technology"
  *Proceedings of the 50th International Symposium on Microarchitecture (**MICRO**)*, Boston, MA, USA, October 2017.
  [Slides (pptx) (pdf)] [Lightning Session Slides (pptx) (pdf)] [Poster (pptx) (pdf)]

Ambit: In-Memory Accelerator for Bulk Bitwise Operations Using Commodity DRAM Technology

Vivek Seshadri[1,5] Donghyuk Lee[2,5] Thomas Mullins[3,5] Hasan Hassan[4] Amirali Boroumand[5]
Jeremie Kim[4,5] Michael A. Kozuch[3] Onur Mutlu[4,5] Phillip B. Gibbons[5] Todd C. Mowry[5]

[1]Microsoft Research India [2]NVIDIA Research [3]Intel [4]ETH Zürich [5]Carnegie Mellon University

In-DRAM Bulk Bitwise Execution

- Vivek Seshadri and Onur Mutlu,
  "In-DRAM Bulk Bitwise Execution Engine"
  Invited Book Chapter in Advances in Computers, to appear in 2020.
  [Preliminary arXiv version]

In-DRAM Bulk Bitwise Execution Engine

Vivek Seshadri
Microsoft Research India
visesha@microsoft.com

Onur Mutlu
ETH Zürich
onur.mutlu@inf.ethz.ch

SIMDRAM Framework

- Nastaran Hajinazar, Geraldo F. Oliveira, Sven Gregorio, Joao Dinis Ferreira, Nika Mansouri Ghiasi, Minesh Patel, Mohammed Alser, Saugata Ghose, Juan Gomez-Luna, and Onur Mutlu, **"SIMDRAM: An End-to-End Framework for Bit-Serial SIMD Computing in DRAM"** *Proceedings of the 26th International Conference on Architectural Support for Programming Languages and Operating Systems* (***ASPLOS***), Virtual, March-April 2021.
  [2-page Extended Abstract]
  [Short Talk Slides (pptx) (pdf)]
  [Talk Slides (pptx) (pdf)]
  [Short Talk Video (5 mins)]
  [Full Talk Video (27 mins)]

SIMDRAM: A Framework for Bit-Serial SIMD Processing using DRAM

*Nastaran Hajinazar[1,2] *Geraldo F. Oliveira[1] Sven Gregorio[1] João Dinis Ferreira[1]
Nika Mansouri Ghiasi[1] Minesh Patel[1] Mohammed Alser[1] Saugata Ghose[3]
Juan Gómez-Luna[1] Onur Mutlu[1]

[1]ETH Zürich [2]Simon Fraser University [3]University of Illinois at Urbana–Champaign

SIMDRAM Framework: Overview



SAFARI

SIMDRAM Key Results

Evaluated on:

- 16 complex in-DRAM operations
- 7 commonly-used real-world applications

SIMDRAM provides:

- **88×** and **5.8×** the **throughput** of a **CPU** and a **high-end GPU**, respectively, over **16 operations**
- **257×** and **31×** the **energy efficiency** of a **CPU** and a **high-end GPU**, respectively, over **16 operations**
- **21×** and **2.1×** the **performance** of a **CPU** an a **high-end GPU**, over **seven real-world applications**

More on SIMDRAM

- Nastaran Hajinazar, Geraldo F. Oliveira, Sven Gregorio, Joao Dinis Ferreira, Nika Mansouri Ghiasi, Minesh Patel, Mohammed Alser, Saugata Ghose, Juan Gomez-Luna, and Onur Mutlu, **"SIMDRAM: An End-to-End Framework for Bit-Serial SIMD Computing in DRAM"** *Proceedings of the 26th International Conference on Architectural Support for Programming Languages and Operating Systems* (***ASPLOS***), Virtual, March-April 2021.
  [2-page Extended Abstract]
  [Short Talk Slides (pptx) (pdf)]
  [Talk Slides (pptx) (pdf)]
  [Short Talk Video (5 mins)]
  [Full Talk Video (27 mins)]

SIMDRAM: A Framework for Bit-Serial SIMD Processing using DRAM

*Nastaran Hajinazar[1,2] *Geraldo F. Oliveira[1] Sven Gregorio[1] João Dinis Ferreira[1]
Nika Mansouri Ghiasi[1] Minesh Patel[1] Mohammed Alser[1] Saugata Ghose[3]
Juan Gómez-Luna[1] Onur Mutlu[1]

[1]ETH Zürich [2]Simon Fraser University [3]University of Illinois at Urbana–Champaign

In-DRAM Lookup-Table Based Execution

- Appears at MICRO 2022

pLUTo: Enabling Massively Parallel Computation in DRAM via Lookup Tables

João Dinis Ferreira[§] Gabriel Falcao[†] Juan Gómez-Luna[§] Mohammed Alser[§]
Lois Orosa[§▽] Mohammad Sadrosadati[§] Jeremie S. Kim[§] Geraldo F. Oliveira[§]
Taha Shahroodi[‡] Anant Nori[⋆] Onur Mutlu[§]

[§]*ETH Zürich* [†]*IT, University of Coimbra* [▽]*Galicia Supercomputing Center* [‡]*TU Delft* [⋆]*Intel*

https://arxiv.org/pdf/2104.07699.pdf

In-DRAM Physical Unclonable Functions

- Jeremie S. Kim, Minesh Patel, Hasan Hassan, and Onur Mutlu,
  "The DRAM Latency PUF: Quickly Evaluating Physical Unclonable Functions by Exploiting the Latency-Reliability Tradeoff in Modern DRAM Devices"
  *Proceedings of the 24th International Symposium on High-Performance Computer Architecture (**HPCA**)*, Vienna, Austria, February 2018.
  [Lightning Talk Video]
  [Slides (pptx) (pdf)] [Lightning Session Slides (pptx) (pdf)]
  [Full Talk Lecture Video (28 minutes)]



In-DRAM True Random Number Generation

- Jeremie S. Kim, Minesh Patel, Hasan Hassan, Lois Orosa, and Onur Mutlu,
  "D-RaNGe: Using Commodity DRAM Devices to Generate True Random Numbers with Low Latency and High Throughput"
  *Proceedings of the 25th International Symposium on High-Performance Computer Architecture (**HPCA**)*, Washington, DC, USA, February 2019.
  [Slides (pptx) (pdf)]
  [Full Talk Video (21 minutes)]
  [Full Talk Lecture Video (27 minutes)]
  Top Picks Honorable Mention by IEEE Micro.



D-RaNGe: Using Commodity DRAM Devices to Generate True Random Numbers with Low Latency and High Throughput

Jeremie S. Kim[‡§] Minesh Patel[§] Hasan Hassan[§] Lois Orosa[§] Onur Mutlu[§‡]

[‡]Carnegie Mellon University [§]ETH Zürich

In-DRAM True Random Number Generation

- Ataberk Olgun, Minesh Patel, A. Giray Yaglikci, Haocong Luo, Jeremie S. Kim, F. Nisa Bostanci, Nandita Vijaykumar, Oguz Ergin, and Onur Mutlu,
  "QUAC-TRNG: High-Throughput True Random Number Generation Using Quadruple Row Activation in Commodity DRAM Chips"
  *Proceedings of the 48th International Symposium on Computer Architecture (**ISCA**)*, Virtual, June 2021.
  [Slides (pptx) (pdf)]
  [Short Talk Slides (pptx) (pdf)]
  [Talk Video (25 minutes)]
  [SAFARI Live Seminar Video (1 hr 26 mins)]

QUAC-TRNG: High-Throughput True Random Number Generation Using Quadruple Row Activation in Commodity DRAM Chips

Ataberk Olgun[§†] Minesh Patel[§] A. Giray Yağlıkçı[§] Haocong Luo[§]
Jeremie S. Kim[§] F. Nisa Bostancı[§†] Nandita Vijaykumar[§⊙] Oğuz Ergin[†] Onur Mutlu[§]
[§]*ETH Zürich* [†]*TOBB University of Economics and Technology* [⊙]*University of Toronto*

In-DRAM True Random Number Generation

- F. Nisa Bostanci, Ataberk Olgun, Lois Orosa, A. Giray Yaglikci, Jeremie S. Kim, Hasan Hassan, Oguz Ergin, and Onur Mutlu,
  "DR-STRaNGe: End-to-End System Design for DRAM-based True Random Number Generators"
  *Proceedings of the 28th International Symposium on High-Performance Computer Architecture (**HPCA**)*, Virtual, April 2022.
  [Slides (pptx) (pdf)]
  [Short Talk Slides (pptx) (pdf)]

DR-STRaNGe: End-to-End System Design for DRAM-based True Random Number Generators

F. Nisa Bostancı[†§] Ataberk Olgun[†§] Lois Orosa[§] A. Giray Yağlıkçı[§]
Jeremie S. Kim[§] Hasan Hassan[§] Oğuz Ergin[†] Onur Mutlu[§]

[†]*TOBB University of Economics and Technology* [§]*ETH Zürich*

https://arxiv.org/pdf/2201.01385.pdf

In-Flash Bulk Bitwise Execution

- Appears at MICRO 2022

Flash-Cosmos: In-Flash Bulk Bitwise Operations Using Inherent Computation Capability of NAND Flash Memory

Jisung Park[§∇] Roknoddin Azizi[§] Geraldo F. Oliveira[§] Mohammad Sadrosadati[§]
Rakesh Nadig[§] David Novo[†] Juan Gómez-Luna[§] Myungsuk Kim[‡] Onur Mutlu[§]

[§]*ETH Zürich* [∇]*POSTECH* [†]*LIRMM, Univ. Montpellier, CNRS* [‡]*Kyungpook National University*

https://arxiv.org/pdf/2209.05566.pdf

Pinatubo: RowClone and Bitwise Ops in PCM

Pinatubo: A Processing-in-Memory Architecture for Bulk Bitwise Operations in Emerging Non-volatile Memories

Shuangchen Li[1]*, Cong Xu[2], Qiaosha Zou[1,5], Jishen Zhao[3], Yu Lu[4], and Yuan Xie[1]

University of California, Santa Barbara[1], Hewlett Packard Labs[2]
University of California, Santa Cruz[3], Qualcomm Inc.[4], Huawei Technologies Inc.[5]
{shuangchenli, yuanxie}ece.ucsb.edu[1]

https://cseweb.ucsd.edu/~jzhao/files/Pinatubo-dac2016.pdf

Pinatubo: RowClone and Bitwise Ops in PCM



Figure 2: Overview: (a) Computing-centric approach, moving tons of data to CPU and write back. (b) The proposed Pinatubo architecture, performs n-row bitwise operations inside NVM in one step.

In-Memory Crossbar Array Operations

- Some emerging NVM technologies have crossbar array structure
  - Memristors, resistive RAM, phase change mem, STT-MRAM, …
- Crossbar arrays can be used to perform dot product operations using "analog computation capability"
  - Can operate on multiple pieces of data using Kirchoff's laws
    - Bitline current is a sum of products of wordline V x (1 / cell R)
  - Computation is in analog domain inside the crossbar array
- Need peripheral circuitry for D→A and A→D conversion of inputs and outputs

Aside: In-Memory Crossbar Computation



(a) Multiply-Accumulate operation

(b) Vector-Matrix Multiplier

Fig. 1. (a) Using a bitline to perform an analog sum of products operation. (b) A memristor crossbar used as a vector-matrix multiplier.

Aside: In-Memory Crossbar Computation



Readings on Processing using NVM

- Shafiee+, "ISAAC: A Convolutional Neural Network Accelerator with In-Situ Analog Arithmetic in Crossbars", ISCA 2016.
- Chi+, "PRIME: A Novel Processing-in-memory Architecture for Neural Network Computation in ReRAM-based Main Memory", ISCA 2016.
- Prezioso+, "Training and Operation of an Integrated Neuromorphic Network based on Metal-Oxide Memristors", Nature 2015
- Ambrogio+, "Equivalent-accuracy accelerated neural-network training using analogue memory", Nature 2018.

Processing in Memory: Two Approaches

1. Processing using Memory
2. Processing near Memory

Mindset: Memory as an Accelerator



Memory similar to a "conventional" accelerator

Accelerating In-Memory Graph Analytics

- Large graphs are everywhere (circa 2015)

36 Million
Wikipedia Pages

1.4 Billion
Facebook Users

300 Million
Twitter Users

30 Billion
Instagram Photos

- Scalable large-scale graph processing is challenging



Key Bottlenecks in Graph Processing

```
for (v: graph.vertices) {
    for (w: v.successors) {
        w.next_rank += weight * v.rank;
    }
}
```

1. Frequent random memory accesses



2. Little amount of computation

Opportunity: 3D-Stacked Logic+Memory

Hybrid Memory Cube
CONSORTIUM



Other "True 3D" technologies under development

Tesseract System for Graph Processing

Interconnected set of 3D-stacked memory+logic chips with simple cores



Tesseract System for Graph Processing



Tesseract System for Graph Processing



Evaluated Systems



Tesseract Graph Processing Performance



Tesseract Graph Processing System Energy



More on Tesseract

- Junwhan Ahn, Sungpack Hong, Sungjoo Yoo, Onur Mutlu, and Kiyoung Choi,
  "A Scalable Processing-in-Memory Accelerator for Parallel Graph Processing"
  *Proceedings of the 42nd International Symposium on Computer Architecture (**ISCA**)*, Portland, OR, June 2015.
  [Slides (pptx) (pdf)] [Lightning Session Slides (pptx) (pdf)]
  Top Picks Honorable Mention by IEEE Micro.

A Scalable Processing-in-Memory Accelerator for Parallel Graph Processing

Junwhan Ahn Sungpack Hong[§] Sungjoo Yoo Onur Mutlu[†] Kiyoung Choi
junwhan@snu.ac.kr, sungpack.hong@oracle.com, sungjoo.yoo@gmail.com, onur@cmu.edu, kchoi@snu.ac.kr
Seoul National University [§]Oracle Labs [†]Carnegie Mellon University

In-Storage Genomic Data Filtering [ASPLOS 2022]

- Nika Mansouri Ghiasi, Jisung Park, Harun Mustafa, Jeremie Kim, Ataberk Olgun, Arvid Gollwitzer, Damla Senol Cali, Can Firtina, Haiyu Mao, Nour Almadhoun Alserr, Rachata Ausavarungnirun, Nandita Vijaykumar, Mohammed Alser, and Onur Mutlu,
  "GenStore: A High-Performance and Energy-Efficient In-Storage Computing System for Genome Sequence Analysis"
  *Proceedings of the 27th International Conference on Architectural Support for Programming Languages and Operating Systems (**ASPLOS**)*, Virtual, February-March 2022.
  [Lightning Talk Slides (pptx) (pdf)]
  [Lightning Talk Video (90 seconds)]

GenStore: A High-Performance In-Storage Processing System for Genome Sequence Analysis

Nika Mansouri Ghiasi[1] Jisung Park[1] Harun Mustafa[1] Jeremie Kim[1] Ataberk Olgun[1]
Arvid Gollwitzer[1] Damla Senol Cali[2] Can Firtina[1] Haiyu Mao[1] Nour Almadhoun Alserr[1]
Rachata Ausavarungnirun[3] Nandita Vijaykumar[4] Mohammed Alser[1] Onur Mutlu[1]

[1]ETH Zürich [2]Bionano Genomics [3]KMUTNB [4]University of Toronto

Genome Sequence Analysis



✗ Computation overhead

✗ Data movement overhead

Compute-Centric Accelerators



✓ Computation overhead

✗ Data movement overhead

Key Idea: In-Storage Filtering

Filter* reads that do *not* require alignment *inside the storage system



Filtered Reads





Exactly-matching reads

Do not need expensive approximate string matching during alignment

Non-matching reads

Do not have potential matching locations and can skip alignment

GenStore

Filter reads that do *not* require alignment *inside the storage system*



Computation overhead

Data movement overhead

GenStore provides significant speedup (1.4x - 33.6x) and energy reduction (3.9x – 29.2x) at low cost

In-Storage Genomic Data Filtering [ASPLOS 2022]

- Nika Mansouri Ghiasi, Jisung Park, Harun Mustafa, Jeremie Kim, Ataberk Olgun, Arvid Gollwitzer, Damla Senol Cali, Can Firtina, Haiyu Mao, Nour Almadhoun Alserr, Rachata Ausavarungnirun, Nandita Vijaykumar, Mohammed Alser, and Onur Mutlu,
  "GenStore: A High-Performance and Energy-Efficient In-Storage Computing System for Genome Sequence Analysis"
  *Proceedings of the 27th International Conference on Architectural Support for Programming Languages and Operating Systems (**ASPLOS**)*, Virtual, February-March 2022.
  [Lightning Talk Slides (pptx) (pdf)]
  [Lightning Talk Video (90 seconds)]

GenStore: A High-Performance In-Storage Processing System for Genome Sequence Analysis

Nika Mansouri Ghiasi[1] Jisung Park[1] Harun Mustafa[1] Jeremie Kim[1] Ataberk Olgun[1]
Arvid Gollwitzer[1] Damla Senol Cali[2] Can Firtina[1] Haiyu Mao[1] Nour Almadhoun Alserr[1]
Rachata Ausavarungnirun[3] Nandita Vijaykumar[4] Mohammed Alser[1] Onur Mutlu[1]

[1]ETH Zürich [2]Bionano Genomics [3]KMUTNB [4]University of Toronto

Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks

Amirali Boroumand

Saugata Ghose, Youngsok Kim, Rachata Ausavarungnirun, Eric Shiu, Rahul Thakur, Daehyun Kim, Aki Kuusela, Allan Knies, Parthasarathy Ranganathan, Onur Mutlu

SAFARI Carnegie Mellon Google

SAMSUNG SEOUL NATIONAL UNIVERSITY ETH Zürich

Consumer Devices

Consumer devices are everywhere!

Energy consumption is a first-class concern in consumer devices



Popular Consumer Workloads

Chrome

Google's web browser

TensorFlow Mobile

Google's machine learning framework

VP9

YouTube

Video Playback

Google's video codec

VP9

YouTube

Video Capture

Google's video codec

Energy Cost of Data Movement

1st key observation: 62.7% of the total system energy is spent on data movement



Potential solution: move computation close to data

Challenge: limited area and energy budget

Using PIM to Reduce Data Movement

2nd key observation: a significant fraction of the data movement often comes from simple functions

We can design lightweight logic to implement these *simple functions* in memory

Small embedded low-power core

Small fixed-function accelerators



Offloading to PIM logic reduces energy and improves performance, on average, by 2.3X and 2.2X

Workload Analysis

Chrome

Google's web browser

TensorFlow Mobile

Google's machine learning framework

Video Playback

Google's video codec

Video Capture

Google's video codec

TensorFlow Mobile



57.3% of the inference energy is spent on data movement

↓

54.4% of the **data movement** energy comes from packing/unpacking and quantization

More on PIM for Mobile Devices

- Amirali Boroumand, Saugata Ghose, Youngsok Kim, Rachata Ausavarungnirun, Eric Shiu, Rahul Thakur, Daehyun Kim, Aki Kuusela, Allan Knies, Parthasarathy Ranganathan, and Onur Mutlu,
  "Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks"
  *Proceedings of the 23rd International Conference on Architectural Support for Programming Languages and Operating Systems (**ASPLOS**)*, Williamsburg, VA, USA, March 2018.
  [Slides (pptx) (pdf)] [Lightning Session Slides (pptx) (pdf)] [Poster (pptx) (pdf)]
  [Lightning Talk Video (2 minutes)]
  [Full Talk Video (21 minutes)]



Truly Distributed GPU Processing with PIM

```
__global__
void applyScaleFactorsKernel( uint8_T * const out,
    uint8_T const * const in, const double *factor,
    size_t const numRows, size_t const numCols )
{
    // Work out which pixel we are working on.
    const int rowIdx = blockIdx.x * blockDim.x + threadIdx.x;
    const int colIdx = blockIdx.y;
    const int sliceIdx = threadIdx.z;

    // Check this thread isn't off the image
    if( rowIdx >= numRows ) return;

    // Compute the index of my element
    size_t linearIdx = rowIdx + colIdx*numRows +
        sliceIdx*numRows*numCols;
```



Accelerating GPU Execution with PIM (I)

- Kevin Hsieh, Eiman Ebrahimi, Gwangsun Kim, Niladrish Chatterjee, Mike O'Connor, Nandita Vijaykumar, Onur Mutlu, and Stephen W. Keckler, **"Transparent Offloading and Mapping (TOM): Enabling Programmer-Transparent Near-Data Processing in GPU Systems"**
  *Proceedings of the 43rd International Symposium on Computer Architecture (**ISCA**)*, Seoul, South Korea, June 2016.
  [Slides (pptx) (pdf)]
  [Lightning Session Slides (pptx) (pdf)]

Transparent Offloading and Mapping (TOM):
Enabling Programmer-Transparent Near-Data Processing in GPU Systems

Kevin Hsieh[‡] Eiman Ebrahimi[†] Gwangsun Kim[*] Niladrish Chatterjee[†] Mike O'Connor[†]
Nandita Vijaykumar[‡] Onur Mutlu[§‡] Stephen W. Keckler[†]
[‡]Carnegie Mellon University [†]NVIDIA [*]KAIST [§]ETH Zürich

Accelerating GPU Execution with PIM (II)

- Ashutosh Pattnaik, Xulong Tang, Adwait Jog, Onur Kayiran, Asit K. Mishra, Mahmut T. Kandemir, Onur Mutlu, and Chita R. Das, **"Scheduling Techniques for GPU Architectures with Processing-In-Memory Capabilities"**
  *Proceedings of the 25th International Conference on Parallel Architectures and Compilation Techniques (**PACT**)*, Haifa, Israel, September 2016.

Scheduling Techniques for GPU Architectures with Processing-In-Memory Capabilities

Ashutosh Pattnaik[1] Xulong Tang[1] Adwait Jog[2] Onur Kayıran[3]
Asit K. Mishra[4] Mahmut T. Kandemir[1] Onur Mutlu[5,6] Chita R. Das[1]
[1]Pennsylvania State University [2]College of William and Mary
[3]Advanced Micro Devices, Inc. [4]Intel Labs [5]ETH Zürich [6]Carnegie Mellon University

Accelerating Linked Data Structures

- Kevin Hsieh, Samira Khan, Nandita Vijaykumar, Kevin K. Chang, Amirali Boroumand, Saugata Ghose, and Onur Mutlu,
  "Accelerating Pointer Chasing in 3D-Stacked Memory: Challenges, Mechanisms, Evaluation"
  *Proceedings of the 34th IEEE International Conference on Computer Design (**ICCD**)*, Phoenix, AZ, USA, October 2016.

Accelerating Pointer Chasing in 3D-Stacked Memory: Challenges, Mechanisms, Evaluation

Kevin Hsieh[†] Samira Khan[‡] Nandita Vijaykumar[†]
Kevin K. Chang[†] Amirali Boroumand[†] Saugata Ghose[†] Onur Mutlu[§†]
[†]*Carnegie Mellon University* [‡]*University of Virginia* [§]*ETH Zürich*

Accelerating Dependent Cache Misses

- Milad Hashemi, Khubaib, Eiman Ebrahimi, Onur Mutlu, and Yale N. Patt, **"Accelerating Dependent Cache Misses with an Enhanced Memory Controller"**
  *Proceedings of the 43rd International Symposium on Computer Architecture (**ISCA**)*, Seoul, South Korea, June 2016.
  [Slides (pptx) (pdf)]
  [Lightning Session Slides (pptx) (pdf)]

Accelerating Dependent Cache Misses with an Enhanced Memory Controller

Milad Hashemi*, Khubaib†, Eiman Ebrahimi‡, Onur Mutlu§, Yale N. Patt*

*The University of Texas at Austin †Apple ‡NVIDIA §ETH Zürich & Carnegie Mellon University

Accelerating Runahead Execution

- Milad Hashemi, Onur Mutlu, and Yale N. Patt,
  "Continuous Runahead: Transparent Hardware Acceleration for Memory Intensive Workloads"
  *Proceedings of the 49th International Symposium on Microarchitecture (**MICRO**)*, Taipei, Taiwan, October 2016.
  [Slides (pptx) (pdf)] [Lightning Session Slides (pdf)] [Poster (pptx) (pdf)]
  Best paper session.



Continuous Runahead: Transparent Hardware Acceleration for Memory Intensive Workloads

Milad Hashemi*, Onur Mutlu§, Yale N. Patt*

*The University of Texas at Austin §ETH Zürich

Accelerating Climate Modeling

- Gagandeep Singh, Dionysios Diamantopoulos, Christoph Hagleitner, Juan Gómez-Luna, Sander Stuijk, Onur Mutlu, and Henk Corporaal,
  "NERO: A Near High-Bandwidth Memory Stencil Accelerator for Weather Prediction Modeling"
  *Proceedings of the 30th International Conference on Field-Programmable Logic and Applications (**FPL**)*, Gothenburg, Sweden, September 2020.
  [Slides (pptx) (pdf)]
  [Lightning Talk Slides (pptx) (pdf)]
  [Talk Video (23 minutes)]
  Nominated for the Stamatis Vassiliadis Memorial Award.

NERO: A Near High-Bandwidth Memory Stencil Accelerator for Weather Prediction Modeling

Gagandeep Singh[a,b,c] Dionysios Diamantopoulos[c] Christoph Hagleitner[c] Juan Gómez-Luna[b]
Sander Stuijk[a] Onur Mutlu[b] Henk Corporaal[a]
[a]Eindhoven University of Technology [b]ETH Zürich [c]IBM Research Europe, Zurich

Accelerating Approximate String Matching

- Damla Senol Cali, Gurpreet S. Kalsi, Zulal Bingol, Can Firtina, Lavanya Subramanian, Jeremie S. Kim, Rachata Ausavarungnirun, Mohammed Alser, Juan Gomez-Luna, Amirali Boroumand, Anant Nori, Allison Scibisz, Sreenivas Subramoney, Can Alkan, Saugata Ghose, and Onur Mutlu, **"GenASM: A High-Performance, Low-Power Approximate String Matching Acceleration Framework for Genome Sequence Analysis"**
  *Proceedings of the 53rd International Symposium on Microarchitecture (**MICRO**)*, Virtual, October 2020.
  [Lighting Talk Video (1.5 minutes)]
  [Lightning Talk Slides (pptx) (pdf)]
  [Talk Video (18 minutes)]
  [Slides (pptx) (pdf)]

GenASM: A High-Performance, Low-Power Approximate String Matching Acceleration Framework for Genome Sequence Analysis

Damla Senol Cali[†⋈] Gurpreet S. Kalsi[⋈] Zülal Bingöl[▽] Can Firtina[◇] Lavanya Subramanian[‡] Jeremie S. Kim[◇†]
Rachata Ausavarungnirun[⊙] Mohammed Alser[◇] Juan Gomez-Luna[◇] Amirali Boroumand[†] Anant Nori[⋈]
Allison Scibisz[†] Sreenivas Subramoney[⋈] Can Alkan[▽] Saugata Ghose[⋆†] Onur Mutlu[◇†▽]

[†]*Carnegie Mellon University* [⋈]*Processor Architecture Research Lab, Intel Labs* [▽]*Bilkent University* [◇]*ETH Zürich*
[‡]*Facebook* [⊙]*King Mongkut's University of Technology North Bangkok* [⋆]*University of Illinois at Urbana–Champaign*

Accelerating Sequence-to-Graph Mapping

- Damla Senol Cali, Konstantinos Kanellopoulos, Joel Lindegger, Zulal Bingol, Gurpreet S. Kalsi, Ziyi Zuo, Can Firtina, Meryem Banu Cavlak, Jeremie Kim, Nika MansouriGhiasi, Gagandeep Singh, Juan Gomez-Luna, Nour Almadhoun Alserr, Mohammed Alser, Sreenivas Subramoney, Can Alkan, Saugata Ghose, and Onur Mutlu,
  "SeGraM: A Universal Hardware Accelerator for Genomic Sequence-to-Graph and Sequence-to-Sequence Mapping"
  *Proceedings of the 49th International Symposium on Computer Architecture (**ISCA**)*, New York, June 2022.
  [arXiv version]

SeGraM: A Universal Hardware Accelerator for Genomic Sequence-to-Graph and Sequence-to-Sequence Mapping

Damla Senol Cali[1] Konstantinos Kanellopoulos[2] Joël Lindegger[2] Zülal Bingöl[3]
Gurpreet S. Kalsi[4] Ziyi Zuo[5] Can Firtina[2] Meryem Banu Cavlak[2] Jeremie Kim[2]
Nika Mansouri Ghiasi[2] Gagandeep Singh[2] Juan Gómez-Luna[2] Nour Almadhoun Alserr[2]
Mohammed Alser[2] Sreenivas Subramoney[4] Can Alkan[3] Saugata Ghose[6] Onur Mutlu[2]

[1]Bionano Genomics [2]ETH Zürich [3]Bilkent University [4]Intel Labs
[5]Carnegie Mellon University [6]University of Illinois Urbana-Champaign

Accelerating Basecalling + Read Mapping

Haiyu Mao, Mohammed Alser, Mohammad Sadrosadati, Can Firtina, Akanksha Baranwal, Damla Senol Cali, Aditya Manglik, Nour Almadhoun Alserr, and Onur Mutlu,
"GenPIP: In-Memory Acceleration of Genome Analysis via Tight Integration of Basecalling and Read Mapping"
Proceedings of the 55th International Symposium on Microarchitecture (***MICRO***), Chicago, IL, USA, October 2022.
[Slides (pptx) (pdf)]
[Longer Lecture Slides (pptx) (pdf)]
[Lecture Video (25 minutes)]
[arXiv version]

GenPIP: In-Memory Acceleration of Genome Analysis via Tight Integration of Basecalling and Read Mapping

Haiyu Mao[1] Mohammed Alser[1] Mohammad Sadrosadati[1] Can Firtina[1] Akanksha Baranwal[1]
Damla Senol Cali[2] Aditya Manglik[1] Nour Almadhoun Alserr[1] Onur Mutlu[1]
[1]*ETH Zürich* [2]*Bionano Genomics*

Accelerating Time Series Analysis

- Ivan Fernandez, Ricardo Quislant, Christina Giannoula, Mohammed Alser, Juan Gómez-Luna, Eladio Gutiérrez, Oscar Plata, and Onur Mutlu,
  "NATSA: A Near-Data Processing Accelerator for Time Series Analysis"
  *Proceedings of the 38th IEEE International Conference on Computer Design (**ICCD**)*, Virtual, October 2020.
  [Slides (pptx) (pdf)]
  [Talk Video (10 minutes)]
  [Source Code]



NATSA: A Near-Data Processing Accelerator for Time Series Analysis

Ivan Fernandez[§] Ricardo Quislant[§] Christina Giannoula[†] Mohammed Alser[‡]
Juan Gómez-Luna[‡] Eladio Gutiérrez[§] Oscar Plata[§] Onur Mutlu[‡]

[§]*University of Malaga* [†]*National Technical University of Athens* [‡]*ETH Zürich*

Accelerating Graph Pattern Mining

- Maciej Besta, Raghavendra Kanakagiri, Grzegorz Kwasniewski, Rachata Ausavarungnirun, Jakub Beránek, Konstantinos Kanellopoulos, Kacper Janda, Zur Vonarburg-Shmaria, Lukas Gianinazzi, Ioana Stefan, Juan Gómez-Luna, Marcin Copik, Lukas Kapp-Schwoerer, Salvatore Di Girolamo, Nils Blach, Marek Konieczny, Onur Mutlu, and Torsten Hoefler,
  "SISA: Set-Centric Instruction Set Architecture for Graph Mining on Processing-in-Memory Systems"
  *Proceedings of the 54th International Symposium on Microarchitecture (**MICRO**)*, Virtual, October 2021.
  [Slides (pdf)]
  [Talk Video (22 minutes)]
  [Lightning Talk Video (1.5 minutes)]
  [Full arXiv version]



SISA: Set-Centric Instruction Set Architecture for Graph Mining on Processing-in-Memory Systems

Maciej Besta[1], Raghavendra Kanakagiri[2], Grzegorz Kwasniewski[1], Rachata Ausavarungnirun[3], Jakub Beránek[4], Konstantinos Kanellopoulos[1], Kacper Janda[5], Zur Vonarburg-Shmaria[1], Lukas Gianinazzi[1], Ioana Stefan[1], Juan Gómez-Luna[1], Marcin Copik[1], Lukas Kapp-Schwoerer[1], Salvatore Di Girolamo[1], Nils Blach[1], Marek Konieczny[5], Onur Mutlu[1], Torsten Hoefler[1]

[1]ETH Zurich, Switzerland [2]IIT Tirupati, India [3]King Mongkut's University of Technology North Bangkok, Thailand [4]Technical University of Ostrava, Czech Republic [5]AGH-UST, Poland

Accelerating HTAP Database Systems

- Amirali Boroumand, Saugata Ghose, Geraldo F. Oliveira, and Onur Mutlu, **"Polynesia: Enabling High-Performance and Energy-Efficient Hybrid Transactional/Analytical Databases with Hardware/Software Co-Design"** *Proceedings of the 38th International Conference on Data Engineering* (***ICDE***), Virtual, May 2022.
  [arXiv version]
  [Slides (pptx) (pdf)]
  [Short Talk Slides (pptx) (pdf)]

Polynesia: Enabling High-Performance and Energy-Efficient Hybrid Transactional/Analytical Databases with Hardware/Software Co-Design

Amirali Boroumand[†] Saugata Ghose[◇] Geraldo F. Oliveira[‡] Onur Mutlu[‡]
[†]*Google* [◇]*Univ. of Illinois Urbana-Champaign* [‡]*ETH Zürich*

Accelerating Neural Network Inference

- Amirali Boroumand, Saugata Ghose, Berkin Akin, Ravi Narayanaswami, Geraldo F. Oliveira, Xiaoyu Ma, Eric Shiu, and Onur Mutlu,
  "Google Neural Network Models for Edge Devices: Analyzing and Mitigating Machine Learning Inference Bottlenecks"
  *Proceedings of the 30th International Conference on Parallel Architectures and Compilation Techniques (**PACT**)*, Virtual, September 2021.
  [Slides (pptx) (pdf)]
  [Talk Video (14 minutes)]



Google Neural Network Models for Edge Devices: Analyzing and Mitigating Machine Learning Inference Bottlenecks

Amirali Boroumand[†◇] Saugata Ghose[‡] Berkin Akin[§] Ravi Narayanaswami[§]
Geraldo F. Oliveira[⋆] Xiaoyu Ma[§] Eric Shiu[§] Onur Mutlu[⋆†]

[†]*Carnegie Mellon Univ.* [◇]*Stanford Univ.* [‡]*Univ. of Illinois Urbana-Champaign* [§]*Google* [⋆]*ETH Zürich*

Google Neural Network Models for Edge Devices: Analyzing and Mitigating Machine Learning Inference Bottlenecks

Amirali Boroumand Saugata Ghose Berkin Akin
Ravi Narayanaswami Geraldo F. Oliveira Xiaoyu Ma
Eric Shiu Onur Mutlu

PACT 2021

SAFARI

Carnegie Mellon | University of Illinois Urbana-Champaign | Google | ETH Zürich

Executive Summary

Context: We extensively analyze a state-of-the-art edge ML accelerator (Google Edge TPU) using 24 Google edge models

- Wide range of models (CNNs, LSTMs, Transducers, RCNNs)

Problem: The Edge TPU accelerator suffers from three challenges:

- It operates **significantly below** its peak throughput
- It operates **significantly below** its theoretical energy efficiency
- It **inefficiently** handles memory accesses

Key Insight: These shortcomings arise from the monolithic design of the Edge TPU accelerator

- The Edge TPU accelerator design does not account for **layer heterogeneity**

Key Mechanism: A new framework called Mensa

- Mensa consists of heterogeneous accelerators whose dataflow and hardware are specialized for specific families of layers

Key Results: We design a version of Mensa for Google edge ML models

- Mensa improves performance and energy by **3.0X** and **3.1X**
- Mensa reduces cost and improves area efficiency

Google Edge Neural Network Models

We analyze inference execution using 24 edge NN models

Speech Recognition

6 RNN Transducers

2 LSTMs

Language Translation

Face Detection

13 CNN

Google Edge TPU

3 RCNN

Image Captioning

Diversity Across the Models

Insight 1: there is significant variation in terms of layer characteristics across the models



Diversity Within the Models

Insight 2: even within each model, layers exhibit significant variation in terms of layer characteristics

For example, our analysis of edge CNN models shows:





Variation in MAC intensity: up to 200x across layers

Variation in FLOP/Byte: up to 244x across layers

Mensa High-Level Overview

Edge TPU Accelerator



Monolithic Accelerator

Mensa



Heterogeneous Accelerators

Identifying Layer Families

Key observation: the majority of layers group into a small number of layer families





Families 1 & 2: low parameter footprint, high data reuse and MAC intensity
→ **compute-centric layers**

Families 3, 4 & 5: high parameter footprint, low data reuse and MAC intensity
→ **data-centric layers**

Mensa: Energy Reduction



Mensa-G reduces energy consumption by 3.0X compared to the baseline Edge TPU

Mensa: Throughput Improvement



Mensa-G improves inference throughput by 3.1X compared to the baseline Edge TPU

Mensa: Highly-Efficient ML Inference

- Amirali Boroumand, Saugata Ghose, Berkin Akin, Ravi Narayanaswami, Geraldo F. Oliveira, Xiaoyu Ma, Eric Shiu, and Onur Mutlu,
  "Google Neural Network Models for Edge Devices: Analyzing and Mitigating Machine Learning Inference Bottlenecks"
  *Proceedings of the 30th International Conference on Parallel Architectures and Compilation Techniques (**PACT**)*, Virtual, September 2021.
  [Slides (pptx) (pdf)]
  [Talk Video (14 minutes)]

Google Neural Network Models for Edge Devices: Analyzing and Mitigating Machine Learning Inference Bottlenecks

Amirali Boroumand[†◇] Saugata Ghose[‡] Berkin Akin[§] Ravi Narayanaswami[§]
Geraldo F. Oliveira[⋆] Xiaoyu Ma[§] Eric Shiu[§] Onur Mutlu[⋆†]

[†]*Carnegie Mellon Univ.* [◇]*Stanford Univ.* [‡]*Univ. of Illinois Urbana-Champaign* [§]*Google* [⋆]*ETH Zürich*

FPGA-based Processing Near Memory

- Gagandeep Singh, Mohammed Alser, Damla Senol Cali, Dionysios Diamantopoulos, Juan Gómez-Luna, Henk Corporaal, and Onur Mutlu, **"FPGA-based Near-Memory Acceleration of Modern Data-Intensive Applications"**
  IEEE Micro (***IEEE MICRO***), 2021.

FPGA-based Near-Memory Acceleration of Modern Data-Intensive Applications

Gagandeep Singh[◇] **Mohammed Alser**[◇] **Damla Senol Cali**[⋈]
Dionysios Diamantopoulos[▽] **Juan Gómez-Luna**[◇]
Henk Corporaal[⋆] **Onur Mutlu**[◇⋈]

[◇]*ETH Zürich* [⋈]*Carnegie Mellon University*
[⋆]*Eindhoven University of Technology* [▽]*IBM Research Europe*

Near-Memory Acceleration Using FPGAs

IBM POWER9 CPU



HBM-based FPGA board

Near-HBM FPGA-based accelerator

Two communication technologies: **CAPI2** and **OCAPI**
Two memory technologies: **DDR4** and **HBM**
Two workloads: **Weather Modeling** and **Genome Analysis**

Performance & Energy Greatly Improve





5-27× performance vs. a 16-core (64-thread) IBM POWER9 CPU

12-133× energy efficiency vs. a 16-core (64-thread) IBM POWER9 CPU

HBM alleviates memory bandwidth contention vs. DDR4

We Need to Revisit the Entire Stack



We can get there step by step

PIM Review and Open Problems

A Modern Primer on Processing in Memory

Onur Mutlu[a,b], Saugata Ghose[b,c], Juan Gómez-Luna[a], Rachata Ausavarungnirun[d]

SAFARI Research Group

[a] *ETH Zürich*
[b] *Carnegie Mellon University*
[c] *University of Illinois at Urbana-Champaign*
[d] *King Mongkut's University of Technology North Bangkok*

Onur Mutlu, Saugata Ghose, Juan Gomez-Luna, and Rachata Ausavarungnirun,
"A Modern Primer on Processing in Memory"
Invited Book Chapter in ***Emerging Computing: From Devices to Systems - Looking Beyond Moore and Von Neumann***, Springer, to be published in 2021.

https://arxiv.org/pdf/1903.03988.pdf

PIM Review and Open Problems (II)

A Workload and Programming Ease Driven Perspective of Processing-in-Memory

Saugata Ghose[†] Amirali Boroumand[†] Jeremie S. Kim[†§] Juan Gómez-Luna[§] Onur Mutlu[§†]

[†]*Carnegie Mellon University* [§]*ETH Zürich*

Saugata Ghose, Amirali Boroumand, Jeremie S. Kim, Juan Gomez-Luna, and Onur Mutlu,
"Processing-in-Memory: A Workload-Driven Perspective"
Invited Article in IBM Journal of Research & Development, Special Issue on Hardware for Artificial Intelligence, to appear in November 2019.
[Preliminary arXiv version]

https://arxiv.org/pdf/1907.12947.pdf

Processing in Memory: Adoption Challenges

1. Processing using Memory
2. Processing near Memory

How to Enable Adoption of Processing in Memory

Potential Barriers to Adoption of PIM

1. **Applications** & **software** for PIM

2. Ease of **programming** (interfaces and compiler/HW support)

3. **System** and **security** support: coherence, synchronization, virtual memory, isolation, communication interfaces, …

4. **Runtime** and **compilation** systems for adaptive scheduling, data mapping, access/sharing control, …

5. **Infrastructures** to assess benefits and feasibility

All can be solved with change of mindset

We Need to Revisit the Entire Stack



We can get there step by step

Adoption: Accelerating Key Applications (I)

- Mohammed Alser, Zulal Bingol, Damla Senol Cali, Jeremie Kim, Saugata Ghose, Can Alkan, and Onur Mutlu,
  "Accelerating Genome Analysis: A Primer on an Ongoing Journey"
  IEEE Micro (***IEEE MICRO***), Vol. 40, No. 5, pages 65-75, September/October 2020.
  [Slides (pptx)(pdf)]
  [Talk Video (1 hour 2 minutes)]



Accelerating Genome Analysis: A Primer on an Ongoing Journey

Mohammed Alser
ETH Zürich

Zülal Bingöl
Bilkent University

Damla Senol Cali
Carnegie Mellon University

Jeremie Kim
ETH Zurich and Carnegie Mellon University

Saugata Ghose
University of Illinois at Urbana–Champaign and Carnegie Mellon University

Can Alkan
Bilkent University

Onur Mutlu
ETH Zurich, Carnegie Mellon University, and Bilkent University

Adoption: Accelerating Key Applications (II)

- Nika Mansouri Ghiasi, Jisung Park, Harun Mustafa, Jeremie Kim, Ataberk Olgun, Arvid Gollwitzer, Damla Senol Cali, Can Firtina, Haiyu Mao, Nour Almadhoun Alserr, Rachata Ausavarungnirun, Nandita Vijaykumar, Mohammed Alser, and Onur Mutlu,
  "GenStore: A High-Performance and Energy-Efficient In-Storage Computing System for Genome Sequence Analysis"
  *Proceedings of the 27th International Conference on Architectural Support for Programming Languages and Operating Systems (**ASPLOS**)*, Virtual, February-March 2022.
  [Lightning Talk Slides (pptx) (pdf)]
  [Lightning Talk Video (90 seconds)]

GenStore: A High-Performance In-Storage Processing System for Genome Sequence Analysis

Nika Mansouri Ghiasi[1] Jisung Park[1] Harun Mustafa[1] Jeremie Kim[1] Ataberk Olgun[1]
Arvid Gollwitzer[1] Damla Senol Cali[2] Can Firtina[1] Haiyu Mao[1] Nour Almadhoun Alserr[1]
Rachata Ausavarungnirun[3] Nandita Vijaykumar[4] Mohammed Alser[1] Onur Mutlu[1]

[1]ETH Zürich [2]Bionano Genomics [3]KMUTNB [4]University of Toronto

Adoption: Accelerating Key Applications (III)

- Junwhan Ahn, Sungpack Hong, Sungjoo Yoo, Onur Mutlu, and Kiyoung Choi,
  "A Scalable Processing-in-Memory Accelerator for Parallel Graph Processing"
  *Proceedings of the 42nd International Symposium on Computer Architecture (**ISCA**)*, Portland, OR, June 2015.
  [Slides (pdf)] [Lightning Session Slides (pdf)]

A Scalable Processing-in-Memory Accelerator for Parallel Graph Processing

Junwhan Ahn Sungpack Hong[§] Sungjoo Yoo Onur Mutlu[†] Kiyoung Choi
junwhan@snu.ac.kr, sungpack.hong@oracle.com, sungjoo.yoo@gmail.com, onur@cmu.edu, kchoi@snu.ac.kr
Seoul National University [§]Oracle Labs [†]Carnegie Mellon University

Adoption: Accelerating Key Applications (IV)

- Maciej Besta, Raghavendra Kanakagiri, Grzegorz Kwasniewski, Rachata Ausavarungnirun, Jakub Beránek, Konstantinos Kanellopoulos, Kacper Janda, Zur Vonarburg-Shmaria, Lukas Gianinazzi, Ioana Stefan, Juan Gómez-Luna, Marcin Copik, Lukas Kapp-Schwoerer, Salvatore Di Girolamo, Nils Blach, Marek Konieczny, Onur Mutlu, and Torsten Hoefler,
  "SISA: Set-Centric Instruction Set Architecture for Graph Mining on Processing-in-Memory Systems"
  *Proceedings of the 54th International Symposium on Microarchitecture (**MICRO**)*, Virtual, October 2021.
  [Slides (pdf)]
  [Talk Video (22 minutes)]
  [Lightning Talk Video (1.5 minutes)]
  [Full arXiv version]

SISA: Set-Centric Instruction Set Architecture for Graph Mining on Processing-in-Memory Systems

Maciej Besta[1], Raghavendra Kanakagiri[2], Grzegorz Kwasniewski[1], Rachata Ausavarungnirun[3], Jakub Beránek[4], Konstantinos Kanellopoulos[1], Kacper Janda[5], Zur Vonarburg-Shmaria[1], Lukas Gianinazzi[1], Ioana Stefan[1], Juan Gómez-Luna[1], Marcin Copik[1], Lukas Kapp-Schwoerer[1], Salvatore Di Girolamo[1], Nils Blach[1], Marek Konieczny[5], Onur Mutlu[1], Torsten Hoefler[1]

[1]ETH Zurich, Switzerland [2]IIT Tirupati, India [3]King Mongkut's University of Technology North Bangkok, Thailand [4]Technical University of Ostrava, Czech Republic [5]AGH-UST, Poland

Adoption: Accelerating Key Applications (V)

- Amirali Boroumand, Saugata Ghose, Berkin Akin, Ravi Narayanaswami, Geraldo F. Oliveira, Xiaoyu Ma, Eric Shiu, and Onur Mutlu,
  "Google Neural Network Models for Edge Devices: Analyzing and Mitigating Machine Learning Inference Bottlenecks"
  *Proceedings of the 30th International Conference on Parallel Architectures and Compilation Techniques (**PACT**)*, Virtual, September 2021.
  [Slides (pptx) (pdf)]
  [Talk Video (14 minutes)]



Google Neural Network Models for Edge Devices: Analyzing and Mitigating Machine Learning Inference Bottlenecks

Amirali Boroumand[†◇] Saugata Ghose[‡] Berkin Akin[§] Ravi Narayanaswami[§]
Geraldo F. Oliveira[⋆] Xiaoyu Ma[§] Eric Shiu[§] Onur Mutlu[⋆†]

[†]*Carnegie Mellon Univ.* [◇]*Stanford Univ.* [‡]*Univ. of Illinois Urbana-Champaign* [§]*Google* [⋆]*ETH Zürich*

Adoption: Accelerating Key Applications (VI)

- Gagandeep Singh, Dionysios Diamantopoulos, Christoph Hagleitner, Juan Gómez-Luna, Sander Stuijk, Onur Mutlu, and Henk Corporaal,
  "NERO: A Near High-Bandwidth Memory Stencil Accelerator for Weather Prediction Modeling"
  *Proceedings of the 30th International Conference on Field-Programmable Logic and Applications (**FPL**)*, Gothenburg, Sweden, September 2020.
  [Slides (pptx) (pdf)]
  [Lightning Talk Slides (pptx) (pdf)]
  [Talk Video (23 minutes)]
  Nominated for the Stamatis Vassiliadis Memorial Award.

NERO: A Near High-Bandwidth Memory Stencil Accelerator for Weather Prediction Modeling

Gagandeep Singh[a,b,c] Dionysios Diamantopoulos[c] Christoph Hagleitner[c] Juan Gómez-Luna[b]
Sander Stuijk[a] Onur Mutlu[b] Henk Corporaal[a]
[a]Eindhoven University of Technology [b]ETH Zürich [c]IBM Research Europe, Zurich

Adoption: Accelerating Key Applications (VII)

- Ivan Fernandez, Ricardo Quislant, Christina Giannoula, Mohammed Alser, Juan Gómez-Luna, Eladio Gutiérrez, Oscar Plata, and Onur Mutlu,
  "NATSA: A Near-Data Processing Accelerator for Time Series Analysis"
  *Proceedings of the 38th IEEE International Conference on Computer Design (**ICCD**)*, Virtual, October 2020.
  [Slides (pptx) (pdf)]
  [Talk Video (10 minutes)]
  [Source Code]



NATSA: A Near-Data Processing Accelerator for Time Series Analysis

Ivan Fernandez[§] Ricardo Quislant[§] Christina Giannoula[†] Mohammed Alser[‡]
Juan Gómez-Luna[‡] Eladio Gutiérrez[§] Oscar Plata[§] Onur Mutlu[‡]

[§]*University of Malaga* [†]*National Technical University of Athens* [‡]*ETH Zürich*

Adoption: Accelerating Key Applications (VIII)

- Damla Senol Cali, Gurpreet S. Kalsi, Zulal Bingol, Can Firtina, Lavanya Subramanian, Jeremie S. Kim, Rachata Ausavarungnirun, Mohammed Alser, Juan Gomez-Luna, Amirali Boroumand, Anant Nori, Allison Scibisz, Sreenivas Subramoney, Can Alkan, Saugata Ghose, and Onur Mutlu, **"GenASM: A High-Performance, Low-Power Approximate String Matching Acceleration Framework for Genome Sequence Analysis"**
  *Proceedings of the 53rd International Symposium on Microarchitecture (**MICRO**)*, Virtual, October 2020.
  [Lighting Talk Video (1.5 minutes)]
  [Lightning Talk Slides (pptx) (pdf)]
  [Talk Video (18 minutes)]
  [Slides (pptx) (pdf)]

GenASM: A High-Performance, Low-Power Approximate String Matching Acceleration Framework for Genome Sequence Analysis

Damla Senol Cali[†⋈] Gurpreet S. Kalsi[⋈] Zülal Bingöl[▽] Can Firtina[◇] Lavanya Subramanian[‡] Jeremie S. Kim[◇†]
Rachata Ausavarungnirun[⊙] Mohammed Alser[◇] Juan Gomez-Luna[◇] Amirali Boroumand[†] Anant Nori[⋈]
Allison Scibisz[†] Sreenivas Subramoney[⋈] Can Alkan[▽] Saugata Ghose[⋆†] Onur Mutlu[◇†▽]

[†]*Carnegie Mellon University* [⋈]*Processor Architecture Research Lab, Intel Labs* [▽]*Bilkent University* [◇]*ETH Zürich*
[‡]*Facebook* [⊙]*King Mongkut's University of Technology North Bangkok* [⋆]*University of Illinois at Urbana–Champaign*

Adoption: Accelerating Key Applications (IX)

- Damla Senol Cali, Konstantinos Kanellopoulos, Joel Lindegger, Zulal Bingol, Gurpreet S. Kalsi, Ziyi Zuo, Can Firtina, Meryem Banu Cavlak, Jeremie Kim, Nika MansouriGhiasi, Gagandeep Singh, Juan Gomez-Luna, Nour Almadhoun Alserr, Mohammed Alser, Sreenivas Subramoney, Can Alkan, Saugata Ghose, and Onur Mutlu,
  "SeGraM: A Universal Hardware Accelerator for Genomic Sequence-to-Graph and Sequence-to-Sequence Mapping"
  *Proceedings of the 49th International Symposium on Computer Architecture (**ISCA**)*, New York, June 2022.
  [arXiv version]

SeGraM: A Universal Hardware Accelerator for Genomic Sequence-to-Graph and Sequence-to-Sequence Mapping

Damla Senol Cali[1] Konstantinos Kanellopoulos[2] Joël Lindegger[2] Zülal Bingöl[3]
Gurpreet S. Kalsi[4] Ziyi Zuo[5] Can Firtina[2] Meryem Banu Cavlak[2] Jeremie Kim[2]
Nika Mansouri Ghiasi[2] Gagandeep Singh[2] Juan Gómez-Luna[2] Nour Almadhoun Alserr[2]
Mohammed Alser[2] Sreenivas Subramoney[4] Can Alkan[3] Saugata Ghose[6] Onur Mutlu[2]

[1]Bionano Genomics [2]ETH Zürich [3]Bilkent University [4]Intel Labs
[5]Carnegie Mellon University [6]University of Illinois Urbana-Champaign

Adoption: Accelerating Key Applications (X)

- Amirali Boroumand, Saugata Ghose, Geraldo F. Oliveira, and Onur Mutlu, **"Polynesia: Enabling High-Performance and Energy-Efficient Hybrid Transactional/Analytical Databases with Hardware/Software Co-Design"** *Proceedings of the 38th International Conference on Data Engineering (**ICDE**)*, Virtual, May 2022.
  [arXiv version]
  [Slides (pptx) (pdf)]
  [Short Talk Slides (pptx) (pdf)]

Polynesia: Enabling High-Performance and Energy-Efficient Hybrid Transactional/Analytical Databases with Hardware/Software Co-Design

Amirali Boroumand[†] Saugata Ghose[◇] Geraldo F. Oliveira[‡] Onur Mutlu[‡]
[†]*Google* [◇]*Univ. of Illinois Urbana-Champaign* [‡]*ETH Zürich*

Accelerating Basecalling + Read Mapping

Haiyu Mao, Mohammed Alser, Mohammad Sadrosadati, Can Firtina, Akanksha Baranwal, Damla Senol Cali, Aditya Manglik, Nour Almadhoun Alserr, and Onur Mutlu,
"GenPIP: In-Memory Acceleration of Genome Analysis via Tight Integration of Basecalling and Read Mapping"
Proceedings of the 55th International Symposium on Microarchitecture (***MICRO***), Chicago, IL, USA, October 2022.
[Slides (pptx) (pdf)]
[Longer Lecture Slides (pptx) (pdf)]
[Lecture Video (25 minutes)]
[arXiv version]

GenPIP: In-Memory Acceleration of Genome Analysis via Tight Integration of Basecalling and Read Mapping

Haiyu Mao[1] Mohammed Alser[1] Mohammad Sadrosadati[1] Can Firtina[1] Akanksha Baranwal[1]
Damla Senol Cali[2] Aditya Manglik[1] Nour Almadhoun Alserr[1] Onur Mutlu[1]
[1]*ETH Zürich* [2]*Bionano Genomics*

Adoption: Accelerating Key Applications (XII)

A Framework for Designing Efficient Deep Learning-Based Genomic Basecallers

Gagandeep Singh[a] Mohammed Alser*[a] Alireza Khodamoradi*[b]
Kristof Denolf[b] Can Firtina[a] Meryem Banu Cavlak[a]
Henk Corporaal[c] Onur Mutlu[a]
[a]ETH Zürich [b]AMD [c]Eindhoven University of Technology

Nanopore sequencing is a widely-used high-throughput genome sequencing technology that can sequence long fragments of a genome. Nanopore sequencing generates noisy electrical signals that need to be converted into a standard string of DNA nucleotide bases (i.e., A, C, G, T) using a computational step called *basecalling*. The accuracy and speed of basecalling have critical implications for every subsequent step in genome analysis. Currently, basecallers are developed mainly based on deep learning techniques to provide high sequencing accuracy without considering the compute demands of such tools. We observe that state-of-the-art basecallers (i.e., Guppy, Bonito, Fast-Bonito) are slow, inefficient, and memory-hungry

https://arxiv.org/pdf/2211.03079.pdf

Adoption: How to Keep It **Simple**?

- Junwhan Ahn, Sungjoo Yoo, Onur Mutlu, and Kiyoung Choi, **"PIM-Enabled Instructions: A Low-Overhead, Locality-Aware Processing-in-Memory Architecture"** *Proceedings of the 42nd International Symposium on Computer Architecture (**ISCA**)*, Portland, OR, June 2015. [Slides (pdf)] [Lightning Session Slides (pdf)]

PIM-Enabled Instructions: A Low-Overhead, Locality-Aware Processing-in-Memory Architecture

Junwhan Ahn Sungjoo Yoo Onur Mutlu† Kiyoung Choi
junwhan@snu.ac.kr, sungjoo.yoo@gmail.com, onur@cmu.edu, kchoi@snu.ac.kr
Seoul National University †Carnegie Mellon University

Adoption: How to Maintain **Coherence**? (I)

- Amirali Boroumand, Saugata Ghose, Minesh Patel, Hasan Hassan, Brandon Lucia, Kevin Hsieh, Krishna T. Malladi, Hongzhong Zheng, and Onur Mutlu,
  "LazyPIM: An Efficient Cache Coherence Mechanism for Processing-in-Memory"
  IEEE Computer Architecture Letters (***CAL***), June 2016.

LazyPIM: An Efficient Cache Coherence Mechanism for Processing-in-Memory

Amirali Boroumand[†], Saugata Ghose[†], Minesh Patel[†], Hasan Hassan[†§], Brandon Lucia[†],
Kevin Hsieh[†], Krishna T. Malladi[⋆], Hongzhong Zheng[⋆], and Onur Mutlu[‡†]
[†]*Carnegie Mellon University* [⋆]*Samsung Semiconductor, Inc.* [§]*TOBB ETÜ* [‡]*ETH Zürich*

Challenge: Coherence for Hybrid CPU-PIM Apps



Adoption: How to Maintain **Coherence**? (II)

- Amirali Boroumand, Saugata Ghose, Minesh Patel, Hasan Hassan, Brandon Lucia, Kevin Hsieh, Krishna T. Malladi, Hongzhong Zheng, and Onur Mutlu,
  "CoNDA: Efficient Cache Coherence Support for Near-Data Accelerators"
  *Proceedings of the 46th International Symposium on Computer Architecture (**ISCA**)*, Phoenix, AZ, USA, June 2019.



CoNDA: Efficient Cache Coherence Support for Near-Data Accelerators

Amirali Boroumand[†] Saugata Ghose[†] Minesh Patel[⋆] Hasan Hassan[⋆]
Brandon Lucia[†] Rachata Ausavarungnirun[†‡] Kevin Hsieh[†]
Nastaran Hajinazar[◇†] Krishna T. Malladi[§] Hongzhong Zheng[§] Onur Mutlu[⋆†]

[†]Carnegie Mellon University [⋆]ETH Zürich [‡]KMUTNB
[◇]Simon Fraser University [§]Samsung Semiconductor, Inc.

Adoption: How to Support **Synchronization**?

- Christina Giannoula, Nandita Vijaykumar, Nikela Papadopoulou, Vasileios Karakostas, Ivan Fernandez, Juan Gómez-Luna, Lois Orosa, Nectarios Koziris, Georgios Goumas, Onur Mutlu, **"SynCron: Efficient Synchronization Support for Near-Data-Processing Architectures"**
  *Proceedings of the 27th International Symposium on High-Performance Computer Architecture (**HPCA**)*, Virtual, February-March 2021.
  [Slides (pptx) (pdf)]
  [Short Talk Slides (pptx) (pdf)]
  [Talk Video (21 minutes)]
  [Short Talk Video (7 minutes)]

SynCron: Efficient Synchronization Support for Near-Data-Processing Architectures

Christina Giannoula[†‡] Nandita Vijaykumar[*‡] Nikela Papadopoulou[†] Vasileios Karakostas[†] Ivan Fernandez[§‡]
Juan Gómez-Luna[‡] Lois Orosa[‡] Nectarios Koziris[†] Georgios Goumas[†] Onur Mutlu[‡]
[†]*National Technical University of Athens* [‡]*ETH Zürich* [*]*University of Toronto* [§]*University of Malaga*

Adoption: How to Support **Virtual Memory**?

- Kevin Hsieh, Samira Khan, Nandita Vijaykumar, Kevin K. Chang, Amirali Boroumand, Saugata Ghose, and Onur Mutlu,
  "Accelerating Pointer Chasing in 3D-Stacked Memory: Challenges, Mechanisms, Evaluation"
  *Proceedings of the 34th IEEE International Conference on Computer Design (**ICCD**)*, Phoenix, AZ, USA, October 2016.

Accelerating Pointer Chasing in 3D-Stacked Memory: Challenges, Mechanisms, Evaluation

Kevin Hsieh[†] Samira Khan[‡] Nandita Vijaykumar[†]
Kevin K. Chang[†] Amirali Boroumand[†] Saugata Ghose[†] Onur Mutlu[§†]
[†]*Carnegie Mellon University* [‡]*University of Virginia* [§]*ETH Zürich*

Eliminating the Adoption Barriers

Processing-in-Memory in the Real World

Processing-in-Memory Landscape Today





[Samsung 2021]



[Alibaba 2022]



[SK Hynix 2022]



[Samsung 2021]



[UPMEM 2019]

This does not include many experimental chips and startups

UPMEM Processing-in-DRAM Engine (2019)

- Processing in DRAM Engine
- Includes **standard DIMM modules**, with a **large number of DPU processors** combined with DRAM chips.



- Replaces **standard** DIMMs
  - DDR4 R-DIMM modules
    - 8GB+128 DPUs (16 PIM chips)
    - Standard 2x-nm DRAM process
  - **Large amounts of** compute & memory bandwidth



https://www.anandtech.com/show/14750/hot-chips-31-analysis-inmemory-processing-by-upmem
https://www.upmem.com/video-upmem-presenting-its-true-processing-in-memory-solution-hot-chips-2019/

UPMEM Memory Modules

- E19: 8 chips DIMM (1 rank). DPUs @ 267 MHz
- P21: 16 chips DIMM (2 ranks). DPUs @ 350 MHz



2,560-DPU Processing-in-Memory System



Benchmarking a New Paradigm: An Experimental Analysis of a Real Processing-in-Memory Architecture

JUAN GÓMEZ-LUNA, ETH Zürich, Switzerland
IZZAT EL HAJJ, American University of Beirut, Lebanon
IVAN FERNANDEZ, ETH Zürich, Switzerland and University of Malaga, Spain
CHRISTINA GIANNOULA, ETH Zürich, Switzerland and NTUA, Greece
GERALDO F. OLIVEIRA, ETH Zürich, Switzerland
ONUR MUTLU, ETH Zürich, Switzerland

Many modern workloads, such as neural networks, databases, and graph processing, are fundamentally memory-bound. For such workloads, the data movement between main memory and CPU cores imposes a significant overhead in terms of both latency and energy. A major reason is that this communication happens through a narrow bus with high latency and limited bandwidth, and the low data reuse in memory-bound workloads is insufficient to amortize the cost of main memory access. Fundamentally addressing this *data movement bottleneck* requires a paradigm where the memory system assumes an active role in computing by integrating processing capabilities. This paradigm is known as *processing-in-memory* (*PIM*).

Recent research explores different forms of PIM architectures, motivated by the emergence of new 3D-stacked memory technologies that integrate memory with a logic layer where processing elements can be easily placed. Past works evaluate these architectures in simulation or, at best, with simplified hardware prototypes. In contrast, the UPMEM company has designed and manufactured the first publicly-available real-world PIM architecture. The UPMEM PIM architecture combines traditional DRAM memory arrays with general-purpose in-order cores, called *DRAM Processing Units* (*DPUs*), integrated in the same chip.

This paper provides the first comprehensive analysis of the first publicly-available real-world PIM architecture. We make two key contributions. First, we conduct an experimental characterization of the UPMEM-based PIM system using microbenchmarks to assess various architecture limits such as compute throughput and memory bandwidth, yielding new insights. Second, we present *PrIM* (*Processing-In-Memory benchmarks*), a benchmark suite of 16 workloads from different application domains (e.g., dense/sparse linear algebra, databases, data analytics, graph processing, neural networks, bioinformatics, image processing), which we identify as memory-bound. We evaluate the performance and scaling characteristics of PrIM benchmarks on the UPMEM PIM architecture, and compare their performance and energy consumption to their state-of-the-art CPU and GPU counterparts. Our extensive evaluation conducted on two real UPMEM-based PIM systems with 640 and 2,556 DPUs provides new insights about suitability of different workloads to the PIM system, programming recommendations for software designers, and suggestions and hints for hardware and architecture designers of future PIM systems.



https://arxiv.org/pdf/2105.03814.pdf

More on the UPMEM PIM System



https://www.youtube.com/watch?v=Sscy1Wrr22A&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=26

Experimental Analysis of the UPMEM PIM Engine

Benchmarking a New Paradigm: An Experimental Analysis of a Real Processing-in-Memory Architecture

JUAN GÓMEZ-LUNA, ETH Zürich, Switzerland
IZZAT EL HAJJ, American University of Beirut, Lebanon
IVAN FERNANDEZ, ETH Zürich, Switzerland and University of Malaga, Spain
CHRISTINA GIANNOULA, ETH Zürich, Switzerland and NTUA, Greece
GERALDO F. OLIVEIRA, ETH Zürich, Switzerland
ONUR MUTLU, ETH Zürich, Switzerland

Many modern workloads, such as neural networks, databases, and graph processing, are fundamentally memory-bound. For such workloads, the data movement between main memory and CPU cores imposes a significant overhead in terms of both latency and energy. A major reason is that this communication happens through a narrow bus with high latency and limited bandwidth, and the low data reuse in memory-bound workloads is insufficient to amortize the cost of main memory access. Fundamentally addressing this *data movement bottleneck* requires a paradigm where the memory system assumes an active role in computing by integrating processing capabilities. This paradigm is known as *processing-in-memory* (*PIM*).

Recent research explores different forms of PIM architectures, motivated by the emergence of new 3D-stacked memory technologies that integrate memory with a logic layer where processing elements can be easily placed. Past works evaluate these architectures in simulation or, at best, with simplified hardware prototypes. In contrast, the UPMEM company has designed and manufactured the first publicly-available real-world PIM architecture. The UPMEM PIM architecture combines traditional DRAM memory arrays with general-purpose in-order cores, called *DRAM Processing Units* (*DPUs*), integrated in the same chip.

This paper provides the first comprehensive analysis of the first publicly-available real-world PIM architecture. We make two key contributions. First, we conduct an experimental characterization of the UPMEM-based PIM system using microbenchmarks to assess various architecture limits such as compute throughput and memory bandwidth, yielding new insights. Second, we present *PrIM* (*Processing-In-Memory benchmarks*), a benchmark suite of 16 workloads from different application domains (e.g., dense/sparse linear algebra, databases, data analytics, graph processing, neural networks, bioinformatics, image processing), which we identify as memory-bound. We evaluate the performance and scaling characteristics of PrIM benchmarks on the UPMEM PIM architecture, and compare their performance and energy consumption to their state-of-the-art CPU and GPU counterparts. Our extensive evaluation conducted on two real UPMEM-based PIM systems with 640 and 2,556 DPUs provides new insights about suitability of different workloads to the PIM system, programming recommendations for software designers, and suggestions and hints for hardware and architecture designers of future PIM systems.

https://arxiv.org/pdf/2105.03814.pdf

Understanding a Modern Processing-in-Memory Architecture:

Benchmarking and Experimental Characterization

Juan Gómez Luna, Izzat El Hajj,
Ivan Fernandez, Christina Giannoula,
Geraldo F. Oliveira, Onur Mutlu

https://arxiv.org/pdf/2105.03814.pdf
https://github.com/CMU-SAFARI/prim-benchmarks

ETH Zürich
SAFARI

Recent SRC TECHCON Presentation

- Dr. Juan Gomez-Luna
  - Benchmarking Memory-Centric Computing Systems: Analysis of Real Processing-in-Memory Hardware
  - Based on two major works
    - https://arxiv.org/pdf/2105.03814.pdf
    - https://arxiv.org/pdf/2207.07886.pdf

Benchmarking Memory-Centric Computing Systems: Analysis of Real Processing-In-Memory Hardware

Year: 2021, Pages: 1-7
DOI Bookmark: 10.1109/IGSC54211.2021.9651614

Authors

Juan Gómez-Luna, ETH Zürich
Izzat El Hajj, American University of Beirut
Ivan Fernandez, University of Malaga
Christina Giannoula, National Technical University of Athens
Geraldo F. Oliveira, ETH Zürich
Onur Mutlu, ETH Zürich



https://www.youtube.com/watch?v=nphV36SrysA

Key Takeaway 1



The throughput saturation point is as low as ¼ OP/B, i.e., 1 integer addition per every 32-bit element fetched

KEY TAKEAWAY 1

The UPMEM PIM architecture is fundamentally compute bound.
As a result, **the most suitable workloads are memory-bound.**

Key Takeaway 2

Table 4: Evaluated CPU, GPU, and UPMEM-based PIM Systems.

System	Process Node	Processor Cores			Memory		TDP
		Total Cores	Frequency	Peak Performance	Capacity	Total Bandwidth	
Intel Xeon E3-1225 v6 CPU [241]	14 nm	4 (8 threads)	3.3 GHz	26.4 GFLOPS*	32 GB	37.5 GB/s	73 W
NVIDIA Titan V GPU [277]	14 nm	80 (5,120 SIMD lanes)	1.2 GHz	12,288.0 GFLOPS	12 GB	652.8 GB/s	250 W
2,556-DPU PIM System	2x nm	2,556[9]	350 MHz	894.6 GOPS	159.75 GB	1.7 TB/s	383 W†
640-DPU PIM System	2x nm	640	267 MHz	170.9 GOPS	40 GB	333.75 GB/s	96 W†

*Estimated GFLOPS = 3.3 GHz × 4 cores × 2 instructions per cycle.
†Estimated TDP = $\frac{\text{Total DPUs}}{\text{DPUs/chip}}$ × 1.2 W/chip [199].



KEY TAKEAWAY 2

The most well-suited workloads for the UPMEM PIM architecture use no arithmetic operations or use only simple operations (e.g., bitwise operations and integer addition/subtraction).

Key Takeaway 3

Table 4: Evaluated CPU, GPU, and UPMEM-based PIM Systems.

System	Process Node	Processor Cores			Memory		TDP
		Total Cores	Frequency	Peak Performance	Capacity	Total Bandwidth	
Intel Xeon E3-1225 v6 CPU [241]	14 nm	4 (8 threads)	3.3 GHz	26.4 GFLOPS*	32 GB	37.5 GB/s	73 W
NVIDIA Titan V GPU [277]	14 nm	80 (5,120 SIMD lanes)	1.2 GHz	12,288.0 GFLOPS	12 GB	652.8 GB/s	250 W
2,556-DPU PIM System	2x nm	2,556[9]	350 MHz	894.6 GOPS	159.75 GB	1.7 TB/s	383 W†
640-DPU PIM System	2x nm	640	267 MHz	170.9 GOPS	40 GB	333.75 GB/s	96 W†

*Estimated GFLOPS = 3.3 GHz × 4 cores × 2 instructions per cycle.
†Estimated TDP = $\frac{Total\ DPUs}{DPUs/chip}$ × 1.2 W/chip [199].



KEY TAKEAWAY 3

The most well-suited workloads for the UPMEM PIM architecture require little or no communication across DPUs (inter-DPU communication).

Understanding a Modern Processing-in-Memory Architecture:

Benchmarking and Experimental Characterization

Juan Gómez Luna, Izzat El Hajj,
Ivan Fernandez, Christina Giannoula,
Geraldo F. Oliveira, Onur Mutlu

el1goluj@gmail.com

https://arxiv.org/pdf/2105.03814.pdf
https://github.com/CMU-SAFARI/prim-benchmarks

ETH Zürich

SAFARI

UPMEM PIM System Summary & Analysis

- Juan Gomez-Luna, Izzat El Hajj, Ivan Fernandez, Christina Giannoula, Geraldo F. Oliveira, and Onur Mutlu,
  "Benchmarking Memory-Centric Computing Systems: Analysis of Real Processing-in-Memory Hardware"
  *Invited Paper at Workshop on Computing with Unconventional Technologies (**CUT**)*, Virtual, October 2021.
  [arXiv version]
  [PrIM Benchmarks Source Code]
  [Slides (pptx) (pdf)]
  [Talk Video (37 minutes)]
  [Lightning Talk Video (3 minutes)]

Benchmarking Memory-Centric Computing Systems: Analysis of Real Processing-in-Memory Hardware

Juan Gómez-Luna, *ETH Zürich*
Izzat El Hajj, *American University of Beirut*
Ivan Fernandez, *University of Malaga*
Christina Giannoula, *National Technical University of Athens*
Geraldo F. Oliveira, *ETH Zürich*
Onur Mutlu, *ETH Zürich*

PrIM Benchmarks: Application Domains

Domain	Benchmark	Short name
Dense linear algebra	Vector Addition	VA
	Matrix-Vector Multiply	GEMV
Sparse linear algebra	Sparse Matrix-Vector Multiply	SpMV
Databases	Select	SEL
	Unique	UNI
Data analytics	Binary Search	BS
	Time Series Analysis	TS
Graph processing	Breadth-First Search	BFS
Neural networks	Multilayer Perceptron	MLP
Bioinformatics	Needleman-Wunsch	NW
Image processing	Image histogram (short)	HST-S
	Image histogram (large)	HST-L
Parallel primitives	Reduction	RED
	Prefix sum (scan-scan-add)	SCAN-SSA
	Prefix sum (reduce-scan-scan)	SCAN-RSS
	Matrix transposition	TRNS

PrIM Benchmarks are Open Source

- All microbenchmarks, benchmarks, and scripts
- https://github.com/CMU-SAFARI/prim-benchmarks



Understanding a Modern PIM Architecture

Benchmarking a New Paradigm: Experimental Analysis and Characterization of a Real Processing-in-Memory System

JUAN GÓMEZ-LUNA[1], IZZAT EL HAJJ[2], IVAN FERNANDEZ[1,3], CHRISTINA GIANNOULA[1,4], GERALDO F. OLIVEIRA[1], AND ONUR MUTLU[1]

[1]ETH Zürich
[2]American University of Beirut
[3]University of Malaga
[4]National Technical University of Athens

Corresponding author: Juan Gómez-Luna (e-mail: juang@ethz.ch).

https://arxiv.org/pdf/2105.03814.pdf

https://github.com/CMU-SAFARI/prim-benchmarks

Understanding a Modern PIM Architecture



SAFARI Live Seminar: Understanding a Modern Processing-in-Memory Architecture

2,579 views • Streamed live on Jul 12, 2021 93 0 SHARE SAVE ...

Onur Mutlu Lectures
18.7K subscribers
SUBSCRIBED

https://www.youtube.com/watch?v=D8Hjy2iU9l4&list=PL5Q2soXY2Zi_tOTAYm--dYByNPL7JhwR9

More on Analysis of the UPMEM PIM Engine



SAFARI Live Seminar: Understanding a Modern Processing-in-Memory Architecture

1,868 views • Streamed live on Jul 12, 2021

81 0 SHARE SAVE ...

Onur Mutlu Lectures
17.6K subscribers

ANALYTICS EDIT VIDEO

Talk Title: Understanding a Modern Processing-in-Memory Architecture: Benchmarking and Experimental Characterization
Dr. Juan Gómez-Luna, SAFARI Research Group, D-ITET, ETH Zurich

https://www.youtube.com/watch?v=D8Hjy2iU9l4&list=PL5Q2soXY2Zi_tOTAYm--dYByNPL7JhwR9

More on Analysis of the UPMEM PIM Engine



Understanding a Modern Processing-in-Memory Arch: Benchmarking & Experimental Characterization; 21m

3,482 views • Premiered Jul 25, 2021 38 0 SHARE SAVE

Onur Mutlu Lectures
17.9K subscribers

ANALYTICS EDIT VIDEO

https://www.youtube.com/watch?v=Pp9jSU2b9oM&list=PL5Q2soXY2Zi8_VVChACnON4sfh2bJ5IrD&index=159

ML Training on a Real PIM System

Machine Learning Training on a Real Processing-in-Memory System

Juan Gómez-Luna[1] Yuxin Guo[1] Sylvan Brocard[2] Julien Legriel[2]
Remy Cimadomo[2] Geraldo F. Oliveira[1] Gagandeep Singh[1] Onur Mutlu[1]
[1]ETH Zürich [2]UPMEM

An Experimental Evaluation of Machine Learning Training on a Real Processing-in-Memory System

Juan Gómez-Luna[1] Yuxin Guo[1] Sylvan Brocard[2] Julien Legriel[2]
Remy Cimadomo[2] Geraldo F. Oliveira[1] Gagandeep Singh[1] Onur Mutlu[1]
[1]ETH Zürich [2]UPMEM

Short version: https://arxiv.org/pdf/2206.06022.pdf

Long version: https://arxiv.org/pdf/2207.07886.pdf

https://www.youtube.com/watch?v=qeukNs5Xl3g&t=11226s

ML Training on a Real PIM System

- **Need to optimize data representation**
  - (1) fixed-point
  - (2) quantization
  - (3) hybrid precision
- **Use lookup tables (LUTs) to implement complex functions (e.g., sigmoid)**
- **Optimize data placement & layout for streaming**
- **Large speedups:** 2.8X/27X vs. CPU, 1.3x/3.2x vs. GPU

ML Training on Real PIM Talk Video



https://www.youtube.com/watch?v=qeukNs5XI3g&t=11226s

SpMV Multiplication on Real PIM Systems

- Appears at SIGMETRICS 2022

SparseP: Towards Efficient Sparse Matrix Vector Multiplication on Real Processing-In-Memory Systems

CHRISTINA GIANNOULA, ETH Zürich, Switzerland and National Technical University of Athens, Greece
IVAN FERNANDEZ, ETH Zürich, Switzerland and University of Malaga, Spain
JUAN GÓMEZ-LUNA, ETH Zürich, Switzerland
NECTARIOS KOZIRIS, National Technical University of Athens, Greece
GEORGIOS GOUMAS, National Technical University of Athens, Greece
ONUR MUTLU, ETH Zürich, Switzerland

https://arxiv.org/pdf/2201.05072.pdf
https://github.com/CMU-SAFARI/SparseP

https://www.youtube.com/watch?v=5kaOsJKlGrE



SparseP

Towards Efficient Sparse Matrix Vector Multiplication on Real Processing-In-Memory Architectures

Christina Giannoula

Ivan Fernandez, Juan Gomez-Luna,

Nectarios Koziris, Georgios Goumas, Onur Mutlu

SAFARI ETH zürich National Technical University of Athens CSLab UNIVERSIDAD DE MÁLAGA

SparseP: Key Contributions

1. Efficient SpMV kernels for current & future PIM systems
   - SparseP library = 25 SpMV kernels
     - Compression, data types, data partitioning, synchronization, load balancing

SparseP is Open-Source

SparseP: https://github.com/CMU-SAFARI/SparseP

2. Comprehensive analysis of SpMV on the first commercially-available real PIM system

   - 26 sparse matrices
   - Comparisons to state-of-the-art CPU and GPU systems
   - Recommendations for software, system and hardware designers

Recommendations for Architects and Programmers

Full Paper: https://arxiv.org/pdf/2201.05072.pdf

SparseP Talk Video

Processing-in-Memory Course: Lecture 11: SpMV on a Real PIM Architecture - Spring 2022

149 views • Streamed live on May 19, 2022

12 DISLIKE SHARE DOWNLOAD CLIP SAVE ...

Onur Mutlu Lectures
25K subscribers

ANALYTICS EDIT VIDEO

https://www.youtube.com/watch?v=5kaOsJKlGrE

Samsung Function-in-Memory DRAM (2021)

Samsung Newsroom

CORPORATE | PRODUCTS | PRESS RESOURCES | VIEWS | ABOUT US

Samsung Develops Industry's First High Bandwidth Memory with AI Processing Power

Korea on February 17, 2021 Audio Share

The new architecture will deliver over twice the system performance and reduce energy consumption by more than 70%

Samsung Electronics, the world leader in advanced memory technology, today announced that it has developed the industry's first High Bandwidth Memory (HBM) integrated with artificial intelligence (AI) processing power — the HBM-PIM. The new processing-in-memory (PIM) architecture brings powerful AI computing capabilities inside high-performance memory, to accelerate large-scale processing in data centers, high performance computing (HPC) systems and AI-enabled mobile applications.

Kwangil Park, senior vice president of Memory Product Planning at Samsung Electronics stated, "Our groundbreaking HBM-PIM is the industry's first programmable PIM solution tailored for diverse AI-driven workloads such as HPC, training and inference. We plan to build upon this breakthrough by further collaborating with AI solution providers for even more advanced PIM-powered applications."

https://news.samsung.com/global/samsung-develops-industrys-first-high-bandwidth-memory-with-ai-processing-power

Samsung Function-in-Memory DRAM (2021)

- FIMDRAM based on HBM2



[3D Chip Structure of HBM with FIMDRAM]

Chip Specification
128DQ / 8CH / 16 banks / BL4
32 PCU blocks (1 FIM block/2 banks)
1.2 TFLOPS (4H)
FP16 ADD / Multiply (MUL) / Multiply-Accumulate (MAC) / Multiply-and- Add (MAD)

ISSCC 2021 / SESSION 25 / DRAM / 25.4

25.4 A 20nm 6GB Function-In-Memory DRAM, Based on HBM2 with a 1.2TFLOPS Programmable Computing Unit Using Bank-Level Parallelism, for Machine Learning Applications

Young-Cheon Kwon[1], Suk Han Lee[1], Jaehoon Lee[1], Sang-Hyuk Kwon[1], Je Min Ryu[1], Jong-Pil Son[1], Seongil O[1], Hak-Soo Yu[1], Haesuk Lee[1], Soo Young Kim[1], Youngmin Cho[1], Jin Guk Kim[1], Jongyoon Choi[1], Hyun-Sung Shin[1], Jin Kim[1], BengSeng Phuah[1], HyoungMin Kim[1], Myeong Jun Song[1], Ahn Choi[1], Daeho Kim[1], SooYoung Kim[1], Eun-Bong Kim[1], David Wang[2], Shinhaeng Kang[1], Yuhwan Ro[3], Seungwoo Seo[3], JoonHo Song[3], Jaeyoun Youn[1], Kyomin Sohn[1], Nam Sung Kim[1]

[1]Samsung Electronics, Hwaseong, Korea
[2]Samsung Electronics, San Jose, CA
[3]Samsung Electronics, Suwon, Korea

Samsung Function-in-Memory DRAM (2021)

Programmable Computing Unit

- Configuration of PCU block
  - Interface unit to control data flow
  - Execution unit to perform operations
  - Register group
    - 32 entries of CRF for instruction memory
    - 16 GRF for weight and accumulation
    - 16 SRF to store constants for MAC operations



[Block diagram of PCU in FIMDRAM]

ISSCC 2021 / SESSION 25 / DRAM / 25.4

25.4 A 20nm 6GB Function-In-Memory DRAM, Based on HBM2 with a 1.2TFLOPS Programmable Computing Unit Using Bank-Level Parallelism, for Machine Learning Applications

Young-Cheon Kwon[1], Suk Han Lee[1], Jaehoon Lee[1], Sang-Hyuk Kwon[1], Je Min Ryu[1], Jong-Pil Son[1], Seongil O[1], Hak-Soo Yu[1], Haesuk Lee[1], Soo Young Kim[1], Youngmin Cho[1], Jin Guk Kim[1], Jongyoon Choi[1], Hyun-Sung Shin[1], Jin Kim[1], BengSeng Phuah[1], HyoungMin Kim[1], Myeong Jun Song[1], Ahn Choi[1], Daeho Kim[1], SooYoung Kim[1], Eun-Bong Kim[1], David Wang[2], Shinhaeng Kang[1], Yuhwan Ro[3], Seungwoo Seo[3], JoonHo Song[3], Jaeyoun Youn[1], Kyomin Sohn[1], Nam Sung Kim[1]

[1]Samsung Electronics, Hwaseong, Korea
[2]Samsung Electronics, San Jose, CA
[3]Samsung Electronics, Suwon, Korea

Samsung Function-in-Memory DRAM (2021)

[Available instruction list for FIM operation]

Type	CMD	Description
Floating Point	ADD	FP16 addition
	MUL	FP16 multiplication
	MAC	FP16 multiply-accumulate
	MAD	FP16 multiply and add
Data Path	MOVE	Load or store data
	FILL	Copy data from bank to GRFs
Control Path	NOP	Do nothing
	JUMP	Jump instruction
	EXIT	Exit instruction

ISSCC 2021 / SESSION 25 / DRAM / 25.4

25.4 A 20nm 6GB Function-In-Memory DRAM, Based on HBM2 with a 1.2TFLOPS Programmable Computing Unit Using Bank-Level Parallelism, for Machine Learning Applications

Young-Cheon Kwon[1], Suk Han Lee[1], Jaehoon Lee[1], Sang-Hyuk Kwon[1], Je Min Ryu[1], Jong-Pil Son[1], Seongil O[1], Hak-Soo Yu[1], Haesuk Lee[1], Soo Young Kim[1], Youngmin Cho[1], Jin Guk Kim[1], Jongyoon Choi[1], Hyun-Sung Shin[1], Jin Kim[1], BengSeng Phuah[1], HyoungMin Kim[1], Myeong Jun Song[1], Ahn Choi[1], Daeho Kim[1], SooYoung Kim[1], Eun-Bong Kim[1], David Wang[2], Shinhaeng Kang[1], Yuhwan Ro[3], Seungwoo Seo[3], JoonHo Song[3], Jaeyoun Youn[1], Kyomin Sohn[1], Nam Sung Kim[1]

[1]Samsung Electronics, Hwaseong, Korea
[2]Samsung Electronics, San Jose, CA
[3]Samsung Electronics, Suwon, Korea

Samsung Function-in-Memory DRAM (2021)

Chip Implementation

- Mixed design methodology to implement FIMDRAM
  - Full-custom + Digital RTL



[Digital RTL design for PCU block]



ISSCC 2021 / SESSION 25 / DRAM / 25.4

25.4 A 20nm 6GB Function-In-Memory DRAM, Based on HBM2 with a 1.2TFLOPS Programmable Computing Unit Using Bank-Level Parallelism, for Machine Learning Applications

Young-Cheon Kwon[1], Suk Han Lee[1], Jaehoon Lee[1], Sang-Hyuk Kwon[1], Je Min Ryu[1], Jong-Pil Son[1], Seongil O[1], Hak-Soo Yu[1], Haesuk Lee[1], Soo Young Kim[1], Youngmin Cho[1], Jin Guk Kim[1], Jongyoon Choi[1], Hyun-Sung Shin[1], Jin Kim[1], BengSeng Phuah[1], HyoungMin Kim[1], Myeong Jun Song[1], Ahn Choi[1], Daeho Kim[1], SooYoung Kim[1], Eun-Bong Kim[1], David Wang[2], Shinhaeng Kang[1], Yuhwan Ro[3], Seungwoo Seo[3], JoonHo Song[3], Jaeyoun Youn[1], Kyomin Sohn[1], Nam Sung Kim[1]

[1]Samsung Electronics, Hwaseong, Korea
[2]Samsung Electronics, San Jose, CA
[3]Samsung Electronics, Suwon, Korea

Samsung AxDIMM (2021)

- DDRx-PIM
  - DLRM recommendation system









Ke et al. "Near-Memory Processing in Action: Accelerating Personalized Recommendation with AxDIMM", IEEE Micro (2021)

SK Hynix Accelerator-in-Memory (2022)

SKhynix NEWSROOM

ENG

INSIGHT | SK hynix STORY | PRESS CENTER | MULTIMEDIA | Search

SK hynix Develops PIM, Next-Generation AI Accelerator

February 16, 2022



Seoul, February 16, 2022

SK hynix (or "the Company", www.skhynix.com) announced on February 16 that it has developed PIM*, a next-generation memory chip with computing capabilities.

*PIM(Processing In Memory): A next-generation technology that provides a solution for data congestion issues for AI and big data by adding computational functions to semiconductor memory

It has been generally accepted that memory chips store data and CPU or GPU, like human brain, process data. SK hynix, following its challenge to such notion and efforts to pursue innovation in the next-generation smart memory, has found a breakthrough solution with the development of the latest technology.

SK hynix plans to showcase its PIM development at the world's most prestigious semiconductor conference, 2022 ISSCC*, in San Francisco at the end of this month. The company expects continued efforts for innovation of this technology to bring the memory-centric computing, in which semiconductor memory plays a central role, a step closer to the reality in devices such as smartphones.

*ISSCC: The International Solid-State Circuits Conference will be held virtually from Feb. 20 to Feb. 24 this year with a theme of "Intelligent Silicon for a Sustainable World"

For the first product that adopts the PIM technology, SK hynix has developed a sample of GDDR6-AiM (Accelerator* in memory). The GDDR6-AiM adds computational functions to GDDR6* memory chips, which process data at 16Gbps. A combination of GDDR6-AiM with CPU or GPU instead of a typical DRAM makes certain computation speed 16 times faster. GDDR6-AiM is widely expected to be adopted for machine learning, high-performance computing, and big data computation and storage.

11.1 A 1ynm 1.25V 8Gb, 16Gb/s/pin GDDR6-based Accelerator-in-Memory supporting 1TFLOPS MAC Operation and Various Activation Functions for Deep-Learning Applications

Seongju Lee, SK hynix, Icheon, Korea

In Paper 11.1, SK Hynix describes an 1ynm, GDDR6-based accelerator-in-memory with a command set for deep-learning operation. The 8Gb design achieves a peak throughput of 1TFLOPS with 1GHz MAC operations and supports major activation functions to improve accuracy.

https://news.skhynix.com/sk-hynix-develops-pim-next-generation-ai-accelerator/

AliBaba PIM Recommendation System (2022)

ISSCC 2022 / February 24, 2022 / 8:30 AM



Figure 29.1.2: Illustration of 3D-stacked chip, cross-illustration of package, DRAM array layout and design blocks on logic die.





DRAM Die		
Technology	25nm	
Area	Total*	602.22 mm²
	Neural Engine	32 mm²
	Match Engine	32 mm²
Voltage	1.1 V	
Frequency (max)	150 MHz	
Power	300 mW per 1Gb	
Bandwidth**	153.60 GB/s / 1.38 TB/s	

* Total die size of test chip
** Memory bandwidth of NE and ME / Total bandwidth of DRAM die

Logic Die		
Technology	55nm	
Area	Total*	602.22 mm²
	Neural Engine	5.90 mm²
	Match Engine	7.02 mm²
# of MC	16 per IP	
Voltage	1.2 V	
Frequency	300 MHz	
Power	977.70 mW	
Precision	INT8	

Figure 29.1.7: Die micrographs of DRAM die, NE and ME. Detailed specifications of DRAM die and logic die.

29.1 184QPS/W 64Mb/mm² 3D Logic-to-DRAM Hybrid Bonding with Process-Near-Memory Engine for Recommendation System

Dimin Niu[1], Shuangchen Li[1], Yuhao Wang[1], Wei Han[1], Zhe Zhang[2], Yijin Guan[2], Tianchan Guan[3], Fei Sun[1], Fei Xue[1], Lide Duan[1], Yuanwei Fang[1], Hongzhong Zheng[1], Xiping Jiang[4], Song Wang[4], Fengguo Zuo[4], Yubing Wang[4], Bing Yu[4], Qiwei Ren[4], Yuan Xie[1]

Processing-in-Memory in the Real World

DAMOV Analysis Methodology & Workloads

DAMOV: A New Methodology and Benchmark Suite for Evaluating Data Movement Bottlenecks

GERALDO F. OLIVEIRA, ETH Zürich, Switzerland
JUAN GÓMEZ-LUNA, ETH Zürich, Switzerland
LOIS OROSA, ETH Zürich, Switzerland
SAUGATA GHOSE, University of Illinois at Urbana–Champaign, USA
NANDITA VIJAYKUMAR, University of Toronto, Canada
IVAN FERNANDEZ, University of Malaga, Spain & ETH Zürich, Switzerland
MOHAMMAD SADROSADATI, Institute for Research in Fundamental Sciences (IPM), Iran & ETH Zürich, Switzerland
ONUR MUTLU, ETH Zürich, Switzerland

Data movement between the CPU and main memory is a first-order obstacle against improving performance, scalability, and energy efficiency in modern systems. Computer systems employ a range of techniques to reduce overheads tied to data movement, spanning from traditional mechanisms (e.g., deep multi-level cache hierarchies, aggressive hardware prefetchers) to emerging techniques such as Near-Data Processing (NDP), where some computation is moved close to memory. Prior NDP works investigate the root causes of data movement bottlenecks using different profiling methodologies and tools. However, there is still a lack of understanding about the key metrics that can identify different data movement bottlenecks and their relation to traditional and emerging data movement mitigation mechanisms. Our goal is to methodically identify potential sources of data movement over a broad set of applications and to comprehensively compare traditional compute-centric data movement mitigation techniques (e.g., caching and prefetching) to more memory-centric techniques (e.g., NDP), thereby developing a rigorous understanding of the best techniques to mitigate each source of data movement.

With this goal in mind, we perform the first large-scale characterization of a wide variety of applications, across a wide range of application domains, to identify fundamental program properties that lead to data movement to/from main memory. We develop the first systematic methodology to classify applications based on the sources contributing to data movement bottlenecks. From our large-scale characterization of 77K functions across 345 applications, we select 144 functions to form the first open-source benchmark suite (DAMOV) for main memory data movement studies. We select a diverse range of functions that (1) represent different types of data movement bottlenecks, and (2) come from a wide range of application domains. Using NDP as a case study, we identify new insights about the different data movement bottlenecks and use these insights to determine the most suitable data movement mitigation mechanism for a particular application. We open-source DAMOV and the complete source code for our new characterization methodology at https://github.com/CMU-SAFARI/DAMOV.

https://arxiv.org/pdf/2105.03725.pdf

When to Employ Near-Data Processing?



[1] Ahn+, "A Scalable Processing-in-Memory Accelerator for Parallel Graph Processing," ISCA, 2015

[2] Boroumand+, "Google Workloads for Consumer Devices: Mitigating Data Movement Bottlenecks," ASPLOS, 2018

[3] Cali+, "GenASM: A High-Performance, Low-Power Approximate String Matching Acceleration Framework for Genome Sequence Analysis," MICRO, 2020

[4] Kim+, "GRIM-Filter: Fast Seed Location Filtering in DNA Read Mapping Using Processing-in-Memory Technologies," BMC Genomics, 2018

[5] Boroumand+, "Polynesia: Enabling Effective Hybrid Transactional/Analytical Databases with Specialized Hardware/Software Co-Design," arXiv:2103.00798 [cs.AR], 2021

[6] Fernandez+, "NATSA: A Near-Data Processing Accelerator for Time Series Analysis," ICCD, 2020

Step 1: Application Profiling

- We analyze 345 applications from distinct domains:

- Graph Processing
- Deep Neural Networks
- Physics
- High-Performance Computing
- Genomics
- Machine Learning
- Databases
- Data Reorganization
- Image Processing
- Map-Reduce
- Benchmarking
- Linear Algebra

...



Step 3: Memory Bottleneck Analysis



Six classes of data movement bottlenecks:

each class ↔ data movement mitigation mechanism

DAMOV is Open Source

- We open-source our benchmark suite and our toolchain

DAMOV-SIM

DAMOV Benchmarks

CMU-SAFARI / **DAMOV**

<> Code | Issues | Pull requests | Actions | Projects | Security | Insights | Settings

main | 1 branch | 0 tags | Go to file | Add file | Code

omutlu Update README.md ce1b4ea 17 days ago 5 commits

simulator	Cleaning	19 days ago
README.md	Update README.md	17 days ago
get_workloads.sh	DAMOV -- first commit	19 days ago

README.md

DAMOV: A New Methodology and Benchmark Suite for Evaluating Data Movement Bottlenecks

DAMOV is a benchmark suite and a methodical framework targeting the study of data movement bottlenecks in modern applications. It is intended to study new architectures, such as near-data processing.

The DAMOV benchmark suite is the first open-source benchmark suite for main memory data movement-related studies, based on our systematic characterization methodology. This suite consists of 144 functions representing different sources of data movement bottlenecks and can be used as a baseline benchmark set for future data-movement mitigation research. The applications in the DAMOV benchmark suite belong to popular benchmark suites, including BWA, Chai, Darknet, GASE, Hardware Effects, Hashjoin, HPCC, HPCG, Ligra, PARSEC, Parboil, PolyBench, Phoenix, Rodinia, SPLASH-2, STREAM.

About

DAMOV is a benchmark suite and a methodical framework targeting the study of data movement bottlenecks in modern applications. It is intended to study new architectures, such as near-data processing. Described by Oliveira et al. (preliminary version at https://arxiv.org/pdf/2105.03725.pdf)

Readme

Releases

No releases published
Create a new release

Packages

No packages published
Publish your first package

Languages

DAMOV is Open Source

- We open-source our benchmark suite and our toolchain



More on DAMOV Analysis Methodology & Workloads



SAFARI Live Seminar: DAMOV: A New Methodology & Benchmark Suite for Data Movement Bottlenecks

352 views • Streamed live on Jul 22, 2021

18 0 SHARE SAVE ...

Onur Mutlu Lectures
17.7K subscribers

ANALYTICS EDIT VIDEO

https://www.youtube.com/watch?v=GWideVyo0nM&list=PL5Q2soXY2Zi_tOTAYm--dYByNPL7JhwR9&index=3

More on DAMOV Methods & Benchmarks

- Geraldo F. Oliveira, Juan Gomez-Luna, Lois Orosa, Saugata Ghose, Nandita Vijaykumar, Ivan fernandez, Mohammad Sadrosadati, and Onur Mutlu,
  "DAMOV: A New Methodology and Benchmark Suite for Evaluating Data Movement Bottlenecks"
  IEEE Access, 8 September 2021.
  Preprint in ***arXiv***, 8 May 2021.
  [arXiv preprint]
  [IEEE Access version]
  [DAMOV Suite and Simulator Source Code]
  [SAFARI Live Seminar Video (2 hrs 40 mins)]
  [Short Talk Video (21 minutes)]

DAMOV: A New Methodology and Benchmark Suite for Evaluating Data Movement Bottlenecks

GERALDO F. OLIVEIRA, ETH Zürich, Switzerland
JUAN GÓMEZ-LUNA, ETH Zürich, Switzerland
LOIS OROSA, ETH Zürich, Switzerland
SAUGATA GHOSE, University of Illinois at Urbana–Champaign, USA
NANDITA VIJAYKUMAR, University of Toronto, Canada
IVAN FERNANDEZ, University of Malaga, Spain & ETH Zürich, Switzerland
MOHAMMAD SADROSADATI, ETH Zürich, Switzerland
ONUR MUTLU, ETH Zürich, Switzerland

Challenge and Opportunity for Future

Fundamentally
Energy-Efficient
(Data-Centric)
Computing Architectures

Challenge and Opportunity for Future

Fundamentally
High-Performance
(Data-Centric)
Computing Architectures

Computing Architectures with Minimal Data Movement

More Info in This Longer Tutorial…

- Onur Mutlu,
  "Memory-Centric Computing"
  *Education Class at Embedded Systems Week (**ESWEEK**)*,
  Virtual, 9 October 2021.
  [Slides (pptx) (pdf)]
  [Abstract (pdf)]
  [Talk Video (2 hours, including Q&A)]
  [Invited Paper at DATE 2021]
  ["A Modern Primer on Processing in Memory" paper]

https://www.youtube.com/watch?v=N1Ac1ov1JOM



Embedded Systems Week (ESWEEK) 2021 Lecture - Memory-Centric Computing - Onur Mutlu - 9 October 2021

509 views • Premiered Dec 6, 2021

28 DISLIKE SHARE SAVE ...

Onur Mutlu Lectures
20.7K subscribers

https://www.youtube.com/watch?v=N1Ac1ov1JOM

ANALYTICS EDIT VIDEO

https://www.youtube.com/onurmutlulectures

Concluding Remarks

Concluding Remarks

- We must design systems to be **balanced**, **high-performance**, **energy-efficient** (all at the same time) → intelligent systems
  - **Data-centric, data-driven, data-aware**
- Enable computation capability inside and close to memory
- This can
  - Lead to **orders-of-magnitude** improvements
  - **Enable new applications & computing platforms**
  - **Enable better understanding of nature**
  - **…**
- Future of **truly memory-centric computing** is bright
  - We need to do research & design across the computing stack

Fundamentally Better Architectures

Data-centric

Data-driven

Data-aware

Source: http://spectrum.ieee.org/image/MjYzMzAyMg.jpeg

We Need to Revisit the Entire Stack



We can get there step by step

We Need to Exploit Good Principles

- Data-centric system design
- All components intelligent
- Better (cross-layer) communication, better interfaces
- Better-than-worst-case design
- Heterogeneity
- Flexibility, adaptability

Open minds

A Blueprint for Fundamentally Better Architectures

- Onur Mutlu,
  "Intelligent Architectures for Intelligent Computing Systems"
  *Invited Paper in Proceedings of the Design, Automation, and Test in Europe Conference (**DATE**)*, Virtual, February 2021.
  [Slides (pptx) (pdf)]
  [IEDM Tutorial Slides (pptx) (pdf)]
  [Short DATE Talk Video (11 minutes)]
  [Longer IEDM Tutorial Video (1 hr 51 minutes)]

Intelligent Architectures for Intelligent Computing Systems

Onur Mutlu
ETH Zurich
omutlu@gmail.com

Funding Acknowledgments

- Alibaba, AMD, ASML, Google, Facebook, Hi-Silicon, HP Labs, Huawei, IBM, Intel, Microsoft, Nvidia, Oracle, Qualcomm, Rambus, Samsung, Seagate, VMware, Xilinx
- NSF
- NIH
- GSRC
- SRC
- CyLab
- EFCL
- SNSF

Thank you!

Acknowledgments

SAFARI

SAFARI Research Group

safari.ethz.ch

Think BIG, Aim HIGH!

https://safari.ethz.ch

Onur Mutlu's SAFARI Research Group

Computer architecture, HW/SW, systems, bioinformatics, security, memory

https://safari.ethz.ch/safari-newsletter-january-2021/



Think BIG, Aim HIGH!

SAFARI

https://safari.ethz.ch

SAFARI Newsletter December 2021 Edition

- https://safari.ethz.ch/safari-newsletter-december-2021/

SAFARI
SAFARI Research Group

Think Big, Aim High

ETH zürich

View in your browser
December 2021

Referenced Papers, Talks, Artifacts

- All are available at

  https://people.inf.ethz.ch/omutlu/projects.htm

  https://www.youtube.com/onurmutlulectures

  https://github.com/CMU-SAFARI/

Open Source Tools: SAFARI GitHub



https://github.com/CMU-SAFARI/

Special Research Sessions & Courses

- Special Session at ISVLSI 2022: 9 cutting-edge talks

https://www.youtube.com/watch?v=qeukNs5XI3g

Comp Arch (Fall 2021)

- **Fall 2021 Edition:**
  - https://safari.ethz.ch/architecture/fall2021/doku.php?id=schedule
- **Fall 2020 Edition:**
  - https://safari.ethz.ch/architecture/fall2020/doku.php?id=schedule
- **Youtube Livestream (2021):**
  - https://www.youtube.com/watch?v=4yfkM_5EFgo&list=PL5Q2soXY2Zi-Mnk1PxjEIG32HAGILkTOF
- **Youtube Livestream (2020):**
  - https://www.youtube.com/watch?v=c3mPdZA-Fmc&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN
- Master's level course
  - Taken by Bachelor's/Masters/PhD students
  - Cutting-edge research topics + fundamentals in Computer Architecture
  - 5 Simulator-based Lab Assignments
  - Potential research exploration
  - Many research readings

https://www.youtube.com/onurmutlulectures



DDCA (Spring 2022)

- **Spring 2022 Edition:**
  - https://safari.ethz.ch/digitaltechnik/spring2022/doku.php?id=schedule
- **Spring 2021 Edition:**
  - https://safari.ethz.ch/digitaltechnik/spring2021/doku.php?id=schedule
- **Youtube Livestream (Spring 2022):**
  - https://www.youtube.com/watch?v=cpXdE3HwvK0&list=PL5Q2soXY2Zi97Ya5DEUpMpO2bbAoaG7c6
- **Youtube Livestream (Spring 2021):**
  - https://www.youtube.com/watch?v=LbC0EZY8yw4&list=PL5Q2soXY2Zi_uej3aY39YB5pfW4SJ7LlN
- Bachelor's course
  - 2nd semester at ETH Zurich
  - Rigorous introduction into "How Computers Work"
  - Digital Design/Logic
  - Computer Architecture
  - 10 FPGA Lab Assignments

https://www.youtube.com/onurmutlulectures



PIM Course (Spring 2022)

- **Spring 2022 Edition:**
  - https://safari.ethz.ch/projects_and_seminars/spring2022/doku.php?id=processing_in_memory
- **Youtube Livestream:**
  - https://www.youtube.com/watch?v=9e4Chnwdovo&list=PL5Q2soXY2Zi-841fUYYUK9EsXKhQKRPyX
- Project course
  - Taken by Bachelor's/Master's students
  - Processing-in-Memory lectures
  - Hands-on research exploration
  - Many research readings

https://www.youtube.com/onurmutlulectures



Spring 2022 Meetings/Schedule

Week	Date	Livestream	Meeting	Learning Materials	Assignments
W1	10.03 Thu.	Live	M1: P&S PIM Course Presentation (PDF) (PPT)	Required Materials Recommended Materials	HW 0 Out
W2	15.03 Tue.		Hands-on Project Proposals		
	17.03 Thu.	Premiere	M2: Real-world PIM: UPMEM PIM (PDF) (PPT)		
W3	24.03 Thu.	Live	M3: Real-world PIM: Microbenchmarking of UPMEM PIM (PDF) (PPT)		
W4	31.03 Thu.	Live	M4: Real-world PIM: Samsung HBM-PIM (PDF) (PPT)		
W5	07.04 Thu.	Live	M5: How to Evaluate Data Movement Bottlenecks (PDF) (PPT)		
W6	14.04 Thu.	Live	M6: Real-world PIM: SK Hynix AiM (PDF) (PPT)		
W7	21.04 Thu.	Premiere	M7: Programming PIM Architectures (PDF) (PPT)		
W8	28.04 Thu.	Premiere	M8: Benchmarking and Workload Suitability on PIM (PDF) (PPT)		
W9	05.05 Thu.	Premiere	M9: Real-world PIM: Samsung AxDIMM (PDF) (PPT)		
W10	12.05 Thu.	Premiere	M10: Real-world PIM: Alibaba HB-PNM (PDF) (PPT)		
W11	19.05 Thu.	Live	M11: SpMV on a Real PIM Architecture (PDF) (PPT)		
W12	26.05 Thu.	Live	M12: End-to-End Framework for Processing-using-Memory (PDF) (PPT)		
W13	02.06 Thu.	Live	M13: Bit-Serial SIMD Processing using DRAM (PDF) (PPT)		
W14	09.06 Thu.	Live	M14: Analyzing and Mitigating ML Inference Bottlenecks (PDF) (PPT)		
W15	15.06 Thu.	Live	M15: In-Memory HTAP Databases with HW/SW Co-design (PDF) (PPT)		
W16	23.06 Thu.	Live	M16: In-Storage Processing for Genome Analysis (PDF) (PPT)		
W17	18.07 Mon.	Premiere	M17: How to Enable the Adoption of PIM? (PDF) (PPT)		
W18	09.08 Tue.	Premiere	SS1: ISVLSI 2022 Special Session on PIM (PDF & PPT)		

Genomics (Spring 2022)

- **Spring 2022 Edition:**
  - https://safari.ethz.ch/projects_and_seminars/spring2022/doku.php?id=bioinformatics
- **Youtube Livestream:**
  - https://www.youtube.com/watch?v=DEL_5A_Y3TI&list=PL5Q2soXY2Zi8NrPDgOR1yRU_Cxxjw-u18
- Project course
  - Taken by Bachelor's/Master's students
  - Genomics lectures
  - Hands-on research exploration
  - Many research readings

https://www.youtube.com/onurmutlulectures



Spring 2022 Meetings/Schedule

Week	Date	Livestream	Meeting	Learning Materials
W1	11.3 Fri.	YouTube Live	M1: P&S Accelerating Genomics Course Introduction & Project Proposals (PDF) (PPT)	Required Materials Recommended Materials
W2	18.3 Fri.	YouTube Live	M2: Introduction to Sequencing (PDF) (PPT)	
W3	25.3 Fri.	YouTube Premiere	M3: Read Mapping (PDF) (PPT)	
W4	01.04 Fri.	YouTube Premiere	M4: GateKeeper (PDF) (PPT)	
W5	08.04 Fri.	YouTube Premiere	M5: MAGNET & Shouji (PDF) (PPT)	
W6	15.4 Fri.	YouTube Premiere	M6: SneakySnake (PDF) (PPT)	
W7	29.4 Fri.	YouTube Premiere	M7: GenStore (PDF) (PPT)	
W8	06.05 Fri.	YouTube Premiere	M8: GRIM-Filter (PDF) (PPT)	
W9	13.05 Fri.	YouTube Premiere	M9: Genome Assembly (PDF) (PPT)	
W10	20.05 Fri.	YouTube Live	M10: Genomic Data Sharing Under Differential Privacy (PDF) (PPT)	
W11	10.06 Fri.	YouTube Premiere	M11: Accelerating Genome Sequence Analysis (PDF) (PPT)	

Hetero. Systems (Spring'22)

- **Spring 2022 Edition:**
  - https://safari.ethz.ch/projects_and_seminars/spring2022/doku.php?id=heterogeneous_systems
- **Youtube Livestream:**
  - https://www.youtube.com/watch?v=oFO5fTrgFIY&list=PL5Q2soXY2Zi9XrgXR38IM_FTjmY6h7Gzm
- Project course
  - Taken by Bachelor's/Master's students
  - GPU and Parallelism lectures
  - Hands-on research exploration
  - Many research readings

https://www.youtube.com/onurmutlulectures



Spring 2022 Meetings/Schedule

Week	Date	Livestream	Meeting	Learning Materials	Assignments
W1	15.03 Tue.	Premiere	M1: P&S Course Presentation (PDF) (PPT)	Required Materials Recommended Materials	HW 0 Out
W2	22.03 Tue.	Premiere	M2: SIMD Processing and GPUs (PDF) (PPT)		
W3	29.03 Tue.	Premiere	M3: GPU Software Hierarchy (PDF) (PPT)		
W4	05.04 Tue.	Premiere	M4: GPU Memory Hierarchy (PDF) (PPT)		
W5	12.04 Tue.	Premiere	M5: GPU Performance Considerations (PDF) (PPT)		
W6	19.04 Tue.	Premiere	M6: Parallel Patterns: Reduction (PDF) (PPT)		
W7	26.04 Tue.	Premiere	M7: Parallel Patterns: Histogram (PDF) (PPT)		
W8	03.05 Tue.	Premiere	M8: Parallel Patterns: Convolution (PDF) (PPT)		
W9	10.05 Tue.	Premiere	M9: Parallel Patterns: Prefix Sum (Scan) (PDF) (PPT)		
W10	17.05 Tue.	Premiere	M10: Parallel Patterns: Sparse Matrices (PDF) (PPT)		
W11	24.05 Tue.	Premiere	M11: Parallel Patterns: Graph Search (PDF) (PPT)		
W12	01.06 Wed.	Premiere	M12: Parallel Patterns: Merge Sort (PDF) (PPT)		
W13	07.06 Tue.	Premiere	M13: Dynamic Parallelism (PDF) (PPT)		
W14	15.06 Wed.	Premiere	M14: Collaborative Computing (PDF) (PPT)		
W15	24.06 Fri.	Premiere	M15: GPU Acceleration of Genome Sequence Alignment (PDF) (PPT)		
W16	14.07 Thu.	Premiere	M16: Accelerating Agent-based Simulations (PDF) (ODP)		

HW/SW Co-Design (Spring 2022)

- **Spring 2022 Edition:**
  - https://safari.ethz.ch/projects_and_seminars/spring2022/doku.php?id=hw_sw_codesign
- **Youtube Livestream:**
  - https://youtube.com/playlist?list=PL5Q2soXY2Zi8nH7un3ghD2nutKWWDk-NK
- Project course
  - Taken by Bachelor's/Master's students
  - HW/SW co-design lectures
  - Hands-on research exploration
  - Many research readings

https://www.youtube.com/onurmutlulectures





2022 Meetings/Schedule (Tentative)

Week	Date	Livestream	Meeting	Materials	Assignments
W0	16.03	YouTube Live	Intro to HW/SW Co-Design (PPTX) (PDF)	Required	HW 0 Out
W1	23.03		Project selection	Required	
W2	30.03	YouTube Live	Virtual Memory (I) (PPTX) (PDF)		
W3	13.04	YouTube Live	Virtual Memory (II) (PPTX) (PDF)		

Solid-State Drives (Spring 2022)

- **Spring 2022 Edition:**
  - https://safari.ethz.ch/projects_and_seminars/spring2022/doku.php?id=modern_ssds
- **Youtube Livestream:**
  - https://www.youtube.com/watch?v=_q4rm71DsY4&list=PL5Q2soXY2Zi8vabcse1kL22DEcgMl2RAq
- Project course
  - Taken by Bachelor's/Master's students
  - SSD Basics and Advanced Topics
  - Hands-on research exploration
  - Many research readings





https://www.youtube.com/onurmutlulectures

RowHammer & DRAM Exploration (Fall 2022)

- **Fall 2022 Edition:**
  - https://safari.ethz.ch/projects_and_seminars/fall2022/doku.php?id=softmc
- **Spring 2022 Edition:**
  - https://safari.ethz.ch/projects_and_seminars/spring2022/doku.php?id=softmc
- **Youtube Livestream (Spring 2022):**
  - https://www.youtube.com/watch?v=r5QxuoJWttg&list=PL5Q2soXY2Zi_1trfCckr6PTN8WR72icUO
- Bachelor's course
  - Elective at ETH Zurich
  - Introduction to DRAM organization & operation
  - Tutorial on using FPGA-based infrastructure
  - Verilog & C++
  - Potential research exploration

Lecture Video Playlist on YouTube

Lecture Playlist

2022 Meetings/Schedule (Tentative)

Week	Date	Livestream	Meeting	Learning Materials	Assignments
W0	23.02 Wed.	Video	P&S SoftMC Tutorial	SoftMC Tutorial Slides (PDF) (PPT)	
W1	08.03 Tue.	Video	M1: Logistics & Intro to DRAM and SoftMC (PDF) (PPT)	Required Materials Recommended Materials	HW0
W2	15.03 Tue.	Video	M2: Revisiting RowHammer (PDF) (PPT)	(Paper PDF)	
W3	22.03 Tue.	Video	M3: Uncovering in-DRAM TRR & TRRespass (PDF) (PPT)		
W4	29.03 Tue.	Video	M4: Deeper Look Into RowHammer's Sensitivities (PDF) (PPT)		
W5	05.04 Tue.	Video	M5: QUAC-TRNG (PDF) (PPT)		
W6	12.04 Tue.	Video	M6: PiDRAM (PDF) (PPT)		

https://www.youtube.com/onurmutlulectures

Exploration of Emerging Memory Systems (Fall 2022)

- **Fall 2022 Edition:**
  - https://safari.ethz.ch/projects_and_seminars/fall2022/doku.php?id=ramulator
- **Spring 2022 Edition:**
  - https://safari.ethz.ch/projects_and_seminars/spring2022/doku.php?id=ramulator
- **Youtube Livestream (Spring 2022):**
  - https://www.youtube.com/watch?v=aM-llXRQd3s&list=PL5Q2soXY2Zi_TlmLGw_Z8hBo2925ZApqV
- Bachelor's course
  - Elective at ETH Zurich
  - Introduction to memory system simulation
  - Tutorial on using Ramulator
  - C++
  - Potential research exploration

Lecture Video Playlist on YouTube

Lecture Playlist



2022 Meetings/Schedule (Tentative)

Week	Date	Livestream	Meeting	Learning Materials	Assignments
W1	09.03 Wed.	Video	M1: Logistics & Intro to Simulating Memory Systems Using Ramulator (PDF) (PPT)		HW0
W2	16.03 Fri.	Video	M2: Tutorial on Using Ramulator (PDF) (PPT)		
W3	25.02 Fri.	Video	M3: BlockHammer (PDF) (PPT)		
W4	01.04 Fri.	Video	M4: CLR-DRAM (PDF) (PPT)		
W5	08.04 Fri.	Video	M5: SIMDRAM (PDF) (PPT)		
W6	29.04 Fri.	Video	M6: DAMOV (PDF) (PPT)		
W7	06.05 Fri.	Video	M7: Syncron (PDF) (PPT)		

https://www.youtube.com/onurmutlulectures

Memory-Centric Computing

Onur Mutlu
omutlu@gmail.com
https://people.inf.ethz.ch/omutlu

26 February 2023

Real-World PIM Tutorial Opening Talk @ HPCA

SAFARI ETH zürich Carnegie Mellon

Backup Slides

Aside: Intelligent Controller for NAND Flash



[DATE 2012, ICCD 2012, DATE 2013, ITJ 2013, ICCD 2013, SIGMETRICS 2014, HPCA 2015, DSN 2015, MSST 2015, JSAC 2016, HPCA 2017, DFRWS 2017, PIEEE 2017, HPCA 2018, SIGMETRICS 2018]

Cai+, "Error Characterization, Mitigation, and Recovery in Flash Memory Based Solid State Drives," Proc. IEEE 2017.

Intelligent Flash Controllers [PIEEE'17]

Proceedings of the IEEE, Sept. 2017

Error Characterization, Mitigation, and Recovery in Flash-Memory-Based Solid-State Drives

This paper reviews the most recent advances in solid-state drive (SSD) error characterization, mitigation, and data recovery techniques to improve both SSD's reliability and lifetime.

By Yu Cai, Saugata Ghose, Erich F. Haratsch, Yixin Luo, and Onur Mutlu

https://arxiv.org/pdf/1706.08642

System Desirables

- Self-managing, independent components
- All components intelligent & equal partners
- Easy collaboration & partitioning across all components
- Fine-grained communication of data & tasks
- Seamless caching & translation & protection anywhere
- Execution anywhere without rewriting code
- Flexibility, adaptability, self-optimization

Open minds

SAFARI Research Group

SAFARI Newsletter April 2020 Edition

- https://safari.ethz.ch/safari-newsletter-april-2020/

SAFARI
SAFARI Research Group

View in your browser

Think Big, Aim High

Dear SAFARI friends,

2019 and the first three months of 2020 have been very positive eventful times for SAFARI.

SAFARI Newsletter January 2021 Edition

- https://safari.ethz.ch/safari-newsletter-january-2021/

SAFARI
SAFARI Research Group

Newsletter
January 2021

Think Big, Aim High, and Have a Wonderful 2021!

Dear SAFARI friends,

Happy New Year! We are excited to share our group highlights with you in this second edition of the SAFARI newsletter (You can find the first edition from April 2020 **here**). 2020 has

SAFARI Newsletter December 2021 Edition

- https://safari.ethz.ch/safari-newsletter-december-2021/

SAFARI
SAFARI Research Group

Think Big, Aim High

ETH zürich

View in your browser
December 2021

A Talk on Impactful Research & Teaching

Arch. Mentoring Workshop @ISCA'21 - Applying to Grad School & Doing Impactful Research - Onur Mutlu

1,563 views • Premiered Jun 16, 2021

74 1 SHARE SAVE ...

Onur Mutlu Lectures
17.2K subscribers

ANALYTICS EDIT VIDEO

Panel talk at Undergraduate Architecture Mentoring Workshop at ISCA 2021
(https://sites.google.com/wisc.edu/uar...)

https://www.youtube.com/watch?v=83tlorht7Mc&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJI&index=54

An Interview on Computing Futures

https://www.youtube.com/watch?v=8ffSEKZhmvo

Latest Longer & Detailed Tutorial on PIM

- Onur Mutlu,
  "Memory-Centric Computing"
  *Education Class at Embedded Systems Week (**ESWEEK**)*,
  Virtual, 9 October 2021.
  [Slides (pptx) (pdf)]
  [Abstract (pdf)]
  [Talk Video (2 hours, including Q&A)]
  [Invited Paper at DATE 2021]
  ["A Modern Primer on Processing in Memory" paper]

https://www.youtube.com/watch?v=N1Ac1ov1JOM



Embedded Systems Week (ESWEEK) 2021 Lecture - Memory-Centric Computing - Onur Mutlu - 9 October 2021

509 views • Premiered Dec 6, 2021

28 DISLIKE SHARE SAVE ...

Onur Mutlu Lectures
20.7K subscribers

https://www.youtube.com/watch?v=N1Ac1ov1JOM

ANALYTICS EDIT VIDEO

https://www.youtube.com/onurmutlulectures

Detailed Lectures on PIM (I)

- Computer Architecture, Fall 2020, Lecture 6
  - **Computation in Memory** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=oGcZAGwfEUE&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=12
- Computer Architecture, Fall 2020, Lecture 7
  - **Near-Data Processing** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=j2GIigqn1Qw&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=13
- Computer Architecture, Fall 2020, Lecture 11a
  - **Memory Controllers** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=TeG773OgiMQ&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=20
- Computer Architecture, Fall 2020, Lecture 12d
  - **Real Processing-in-DRAM with UPMEM** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=Sscy1Wrr22A&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=25

Detailed Lectures on PIM (II)

- Computer Architecture, Fall 2020, Lecture 15
  - **Emerging Memory Technologies** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=AlE1rD9G_YU&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=28
- Computer Architecture, Fall 2020, Lecture 16a
  - **Opportunities & Challenges of Emerging Memory Technologies** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=pmLszWGmMGQ&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=29
- Computer Architecture, Fall 2020, Guest Lecture
  - **In-Memory Computing: Memory Devices & Applications** (ETH Zürich, Fall 2020)
  - https://www.youtube.com/watch?v=wNmqQHiEZNk&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN&index=41

Comp Arch (Current)

- **Fall 2021 Edition:**
  - https://safari.ethz.ch/architecture/fall2021/doku.php?id=schedule
- **Youtube Livestream:**
  - https://www.youtube.com/watch?v=4yfkM_5EFgo&list=PL5Q2soXY2Zi-Mnk1PxjEIG32HAGILkTOF
- Master's level course
  - Taken by Bachelor's/Masters/PhD students
  - Cutting-edge research topics + fundamentals in Computer Architecture
  - 5 Simulator-based Lab Assignments
  - Potential research exploration
  - Many research readings



PIM Course (Current)

- **Fall 2021 Edition:**
  - https://safari.ethz.ch/projects_and_seminars/fall2021/doku.php?id=processing_in_memory
- **Youtube Livestream:**
  - https://www.youtube.com/watch?v=9e4Chnwdovo&list=PL5Q2soXY2Zi-841fUYYUK9EsXKhQKRPyX
- Project course
  - Taken by Bachelor's/Master's students
  - Processing-in-Memory lectures
  - Hands-on research exploration
  - Many research readings

Lecture Video Playlist on YouTube

Lecture Playlist



Fall 2021 Meetings/Schedule

Week	Date	Livestream	Meeting	Learning Materials	Assignments
W1	05.10 Tue.	YouTube Live	M1: P&S PIM Course Presentation (PDF) (PPT)	Required Materials Recommended Materials	HW 0 Out
W2	12.10 Tue.	YouTube Live	M2: Real-World PIM Architectures (PDF) (PPT)		
W3	19.10 Tue.	YouTube Live	M3: Real-World PIM Architectures II (PDF) (PPT)		
W4	26.10 Tue.	YouTube Live	M4: Real-World PIM Architectures III (PDF) (PPT)		
W5	02.11 Tue.	YouTube Live	M5: Real-World PIM Architectures IV (PDF) (PPT)		
W6	09.11 Tue.	YouTube Live	M6: End-to-End Framework for Processing-using-Memory (PDF) (PPT)		
W7	16.11 Tue.	YouTube Live	M7: How to Evaluate Data Movement Bottlenecks (PDF) (PPT)		
W8	23.11 Tue.	YouTube Live	M8: Programming PIM Architectures (PDF) (PPT)		
W9	30.11 Tue.	YouTube Live	M9: Benchmarking and Workload Suitability on PIM (PDF) (PPT)		
W10	07.12 Tue.	YouTube Live	M10: Bit-Serial SIMD Processing using DRAM (PDF) (PPT)		

Onur Mutlu Lectures

16.9K subscribers

CUSTOMIZE CHANNEL | MANAGE VIDEOS

HOME | VIDEOS | PLAYLISTS | COMMUNITY | CHANNELS | ABOUT

Popular uploads

PLAY ALL

Digital Design & Computer Architecture: Lecture 1:...

49K views • 1 year ago

Computer Architecture - Lecture 1: Introduction and...

36K views • 3 years ago



Computer Architecture - Lecture 1: Introduction and...

31K views • 1 year ago



Computer Architecture - Lecture 1: Introduction and...

30K views • 8 months ago



Design of Digital Circuits - Lecture 1: Introduction and...

22K views • 2 years ago

Computer Architecture - Lecture 2: Fundamentals,...

17K views • 3 years ago

First Course in Computer Architecture & Digital Design 2021-2013



Livestream - Digital Design and Computer Architecture - ETH...

Onur Mutlu Lectures

VIEW FULL PLAYLIST

Digital Design & Computer Architecture - ETH Zürich...

Onur Mutlu Lectures

VIEW FULL PLAYLIST

Design of Digital Circuits - ETH Zürich - Spring 2019

Onur Mutlu Lectures

VIEW FULL PLAYLIST



Design of Digital Circuits - ETH Zürich - Spring 2018

Onur Mutlu Lectures

VIEW FULL PLAYLIST

Digital Circuits and Computer Architecture - ETH Zurich -...

Onur Mutlu Lectures

VIEW FULL PLAYLIST

Spring 2015 -- Computer Architecture Lectures --...

Carnegie Mellon Computer Architec...

VIEW FULL PLAYLIST

Advanced Computer Architecture Courses 2020-2012



Computer Architecture - ETH Zürich - Fall 2020

Onur Mutlu Lectures

VIEW FULL PLAYLIST



Computer Architecture - ETH Zürich - Fall 2019

Onur Mutlu Lectures

VIEW FULL PLAYLIST

Computer Architecture - ETH Zürich - Fall 2018

Onur Mutlu Lectures

VIEW FULL PLAYLIST

Computer Architecture - ETH Zürich - Fall 2017

Onur Mutlu Lectures

VIEW FULL PLAYLIST

Fall 2015 - 740 Computer Architecture

Carnegie Mellon Computer Architec...

VIEW FULL PLAYLIST



Fall 2013 - 740 Computer Architecture - Carnegie Mellon

Carnegie Mellon Computer Architec...

VIEW FULL PLAYLIST

Special Courses on Memory Systems

Memory Technology Lectures

Onur Mutlu Lectures

VIEW FULL PLAYLIST

Champéry Winter School 2020 - Memory Systems and Memory...

Onur Mutlu Lectures

VIEW FULL PLAYLIST



Perugia NiPS Summer School 2019

Onur Mutlu Lectures

VIEW FULL PLAYLIST



SAMOS Tutorial 2019 - Memory Systems

Onur Mutlu Lectures

VIEW FULL PLAYLIST



TU Wien 2019 - Memory Systems and Memory-Centric...

Onur Mutlu Lectures

VIEW FULL PLAYLIST

ACACES 2018 Lectures -- Memory Systems and Memory...

Onur Mutlu Lectures

VIEW FULL PLAYLIST

Research Talks

https://www.youtube.com/onurmutlulectures

Data-Driven Architectures

Corollaries: Architectures Today …

- Architectures are terrible at dealing with data
  - Designed to mainly store and move data vs. to compute
  - They are processor-centric as opposed to **data-centric**
- Architectures are terrible at taking advantage of vast amounts of data (and metadata) available to them
  - Designed to make simple decisions, ignoring lots of data
  - They make human-driven decisions vs. **data-driven** decisions
- Architectures are terrible at knowing and exploiting different properties of application data
  - Designed to treat all data as the same
  - They make component-aware decisions vs. **data-aware**

Exploiting Data to Design Intelligent Architectures

System Architecture Design Today

- Human-driven
  - Humans design the policies (how to do things)
- Many (too) simple, short-sighted policies all over the system
- No automatic data-driven policy learning
- (Almost) no learning: cannot take lessons from past actions

Can we design fundamentally intelligent architectures?

An Intelligent Architecture

- Data-driven
  - Machine learns the "best" policies (how to do things)
- Sophisticated, workload-driven, changing, far-sighted policies
- Automatic data-driven policy learning
- All controllers are intelligent data-driven agents

How do we start?

Self-Optimizing Memory Controllers

Memory Controller



How to schedule requests to maximize system performance?

Why are Memory Controllers Difficult to Design?

- Need to obey DRAM timing constraints for correctness
  - There are many (50+) timing constraints in DRAM
  - tWTR: Minimum number of cycles to wait before issuing a read command after a write command is issued
  - tRC: Minimum number of cycles between the issuing of two consecutive activate commands to the same bank
  - …
- Need to keep track of many resources to prevent conflicts
  - Channels, banks, ranks, data bus, address bus, row buffers, …
- Need to handle DRAM refresh
- Need to manage power consumption
- Need to optimize performance & QoS (in the presence of constraints)
  - Reordering is not simple
  - Fairness and QoS needs complicates the scheduling problem
- …

Many Memory Timing Constraints

Latency	Symbol	DRAM cycles	Latency	Symbol	DRAM cycles
Precharge	^tRP	11	Activate to read/write	^tRCD	11
Read column address strobe	CL	11	Write column address strobe	CWL	8
Additive	AL	0	Activate to activate	^tRC	39
Activate to precharge	^tRAS	28	Read to precharge	^tRTP	6
Burst length	^tBL	4	Column address strobe to column address strobe	^tCCD	4
Activate to activate (different bank)	^tRRD	6	Four activate windows	^tFAW	24
Write to read	^tWTR	6	Write recovery	^tWR	12

Table 4. DDR3 1600 DRAM timing specifications

- From Lee et al., "DRAM-Aware Last-Level Cache Writeback: Reducing Write-Caused Interference in Memory Systems," HPS Technical Report, April 2010.

Many Memory Timing Constraints

- Kim et al., "A Case for Exploiting Subarray-Level Parallelism (SALP) in DRAM," ISCA 2012.
- Lee et al., "Tiered-Latency DRAM: A Low Latency and Low Cost DRAM Architecture," HPCA 2013.



Figure 5. Three Phases of DRAM Access

Table 2. Timing Constraints (DDR3-1066) [43]

Phase	Commands	Name	Value
1	ACT → READ ACT → WRITE	tRCD	15ns
	ACT → PRE	tRAS	37.5ns
2	READ → *data* WRITE → *data*	tCL tCWL	15ns 11.25ns
	data burst	tBL	7.5ns
3	PRE → ACT	tRP	15ns
1 & 3	ACT → ACT	tRC (tRAS+tRP)	52.5ns

Memory Controller Design Is Becoming More Difficult



- Heterogeneous agents: CPUs, GPUs, and HWAs
- Main memory interference between CPUs, GPUs, HWAs
- Many timing constraints for various memory types
- Many goals at the same time: performance, fairness, QoS, energy efficiency, …

Reality and Dream

- Reality: It difficult to design a policy that maximizes performance, QoS, energy-efficiency, …
  - Too many things to think about
  - Continuously changing workload and system behavior

- Dream: Wouldn't it be nice if the DRAM controller automatically found a good scheduling policy on its own?

Self-Optimizing DRAM Controllers

- Problem: DRAM controllers are difficult to design
  - It is difficult for human designers to design a policy that can adapt itself very well to different workloads and different system conditions
- Idea: A memory controller that adapts its scheduling policy to workload behavior and system conditions using machine learning.
- Observation: Reinforcement learning maps nicely to memory control.
- Design: Memory controller is a reinforcement learning agent
  - It dynamically and continuously learns and employs the best scheduling policy to maximize long-term performance.

Ipek+, "Self Optimizing Memory Controllers: A Reinforcement Learning Approach," ISCA 2008.

Self-Optimizing DRAM Controllers



Goal: Learn to choose actions to maximize $r_0 + \gamma r_1 + \gamma^2 r_2 + \ldots$ ($0 \leq \gamma < 1$)

Figure 2: (a) Intelligent agent based on reinforcement learning principles;

Self-Optimizing DRAM Controllers

- Dynamically adapt the memory scheduling policy via interaction with the system at runtime
  - Associate system states and actions (commands) with long term reward values: each action at a given state leads to a learned reward
  - Schedule command with highest estimated long-term reward value in each state
  - Continuously update reward values for <state, action> pairs based on feedback from system



Self-Optimizing DRAM Controllers

- Engin Ipek, Onur Mutlu, José F. Martínez, and Rich Caruana, **"Self Optimizing Memory Controllers: A Reinforcement Learning Approach"**
  *Proceedings of the 35th International Symposium on Computer Architecture (**ISCA**)*, pages 39-50, Beijing, China, June 2008.



Figure 4: High-level overview of an RL-based scheduler.

States, Actions, Rewards

- Reward function
  - +1 for scheduling Read and Write commands
  - 0 at all other times

  Goal is to maximize long-term data bus utilization
- State attributes
  - Number of reads, writes, and load misses in transaction queue
  - Number of pending writes and ROB heads waiting for referenced row
  - Request's relative ROB order
- Actions
  - Activate
  - Write
  - Read - load miss
  - Read - store miss
  - Precharge - pending
  - Precharge - preemptive
  - NOP

Performance Results



Figure 7: Performance comparison of in-order, FR-FCFS, RL-based, and optimistic memory controllers

Large, robust performance improvements over many human-designed policies



Figure 15: Performance comparison of FR-FCFS and RL-based memory controllers on systems with 6.4GB/s and 12.8GB/s peak DRAM bandwidth

Self Optimizing DRAM Controllers

+ Continuous learning in the presence of changing environment

+ Reduced designer burden in finding a good scheduling policy.
Designer specifies:

1) What system variables might be useful
2) What target to optimize, but not how to optimize it

-- How to specify different objectives? (e.g., fairness, QoS, …)

-- Hardware complexity?

-- Design **mindset** and flow

More on Self-Optimizing DRAM Controllers

- Engin Ipek, Onur Mutlu, José F. Martínez, and Rich Caruana, **"Self Optimizing Memory Controllers: A Reinforcement Learning Approach"**
  *Proceedings of the 35th International Symposium on Computer Architecture (**ISCA**)*, pages 39-50, Beijing, China, June 2008.

Self-Optimizing Memory Controllers: A Reinforcement Learning Approach

Engin İpek[1,2] **Onur Mutlu**[2] **José F. Martínez**[1] **Rich Caruana**[1]

[1]Cornell University, Ithaca, NY 14850 USA
[2] Microsoft Research, Redmond, WA 98052 USA

Self-Optimizing Memory Prefetchers

- Rahul Bera, Konstantinos Kanellopoulos, Anant Nori, Taha Shahroodi, Sreenivas Subramoney, and Onur Mutlu,
  "Pythia: A Customizable Hardware Prefetching Framework Using Online Reinforcement Learning"
  Proceedings of the 54th International Symposium on Microarchitecture (***MICRO***), Virtual, October 2021.
  [Slides (pptx) (pdf)]
  [Short Talk Slides (pptx) (pdf)]
  [Lightning Talk Slides (pptx) (pdf)]
  [Talk Video (20 minutes)]
  [Lightning Talk Video (1.5 minutes)]
  [Pythia Source Code (Officially Artifact Evaluated with All Badges)]
  [arXiv version]



Pythia: A Customizable Hardware Prefetching Framework Using Online Reinforcement Learning

Rahul Bera[1] Konstantinos Kanellopoulos[1] Anant V. Nori[2] Taha Shahroodi[3,1]
Sreenivas Subramoney[2] Onur Mutlu[1]
[1]ETH Zürich [2]Processor Architecture Research Labs, Intel Labs [3]TU Delft

https://arxiv.org/pdf/2109.12021.pdf

Pythia

A Customizable Hardware Prefetching Framework Using Online Reinforcement Learning

Rahul Bera, Konstantinos Kanellopoulos, Anant V. Nori, Taha Shahroodi, Sreenivas Subramoney, Onur Mutlu

https://github.com/CMU-SAFARI/Pythia

SAFARI Research Group
safari.ethz.ch

ETH zürich

intel

TU Delft

Executive Summary

- **Background**: Prefetchers predict addresses of future memory requests by associating memory access patterns with program context (called **feature**)
- **Problem**: Three key shortcomings of prior prefetchers:
  - Predict mainly using a **single program feature**
  - Lack **inherent system awareness** (e.g., memory bandwidth usage)
  - Lack **in-silicon customizability**
- **Goal**: Design a prefetching framework that:
  - Learns from **multiple features** and **inherent system-level feedback**
  - Can be **customized in silicon** to use different features and/or prefetching objectives
- **Contribution**: Pythia, which formulates prefetching as reinforcement learning problem
  - Takes **adaptive** prefetch decisions using multiple features and system-level feedback
  - Can be **customized in silicon** for target workloads via simple configuration registers
  - Proposes **a realistic and practical** implementation of RL algorithm in hardware
- **Key Results**:
  - Evaluated using a wide range of workloads from SPEC CPU, PARSEC, Ligra, Cloudsuite
  - Outperforms best prefetcher (in 1-core config.) by **3.4%, 7.7% and 17%** in 1/4/bw-constrained cores
  - Up to **7.8% more performance** over basic Pythia across Ligra workloads via simple customization

https://github.com/CMU-SAFARI/Pythia

Key Shortcomings in Prior Prefetchers

- We observe **three key shortcomings** that significantly limit performance benefits of prior prefetchers

1 Predict mainly using a single program feature

2 Lack inherent system awareness

3 Lack in-silicon customizability

Our Goal

A **prefetching framework** that can:

1. Learn to prefetch using **multiple features** and **inherent system-level feedback** information

2. Be **easily customized in silicon** to use different features and/or change prefetcher's objectives

Our Proposal

Pythia

Formulates prefetching as a
reinforcement learning problem

Pythia is named after the oracle of Delphi, who is known for her accurate prophecies
https://en.wikipedia.org/wiki/Pythia

Basics of Reinforcement Learning (RL)

- Algorithmic approach to learn to take an **action** in a given **situation** to maximize a numerical **reward**



- Agent stores **Q-values** for *every* state-action pair
  - **Expected return** for taking an action in a state
  - Given a state, selects action that provides **highest** Q-value

Formulating Prefetching as RL



Pythia Overview

- **Q-Value Store**: Records Q-values for *all* state-action pairs
- **Evaluation Queue**: A FIFO queue of recently-taken actions



Simulation Methodology

- **Champsim** [3] trace-driven simulator

- **150** single-core memory-intensive workload traces
  - SPEC CPU2006 and CPU2017
  - PARSEC 2.1
  - Ligra
  - Cloudsuite
- Homogeneous and heterogeneous multi-core mixes

- **Five** state-of-the-art prefetchers
  - SPP [Kim+, MICRO'16]
  - Bingo [Bakhshalipour+, HPCA'19]
  - MLOP [Shakerinava+, 3rd Prefetching Championship, 2019]
  - SPP+DSPatch [Bera+, MICRO'19]
  - SPP+PPF [Bhatia+, ISCA'20]

[3] https://github.com/ChampSim/ChampSim

Basic Pythia Configuration

- Derived from **automatic design-space exploration**

- **State:** 2 features
  - PC+Delta
  - Sequence of last-4 deltas

- **Actions:** 16 prefetch offsets
  - Ranging between -6 to +32. Including 0.

- **Rewards:**
  - R_{AT} = +20; R_{AL} = +12; R_{NP}-H=-2; R_{NP}-L=-4;
  - R_{IN}-H=-14; R_{IN}-L=-8; R_{CL}=-12

Performance with Varying Core Count



Performance with Varying Core Count



1. Pythia consistently provides the highest performance in all core configurations

2. Pythia's gain increases with core count

Performance with Varying DRAM Bandwidth



Performance with Varying DRAM Bandwidth



Pythia outperforms prior best prefetchers for a wide range of DRAM bandwidth configurations

Pythia's Overhead

- **25.5 KB** of total metadata storage **per core**
  - Only simple tables
- We also model functionally-accurate Pythia with full complexity in **Chisel** [4] HDL



of a desktop-class 4-core Skylake processor (Xeon D2132IT, 60W)

[4] https://www.chisel-lang.org

More in the Paper

- Performance comparison with unseen traces
  - Pythia provides equally high performance benefits
- Comparison against multi-level prefetchers

Pythia: A Customizable Hardware Prefetching Framework Using Online Reinforcement Learning

Rahul Bera[1] Konstantinos Kanellopoulos[1] Anant V. Nori[2] Taha Shahroodi[3,1]
Sreenivas Subramoney[2] Onur Mutlu[1]
[1]ETH Zürich [2]Processor Architecture Research Labs, Intel Labs [3]TU Delft

https://arxiv.org/pdf/2109.12021.pdf

- Performance sensitivity towards different features and hyperparameter values
- Detailed single-core and four-core performance

Pythia is Open Source

https://github.com/CMU-SAFARI/Pythia

- MICRO'21 **artifact evaluated**
- **Champsim source** code + **Chisel** modeling code
- **All traces** used for evaluation



Pythia

A Customizable Hardware Prefetching Framework Using Online Reinforcement Learning

Rahul Bera, Konstantinos Kanellopoulos, Anant V. Nori, Taha Shahroodi, Sreenivas Subramoney, Onur Mutlu

https://github.com/CMU-SAFARI/Pythia

SAFARI Research Group
safari.ethz.ch

ETH zürich

intel

TU Delft

Self-Optimizing Memory Prefetchers

- Rahul Bera, Konstantinos Kanellopoulos, Anant Nori, Taha Shahroodi, Sreenivas Subramoney, and Onur Mutlu,
  "Pythia: A Customizable Hardware Prefetching Framework Using Online Reinforcement Learning"
  Proceedings of the 54th International Symposium on Microarchitecture (***MICRO***), Virtual, October 2021.
  [Slides (pptx) (pdf)]
  [Short Talk Slides (pptx) (pdf)]
  [Lightning Talk Slides (pptx) (pdf)]
  [Talk Video (20 minutes)]
  [Lightning Talk Video (1.5 minutes)]
  [Pythia Source Code (Officially Artifact Evaluated with All Badges)]
  [arXiv version]



Pythia: A Customizable Hardware Prefetching Framework Using Online Reinforcement Learning

Rahul Bera[1] Konstantinos Kanellopoulos[1] Anant V. Nori[2] Taha Shahroodi[3,1]
Sreenivas Subramoney[2] Onur Mutlu[1]
[1]ETH Zürich [2]Processor Architecture Research Labs, Intel Labs [3]TU Delft

https://arxiv.org/pdf/2109.12021.pdf

Self-Optimizing Hybrid Storage Systems

- To appear in ISCA 2022

Sibyl: Adaptive and Extensible Data Placement in Hybrid Storage Systems Using Online Reinforcement Learning

Gagandeep Singh[1] Rakesh Nadig[1] Jisung Park[1] Rahul Bera[1] Nastaran Hajinazar[1]
David Novo[3] Juan Gómez-Luna[1] Sander Stuijk[2] Henk Corporaal[2] Onur Mutlu[1]

[1]ETH Zürich [2]Eindhoven University of Technology [3]LIRMM, Univ. Montpellier, CNRS

https://arxiv.org/pdf/2205.07394.pdf

Sibyl:
Adaptive and Extensible Data Placement in Hybrid Storage Systems Using Online Reinforcement Learning

Gagandeep Singh, Rakesh Nadig, Jisung Park, Rahul Bera, Nastaran Hajinazar, David Novo, Juan Gómez-Luna, Onur Mutlu

Executive Summary

Background: Hybrid storage systems (HSSs) complement different storage technologies to extend the overall capacity and reduce the system cost with minimal effect on the application performance

Problem: Accurately identify the performance-critical data of an application and placing it in the "best-fit" storage device. Three key shortcomings of prior data placement policies (heuristic-based and supervised learning-based) of hybrid storage systems:

- Lack of **adaptability**
- Lack of **device awareness (e.g., read/write latencies of each device)**
- Lack of **extensibility**

Goal: Develop a new, efficient, and high performance data-placement mechanism for hybrid storage systems that can:

- Dynamically derive an adaptive data-placement strategy by **continuously learning and adapting** to the **application and underlying device characteristics**
- **Easily extensible** to incorporate a wide range of hybrid storage configurations.

Key Idea: Sibyl, an online reinforcement learning-based self-optimizing mechanism for data placement that:

- **Dynamically learns** from past experiences and **continuously adapts** its policy to improve long-term performance by interacting with the hybrid storage system
- **Learns the asymmetry in the read/write latencies** present in modern hybrid storage devices while **taking into account** the **inherent characteristics of an application**

Key Results: Sibyl is evaluated on a real system with multiple device configurations

- Evaluated using a **wide range of workloads** from MSR Cambridge and Filebench
- In a performance (cost) optimized hybrid storage configuration, Sibyl provides up to **21.6% (19.9%)** performance improvement compared to prior data placement policies
- On a tri-hybrid storage system, Sibyl outperforms a heuristics-based policy by **23.9% -48.2%**
- Sibyl achieves **80%** performance of an oracle policy with storage overhead of **124.4 KiB**

Hybrid Storage Systems



Key Shortcomings of Prior Data Placement Techniques

We observe **three key shortcomings** that significantly limit performance benefits of data-placement techniques

Lack of adaptability

Lack of device awareness

Lack of extensibility

Lack of Adaptability (1/2)

- Prior heuristic-based techniques consider only a **few characteristics** (e.g., access frequency) to perform data placement
- **Statically tuned characteristics** (based on **fixed thresholds**) are ineffective when used on a wide range of applications and system configurations
- Supervised learning techniques need **labeled data** and **frequent retraining** to adapt to varying workloads and system conditions

Prior techniques offer 41.1% lower performance compared to an Oracle policy

Lack of Adaptability (2/2)



(a) Performance-optimized (H&M)



(b) Cost-optimized (H&L)

CDE shows an average performance gap of 41.1% (32.6%) to Oracle for H&M (H&L)

HPS shows an average performance gap of 37.2% (55.5%) to Oracle for H&M (H&L)

Lack of Device Awareness

Prior data placement techniques:

- **do not adapt** well to changes in underlying device characteristics (e.g., storage read latency)
- **do not consider the data migration cost** between storage devices while making a data placement decision
- **are highly inefficient** in hybrid storage systems that have devices with significantly different read/write latencies

Lack of Extensibility

- Prior data placement techniques are typically **designed** for a hybrid storage system with **only two storage devices**

- **Significant effort** is required to extend the data placement policies for more than two devices

Compared to a RL-based solution, a heuristic-based policy provides 48.2% lower performance when extended from two to three devices

Our Goal

A **data-placement mechanism** that can

- dynamically derive an adaptive data-placement strategy by **continuously learning** and **adapting** to the application and underlying device characteristics
- be **easily extended** to incorporate a wide range of hybrid storage configurations

Basics of Reinforcement Learning



- RL is a framework for decision making
  - An **autonomous agent observes** the current **state** of the environment
  - It **interacts** with the environment by taking **actions**
  - Agent is **rewarded** or **penalized** based on the consequences of its actions
  - Agent tries to maximize the cumulative reward

Applying RL to Data Placement

Key factors in applying RL for data placement in a hybrid storage system

- RL agent needs to be **aware of:**
  - asymmetry in read/write latencies of a storage device
  - differences in latencies across hybrid storage devices
  - application access patterns
- Data placement module should decide which actions to reward and penalize (credit assignment)
- Low implementation overhead

RL State

- Feature selection is performed to select only the most correlated features that affect data placement
- Divide the states into a small number of bins to reduce the state space

Feature	Description	# of bins	Encoding (bits)
$size_t$	Size of the requested page (in pages)	8	8
$type_t$	Type of the current request (read/write)	2	4
$intr_t$	Access interval of the requested page	64	8
cnt_t	Access count of the requested page	64	8
cap_t	Remaining capacity in the fast storage device	8	8
$curr_t$	Current placement of the requested page (fast/slow)	2	4

Reward

- For every action at time-step *t*, Sibyl gets a reward from the environment at time-step *t* + 1
- Reward acts as a **feedback** to the agent's past action
- **Request latency** faithfully captures the status of the hybrid storage system
- **Penalty** value is chosen to prevent the agent from aggressively servicing all the requests from the faster device

$$R = \begin{cases} \frac{1}{L_t} & \text{if no eviction} \\ max(0, \frac{1}{L_t} - R_p) & \text{if an eviction happens} \end{cases}$$

L_t = latency of the request
R_p = eviction penalty

Overview of Sibyl



The two threads run asynchronously to prevent training delay from affecting the inference time

Hyper-parameter Tuning

- Different hyper-parameter configurations were chosen using the design of experiments (DoE) technique

Hyper-parameter	Design Space	Chosen Value
Discount factor (γ)	0-1	0.9
Learning rate (α)	$1e^{-5} - 1e^{0}$	$1e^{-4}$
Exploration rate (ϵ)	0-1	0.001
Batch size	64-256	128
Experience buffer size (e_{EB})	10-10000	1000

Evaluation Methodology

- Evaluated on a **real system** with different hybrid storage configurations
- Hybrid storage system constitutes one contiguous logical block address space
- A custom block driver was implemented to manage the I/O requests to the storage devices
- We evaluate **three** different hybrid storage configurations
  - Performance-optimized (H&M)
  - Cost-optimized (H&L)
  - Tri-hybrid storage system

Evaluation Methodology

Host System	AMD Ryzen 7 2700G [146], 8-cores@3.5 GHz, 8×64/32 KiB L1-I/D, 4 MiB L2, 8 MiB L3, 16 GiB RDIMM DDR4 2666 MHz	
Storage Devices	**Characteristics**	
H: Intel Optane SSD P4800X [94]	375 GB, PCIe 3.0 NVMe, SLC, R/W: 2.4/2 GB/s, random R/W: 550000/500000 IOPS	
M: Intel SSD D3-S4510 [96]	1.92 TB, SATA TLC (3D), R/W: 550/510 MB/s, random R/W: 895000/21000 IOPS	
L: Seagate HDD ST1000DM010 [98]	1 TB, SATA 6Gb/s 7200 RPM Max. Sustained Transfer Rate: 210 MB/s	
L_{SSD}: ADATA SU630 SSD [99]	960 GB, SATA 6 Gb/s, TLC, Max R/W: 520/450 MB/s	
HSS Configurations	**Fast Device**	**Slow Device**
H&M (Performance-oriented)	high-end (H)	middle-end (M)
H&L (Cost-oriented)	high-end (H)	low-end (L)

Evaluation Methodology

- 18 different workloads from MSR Cambridge and FileBench suites
- Sibyl is compared against **four baselines**
  - Heuristic-based policies
    - Cold data eviction (CDE) [Matsui et. al., "Design of Hybrid SSDs With Storage Class Memory and NAND Flash Memory," IEEE 2017]
    - History Page Scheduler (HPS) [Meswani et.al., "Heterogeneous Memory Architectures: A HW/SW Approach for Mixing Die-stacked and Off-package Memories," HPCA, 2015]
  - Supervised learning-based policies
    - Recurrent neural network (RNN)-based technique adapted from Kleio [Doudali et.al., "Kleio: A Hybrid Memory Page Scheduler with Machine Intelligence," HPDC, 2019]
    - Neural network-based classifier based on Archivist [Ren et.al., "Archivist: A Machine Learning Assisted Data Placement Mechanism for Hybrid Storage Systems," ICCD, 2019]

Latency Improvement



(a) Performance-optimized (H&M)



(b) Cost-optimized (H&L)

Configuration	CDE	HPS	Archivist	RNN-HSS
H&M	28.1%	23.2%	36.1%	21.6%
H&L	19.9%	45.9%	68.8%	34.1%

Throughput Improvement



(a) Performance-optimized (H&M)



(b) Cost-optimized (H&L)

Configuration	CDE	HPS	Archivist	RNN-HSS
H&M	32.6%	21.9%	54.2%	22.7%
H&L	22.8%	49.1%	86.9%	41.9%

Latency in Tri-Hybrid System



Sibyl outperforms the heuristic-based data placement policy for tri-hybrid system by 48.2% on average across all workloads

Latency for Unseen Workloads



In H&M (H&L) configurations, Sibyl outperforms RNN-HSS and Archivist by 46.1% (54.6%) and 8.5% (44.1%) respectively

Sensitivity to Fast Storage Capacity



Sensitivity to Fast Storage Capacity



Sibyl consistently **provides highest performance** by **dynamically adapting** its data-placement policy

Overhead Analysis

- **Performance Overhead**
  - **~10ns** for every inference on the evaluated system; this is several orders of magnitude less than I/O latency of high-end SSD
- **Implementation Overhead**
  - **124.4 KiB** of implementation overhead
- **Metadata overhead**
  - 0.1% of the total storage capacity when using a 4 KiB data placement granularity
  - **40-bit** metadata overhead per data placement unit

For More on Sybil

- To appear in ISCA 2022

Sibyl: Adaptive and Extensible Data Placement in Hybrid Storage Systems Using Online Reinforcement Learning

Gagandeep Singh[1] Rakesh Nadig[1] Jisung Park[1] Rahul Bera[1] Nastaran Hajinazar[1]
David Novo[3] Juan Gómez-Luna[1] Sander Stuijk[2] Henk Corporaal[2] Onur Mutlu[1]

[1]ETH Zürich [2]Eindhoven University of Technology [3]LIRMM, Univ. Montpellier, CNRS

https://arxiv.org/pdf/2205.07394.pdf

An Intelligent Architecture

- Data-driven
  - Machine learns the "best" policies (how to do things)
- Sophisticated, workload-driven, changing, far-sighted policies
- Automatic data-driven policy learning
- All controllers are intelligent data-driven agents

We need to rethink design (of all controllers)

Challenge and Opportunity for Future

Data-Driven

(Self-Optimizing)

Computing Architectures

Data-Aware Architectures

Corollaries: Architectures Today …

- Architectures are terrible at dealing with data
  - Designed to mainly store and move data vs. to compute
  - They are processor-centric as opposed to **data-centric**

- Architectures are terrible at taking advantage of vast amounts of data (and metadata) available to them
  - Designed to make simple decisions, ignoring lots of data
  - They make human-driven decisions vs. **data-driven** decisions

- Architectures are terrible at knowing and exploiting different properties of application data
  - Designed to treat all data as the same
  - They make component-aware decisions vs. **data-aware**

Data-Aware Architectures

- A data-aware architecture understands what it can do with and to each piece of data

- It makes use of different properties of data to improve performance, efficiency and other metrics
  - Compressibility
  - Approximability
  - Locality
  - Sparsity
  - Criticality for Computation X
  - Access Semantics
  - …

One Problem: Limited Expressiveness



A Solution: More Expressive Interfaces



Expressive (Memory) Interfaces

- Nandita Vijaykumar, Abhilasha Jain, Diptesh Majumdar, Kevin Hsieh, Gennady Pekhimenko, Eiman Ebrahimi, Nastaran Hajinazar, Phillip B. Gibbons and Onur Mutlu, **"A Case for Richer Cross-layer Abstractions: Bridging the Semantic Gap with Expressive Memory"**
  Proceedings of the 45th International Symposium on Computer Architecture (***ISCA***), Los Angeles, CA, USA, June 2018.
  [Slides (pptx) (pdf)] [Lightning Talk Slides (pptx) (pdf)]
  [Lightning Talk Video]

A Case for Richer Cross-layer Abstractions: Bridging the Semantic Gap with Expressive Memory

Nandita Vijaykumar[†§] Abhilasha Jain[†] Diptesh Majumdar[†] Kevin Hsieh[†] Gennady Pekhimenko[‡]
Eiman Ebrahimi[ϰ] Nastaran Hajinazar[┼] Phillip B. Gibbons[†] Onur Mutlu[§†]

[†]Carnegie Mellon University [‡]University of Toronto [ϰ]NVIDIA
[┼]Simon Fraser University [§]ETH Zürich

SW provides key program information to HW



Broader goal: Enable many cross-layer optimizations

Express:

Data structures

Access semantics

Data types

Working set

Reuse

Access frequency

…

Optimizations:

Cache Management

Data Placement in DRAM

Data Compression

Approximation

DRAM Cache Management

NVM Management

NUCA/NUMA Optimizations

…

Benefits:

More efficient HW:

✓Performance

Reduced SW burden:

✓Programmability

✓Portability

Our approach: Rich cross-layer abstractions

1. **Generality: Enable a wide range of cross-layer approaches**
2. **Minimize programmer effort**
3. **Overhead**



Approach: Flexibly associate specific semantic information with any data & code

Example: XMem

- Goal: convey data semantics to the hardware enables more intelligent management of resources.
- XMem: introduces a new HW/SW abstraction, called *Atom,* for conveying data semantics



Vijaykumar+, "A Case for Richer Cross-layer Abstractions: Bridging the Semantic Gap with Expressive Memory", ISCA 2018

XMem Aids/Enables Many Optimizations

Table 1: Summary of the example memory optimizations that XMem aids.

Memory optimization	Example semantics provided by XMem (described in §3.3)	Example Benefits of XMem
Cache management	*(i)* Distinguishing between data structures or pools of similar data; *(ii)* Working set size; *(iii)* Data reuse	Enables: *(i)* applying different caching policies to different data structures or pools of data; *(ii)* avoiding cache thrashing by *knowing* the active working set size; *(iii)* bypassing/prioritizing data that has no/high reuse. (§5)
Page placement in DRAM e.g., [23, 24]	*(i)* Distinguishing between data structures; *(ii)* Access pattern; *(iii)* Access intensity	Enables page placement at the *data structure* granularity to *(i)* isolate data structures that have high row buffer locality and *(ii)* spread out concurrently-accessed irregular data structures across banks and channels to improve parallelism. (§6)
Cache/memory compression e.g., [25–32]	*(i)* Data type: integer, float, char; *(ii)* Data properties: sparse, pointer, data index	Enables using a *different compression algorithm* for each data structure based on data type and data properties, e.g., sparse data encodings, FP-specific compression, delta-based compression for pointers [27].
Data prefetching e.g., [33–36]	*(i)* Access pattern: strided, irregular, irregular but repeated (e.g., graphs), access stride; *(ii)* Data type: index, pointer	Enables *(i) highly accurate* software-driven prefetching while leveraging the benefits of hardware prefetching (e.g., by being memory bandwidth-aware, avoiding cache thrashing); *(ii)* using different prefetcher *types* for different data structures: e.g., stride [33], tile-based [20], pattern-based [34–37], data-based for indices/pointers [38, 39], etc.
DRAM cache management e.g., [40–46]	*(i)* Access intensity; *(ii)* Data reuse; *(iii)* Working set size	*(i)* Helps avoid cache thrashing by knowing working set size [44]; *(ii)* Better DRAM cache management via reuse behavior and access intensity information.
Approximation in memory e.g., [47–53]	*(i)* Distinguishing between pools of similar data; *(ii)* Data properties: tolerance towards approximation	Enables *(i)* each memory component to track how approximable data is (at a fine granularity) to inform approximation techniques; *(ii)* data placement in heterogeneous reliability memories [54].
Data placement: NUMA systems e.g., [55, 56]	*(i)* Data partitioning across threads (i.e., relating data to threads that access it); *(ii)* Read-Write properties	Reduces the need for profiling or data migration *(i)* to co-locate data with threads that access it and *(ii)* to identify Read-Only data, thereby enabling techniques such as replication.
Data placement: hybrid memories e.g., [16, 57, 58]	*(i)* Read-Write properties (Read-Only/Read-Write); *(ii)* Access intensity; *(iii)* Data structure size; *(iv)* Access pattern	Avoids the need for profiling/migration of data in hybrid memories to *(i)* effectively manage the asymmetric read-write properties in NVM (e.g., placing Read-Only data in the NVM) [16, 57]; *(ii)* make tradeoffs between data structure "hotness" and size to allocate fast/high bandwidth memory [14]; and *(iii)* leverage row-buffer locality in placement based on access pattern [45].
Managing NUCA systems e.g., [15, 59]	*(i)* Distinguishing pools of similar data; *(ii)* Access intensity; *(iii)* Read-Write or Private-Shared properties	*(i)* Enables using different cache policies for different data pools (similar to [15]); *(ii)* Reduces the need for reactive mechanisms that detect sharing and read-write characteristics to inform cache policies.

Expressive (Memory) Interfaces

- Nandita Vijaykumar, Abhilasha Jain, Diptesh Majumdar, Kevin Hsieh, Gennady Pekhimenko, Eiman Ebrahimi, Nastaran Hajinazar, Phillip B. Gibbons and Onur Mutlu, **"A Case for Richer Cross-layer Abstractions: Bridging the Semantic Gap with Expressive Memory"**
  Proceedings of the 45th International Symposium on Computer Architecture (***ISCA***), Los Angeles, CA, USA, June 2018.
  [Slides (pptx) (pdf)] [Lightning Talk Slides (pptx) (pdf)]
  [Lightning Talk Video]

A Case for Richer Cross-layer Abstractions: Bridging the Semantic Gap with Expressive Memory

Nandita Vijaykumar[†§] Abhilasha Jain[†] Diptesh Majumdar[†] Kevin Hsieh[†] Gennady Pekhimenko[‡]
Eiman Ebrahimi[ᵡ] Nastaran Hajinazar[┼] Phillip B. Gibbons[†] Onur Mutlu[§†]

[†]Carnegie Mellon University [‡]University of Toronto [ᵡ]NVIDIA
[┼]Simon Fraser University [§]ETH Zürich

Expressive (Memory) Interfaces for GPUs

- Nandita Vijaykumar, Eiman Ebrahimi, Kevin Hsieh, Phillip B. Gibbons and Onur Mutlu, **"The Locality Descriptor: A Holistic Cross-Layer Abstraction to Express Data Locality in GPUs"**
  Proceedings of the 45th International Symposium on Computer Architecture (***ISCA***), Los Angeles, CA, USA, June 2018.
  [Slides (pptx) (pdf)] [Lightning Talk Slides (pptx) (pdf)]
  [Lightning Talk Video]

The Locality Descriptor:

A Holistic Cross-Layer Abstraction to Express Data Locality in GPUs

Nandita Vijaykumar[†§] Eiman Ebrahimi[‡] Kevin Hsieh[†]
Phillip B. Gibbons[†] Onur Mutlu[§†]

[†]Carnegie Mellon University [‡]NVIDIA [§]ETH Zürich

Locality Descriptor: Executive Summary

Exploiting data locality in GPUs is a challenging task



Performance Benefits:
26.6% (up to 46.6%) from cache locality
53.7% (up to 2.8x) from NUMA locality

An Example: Hybrid Memory Management



Hardware/software manage data allocation and movement
to achieve the best of multiple technologies

Meza+, "Enabling Efficient and Scalable Hybrid Memories," IEEE Comp. Arch. Letters, 2012.

Yoon+, "Row Buffer Locality Aware Caching Policies for Hybrid Memories," ICCD 2012 Best Paper Award.

An Example: Heterogeneous-Reliability Memory

- Yixin Luo, Sriram Govindan, Bikash Sharma, Mark Santaniello, Justin Meza, Aman Kansal, Jie Liu, Badriddine Khessib, Kushagra Vaid, and Onur Mutlu, **"Characterizing Application Memory Error Vulnerability to Optimize Data Center Cost via Heterogeneous-Reliability Memory"** *Proceedings of the 44th Annual IEEE/IFIP International Conference on Dependable Systems and Networks (**DSN**)*, Atlanta, GA, June 2014. [Summary] [Slides (pptx) (pdf)] [Coverage on ZDNet]



Characterizing Application Memory Error Vulnerability to Optimize Datacenter Cost via Heterogeneous-Reliability Memory

Yixin Luo Sriram Govindan* Bikash Sharma* Mark Santaniello* Justin Meza
Aman Kansal* Jie Liu* Badriddine Khessib* Kushagra Vaid* Onur Mutlu

Carnegie Mellon University, yixinluo@cs.cmu.edu, {meza, onur}@cmu.edu
*Microsoft Corporation, {srgovin, bsharma, marksan, kansal, jie.liu, bkhessib, kvaid}@microsoft.com

Exploiting Memory Error Tolerance with Hybrid Memory Systems



On Microsoft's Web Search workload

Reduces server hardware cost by 4.7 %

Achieves single server availability target of 99.90 %

Heterogeneous-**R**eliability **M**emory [DSN 2014]

Heterogeneous-Reliability Memory



More on Heterogeneous-Reliability Memory

- Yixin Luo, Sriram Govindan, Bikash Sharma, Mark Santaniello, Justin Meza, Aman Kansal, Jie Liu, Badriddine Khessib, Kushagra Vaid, and Onur Mutlu, **"Characterizing Application Memory Error Vulnerability to Optimize Data Center Cost via Heterogeneous-Reliability Memory"** *Proceedings of the 44th Annual IEEE/IFIP International Conference on Dependable Systems and Networks (**DSN**)*, Atlanta, GA, June 2014. [Summary] [Slides (pptx) (pdf)] [Coverage on ZDNet]



Characterizing Application Memory Error Vulnerability to Optimize Datacenter Cost via Heterogeneous-Reliability Memory

Yixin Luo Sriram Govindan* Bikash Sharma* Mark Santaniello* Justin Meza
Aman Kansal* Jie Liu* Badriddine Khessib* Kushagra Vaid* Onur Mutlu

Carnegie Mellon University, yixinluo@cs.cmu.edu, {meza, onur}@cmu.edu
*Microsoft Corporation, {srgovin, bsharma, marksan, kansal, jie.liu, bkhessib, kvaid}@microsoft.com

Data-Aware Cross-Layer Hybrid System Management



- Heterogeneous agents: CPUs, GPUs, and HWAs
- Main memory interference between CPUs, GPUs, HWAs
- Many timing constraints for various memory types
- Many goals at the same time: performance, fairness, QoS, energy efficiency, …

Another Example: EDEN for DNNs

- Deep Neural Network evaluation is very DRAM-intensive (especially for large networks)

1. Some data and layers in DNNs are very tolerant to errors

2. Reduce DRAM latency and voltage on such data and layers

3. While still achieving a user-specified DNN accuracy target by making training DRAM-error-aware

Data-aware management of DRAM latency and voltage for Deep Neural Network Inference

Example DNN Data Type to DRAM Mapping

Mapping example of ResNet-50:



Map more error-tolerant DNN layers
to DRAM partitions **with lower voltage/latency**

4 DRAM partitions with different error rates

EDEN: Overview

Key idea: Enable **accurate, efficient** DNN inference using **approximate DRAM**

EDEN is an **iterative** process that has **3 key steps**



CPU: DRAM Energy Evaluation



Average 21% DRAM energy reduction
maintaining accuracy within 1% of original

CPU: Performance Evaluation



Average 8% system speedup
Some workloads achieve **17% speedup**

EDEN achieves **close to the ideal** speedup possible via tRCD scaling

GPU, Eyeriss, and TPU: Energy Evaluation

- **GPU**: average **37% energy reduction**
- **Eyeriss**: average **31% energy reduction**
- **TPU**: average **32% energy reduction**

EDEN: Data-Aware Efficient DNN Inference

- Skanda Koppula, Lois Orosa, A. Giray Yaglikci, Roknoddin Azizi, Taha Shahroodi, Konstantinos Kanellopoulos, and Onur Mutlu,
  "EDEN: Enabling Energy-Efficient, High-Performance Deep Neural Network Inference Using Approximate DRAM"
  *Proceedings of the 52nd International Symposium on Microarchitecture (**MICRO**)*, Columbus, OH, USA, October 2019.
  [Lightning Talk Slides (pptx) (pdf)]
  [Lightning Talk Video (90 seconds)]

EDEN: Enabling Energy-Efficient, High-Performance Deep Neural Network Inference Using Approximate DRAM

Skanda Koppula Lois Orosa A. Giray Yağlıkçı
Roknoddin Azizi Taha Shahroodi Konstantinos Kanellopoulos Onur Mutlu
ETH Zürich

SMASH: SW/HW Indexing Acceleration

- Konstantinos Kanellopoulos, Nandita Vijaykumar, Christina Giannoula, Roknoddin Azizi, Skanda Koppula, Nika Mansouri Ghiasi, Taha Shahroodi, Juan Gomez-Luna, and Onur Mutlu,
  "SMASH: Co-designing Software Compression and Hardware-Accelerated Indexing for Efficient Sparse Matrix Operations"
  *Proceedings of the 52nd International Symposium on Microarchitecture (**MICRO**)*, Columbus, OH, USA, October 2019.
  [Slides (pptx) (pdf)]
  [Lightning Talk Slides (pptx) (pdf)]
  [Poster (pptx) (pdf)]
  [Lightning Talk Video (90 seconds)]
  [Full Talk Lecture (30 minutes)]

SMASH: Co-designing Software Compression and Hardware-Accelerated Indexing for Efficient Sparse Matrix Operations

Konstantinos Kanellopoulos[1] Nandita Vijaykumar[2,1] Christina Giannoula[1,3] Roknoddin Azizi[1]
Skanda Koppula[1] Nika Mansouri Ghiasi[1] Taha Shahroodi[1] Juan Gomez Luna[1] Onur Mutlu[1,2]
[1]ETH Zürich [2]Carnegie Mellon University [3]National Technical University of Athens

Data-Aware Virtual Memory Framework

Nastaran Hajinazar, Pratyush Patel, Minesh Patel, Konstantinos Kanellopoulos, Saugata Ghose, Rachata Ausavarungnirun, Geraldo Francisco de Oliveira Jr., Jonathan Appavoo, Vivek Seshadri, and Onur Mutlu,
"The Virtual Block Interface: A Flexible Alternative to the Conventional Virtual Memory Framework"
*Proceedings of the 47th International Symposium on Computer Architecture (**ISCA**)*, Virtual, June 2020.
[Slides (pptx) (pdf)]
[Lightning Talk Slides (pptx) (pdf)]
[ARM Research Summit Poster (pptx) (pdf)]
[Talk Video (26 minutes)]
[Lightning Talk Video (3 minutes)]
[Lecture Video (43 minutes)]

The Virtual Block Interface: A Flexible Alternative to the Conventional Virtual Memory Framework

Nastaran Hajinazar[⋆†] Pratyush Patel[⋈] Minesh Patel[⋆] Konstantinos Kanellopoulos[⋆] Saugata Ghose[‡]
Rachata Ausavarungnirun[⊙] Geraldo F. Oliveira[⋆] Jonathan Appavoo[◇] Vivek Seshadri[▽] Onur Mutlu[⋆‡]

[⋆]*ETH Zürich* [†]*Simon Fraser University* [⋈]*University of Washington* [‡]*Carnegie Mellon University*
[⊙]*King Mongkut's University of Technology North Bangkok* [◇]*Boston University* [▽]*Microsoft Research India*

SW/HW Climate Modeling Accelerator

- Gagandeep Singh, Dionysios Diamantopoulos, Christoph Hagleitner, Juan Gómez-Luna, Sander Stuijk, Onur Mutlu, and Henk Corporaal,
  "NERO: A Near High-Bandwidth Memory Stencil Accelerator for Weather Prediction Modeling"
  *Proceedings of the 30th International Conference on Field-Programmable Logic and Applications (**FPL**)*, Gothenburg, Sweden, September 2020.
  [Slides (pptx) (pdf)]
  [Lightning Talk Slides (pptx) (pdf)]
  [Talk Video (23 minutes)]
  Nominated for the Stamatis Vassiliadis Memorial Award.

NERO: A Near High-Bandwidth Memory Stencil Accelerator for Weather Prediction Modeling

Gagandeep Singh[a,b,c] Dionysios Diamantopoulos[c] Christoph Hagleitner[c] Juan Gómez-Luna[b]
Sander Stuijk[a] Onur Mutlu[b] Henk Corporaal[a]
[a]Eindhoven University of Technology [b]ETH Zürich [c]IBM Research Europe, Zurich

HW/SW Time Series Analysis Accelerator

- Ivan Fernandez, Ricardo Quislant, Christina Giannoula, Mohammed Alser, Juan Gómez-Luna, Eladio Gutiérrez, Oscar Plata, and Onur Mutlu,
  "NATSA: A Near-Data Processing Accelerator for Time Series Analysis"
  *Proceedings of the 38th IEEE International Conference on Computer Design (**ICCD**)*, Virtual, October 2020.
  [Slides (pptx) (pdf)]
  [Talk Video (10 minutes)]
  [Source Code]



NATSA: A Near-Data Processing Accelerator for Time Series Analysis

Ivan Fernandez[§] Ricardo Quislant[§] Christina Giannoula[†] Mohammed Alser[‡]
Juan Gómez-Luna[‡] Eladio Gutiérrez[§] Oscar Plata[§] Onur Mutlu[‡]

[§]*University of Malaga* [†]*National Technical University of Athens* [‡]*ETH Zürich*

FPGA-based Processing Near Memory

- Gagandeep Singh, Mohammed Alser, Damla Senol Cali, Dionysios Diamantopoulos, Juan Gómez-Luna, Henk Corporaal, and Onur Mutlu, **"FPGA-based Near-Memory Acceleration of Modern Data-Intensive Applications"**
  IEEE Micro (***IEEE MICRO***), 2021.

FPGA-based Near-Memory Acceleration of Modern Data-Intensive Applications

Gagandeep Singh[◇] **Mohammed Alser**[◇] **Damla Senol Cali**[⋈]
Dionysios Diamantopoulos[▽] **Juan Gómez-Luna**[◇]
Henk Corporaal[⋆] **Onur Mutlu**[◇⋈]

[◇]*ETH Zürich* [⋈]*Carnegie Mellon University*
[⋆]*Eindhoven University of Technology* [▽]*IBM Research Europe*

Accelerating Linked Data Structures

- Kevin Hsieh, Samira Khan, Nandita Vijaykumar, Kevin K. Chang, Amirali Boroumand, Saugata Ghose, and Onur Mutlu,
  "Accelerating Pointer Chasing in 3D-Stacked Memory: Challenges, Mechanisms, Evaluation"
  *Proceedings of the 34th IEEE International Conference on Computer Design (**ICCD**)*, Phoenix, AZ, USA, October 2016.

Accelerating Pointer Chasing in 3D-Stacked Memory: Challenges, Mechanisms, Evaluation

Kevin Hsieh[†] Samira Khan[‡] Nandita Vijaykumar[†]
Kevin K. Chang[†] Amirali Boroumand[†] Saugata Ghose[†] Onur Mutlu[§†]
[†]*Carnegie Mellon University* [‡]*University of Virginia* [§]*ETH Zürich*

Accelerating Approximate String Matching

- Damla Senol Cali, Gurpreet S. Kalsi, Zulal Bingol, Can Firtina, Lavanya Subramanian, Jeremie S. Kim, Rachata Ausavarungnirun, Mohammed Alser, Juan Gomez-Luna, Amirali Boroumand, Anant Nori, Allison Scibisz, Sreenivas Subramoney, Can Alkan, Saugata Ghose, and Onur Mutlu, **"GenASM: A High-Performance, Low-Power Approximate String Matching Acceleration Framework for Genome Sequence Analysis"**
  *Proceedings of the 53rd International Symposium on Microarchitecture (**MICRO**)*, Virtual, October 2020.
  [Lighting Talk Video (1.5 minutes)]
  [Lightning Talk Slides (pptx) (pdf)]
  [Talk Video (18 minutes)]
  [Slides (pptx) (pdf)]

GenASM: A High-Performance, Low-Power Approximate String Matching Acceleration Framework for Genome Sequence Analysis

Damla Senol Cali[†⋈] Gurpreet S. Kalsi[⋈] Zülal Bingöl[▽] Can Firtina[◇] Lavanya Subramanian[‡] Jeremie S. Kim[◇†]
Rachata Ausavarungnirun[⊙] Mohammed Alser[◇] Juan Gomez-Luna[◇] Amirali Boroumand[†] Anant Nori[⋈]
Allison Scibisz[†] Sreenivas Subramoney[⋈] Can Alkan[▽] Saugata Ghose[⋆†] Onur Mutlu[◇†▽]

[†]*Carnegie Mellon University* [⋈]*Processor Architecture Research Lab, Intel Labs* [▽]*Bilkent University* [◇]*ETH Zürich*
[‡]*Facebook* [⊙]*King Mongkut's University of Technology North Bangkok* [⋆]*University of Illinois at Urbana–Champaign*

Accelerating Genome Analysis [IEEE MICRO 2020]

- Mohammed Alser, Zulal Bingol, Damla Senol Cali, Jeremie Kim, Saugata Ghose, Can Alkan, and Onur Mutlu,
  "Accelerating Genome Analysis: A Primer on an Ongoing Journey"
  IEEE Micro (***IEEE MICRO***), Vol. 40, No. 5, pages 65-75, September/October 2020.
  [Slides (pptx)(pdf)]
  [Talk Video (1 hour 2 minutes)]



Challenge and Opportunity for Future

Data-Aware

(Expressive)

Computing Architectures

We Need to **Rethink** the Entire Stack



We can get there case by case

Principled Architectures & What They Can Enable

A Quote from A Famous Architect

- "architecture [...] based upon principle, and not upon precedent"



Precedent-Based Design?

- "architecture [...] based upon principle, and not upon precedent"

Principled Design

- "architecture [...] based upon principle, and not upon precedent"

www.GreatBuildings.com

The Overarching Principle

Organic architecture

From Wikipedia, the free encyclopedia

Organic architecture is a philosophy of architecture which promotes harmony between human habitation and the natural world through design approaches so sympathetic and well integrated with its site, that buildings, furnishings, and surroundings become part of a unified, interrelated composition.

A well-known example of organic architecture is Fallingwater, the residence Frank Lloyd Wright designed for the Kaufmann family in rural Pennsylvania. Wright had many choices to locate a home on this large site, but chose to place the home directly over the waterfall and creek creating a close, yet noisy dialog with the rushing water and the steep site. The horizontal striations of stone masonry with daring cantilevers of colored beige concrete blend with native rock outcroppings and the wooded environment.

Another Example: Precedent-Based Design

Source: http://cookiemagik.deviantart.com/art/Train-station-207266944

Principled Design

Source: By Toni_V, CC BY-SA 2.0, https://commons.wikimedia.org/w/index.php?curid=4087256

Another Principled Design

Source: By Martín Gómez Tagle - Lisbon, Portugal, CC BY-SA 3.0, https://commons.wikimedia.org/w/index.php?curid=13764903

Source: http://www.arcspace.com/exhibitions/unsorted/santiago-calatrava/

Another Principled Design

Source: CC BY-SA 3.0, https://commons.wikimedia.org/w/index.php?curid=172107

Principle Applied to Another Structure

Source: By 準建築人手札網站 Forgemind ArchiMedia - Flickr: IMG_2489.JPG, CC BY 2.0, https://commons.wikimedia.org/w/index.php?curid=51493556, https://en.wikipedia.org/wiki/Santiago_Calatrava

Source: https://www.dezeen.com/2016/08/29/santiago-calatrava-oculus-world-trade-center-transportation-hub-new-york-photographs-hufton-crow/

The Overarching Principle

Zoomorphic architecture

From Wikipedia, the free encyclopedia

Zoomorphic architecture is the practice of using animal forms as the inspirational basis and blueprint for architectural design. "While animal forms have always played a role adding some of the deepest layers of meaning in architecture, it is now becoming evident that a new strand of biomorphism is emerging where the meaning derives not from any specific representation but from a more general allusion to biological processes."[1]

Some well-known examples of Zoomorphic architecture can be found in the TWA Flight Center building in New York City, by Eero Saarinen, or the Milwaukee Art Museum by Santiago Calatrava, both inspired by the form of a bird's wings.[3]

Overarching Principles for Computing?

Source: http://spectrum.ieee.org/image/MjYzMzAyMg.jpeg

Readings, Videos, Reference Materials

More on My Research & Teaching

Brief Self Introduction

- Onur Mutlu
  - Full Professor @ ETH Zurich ITET (INFK), since September 2015
  - Strecker Professor @ Carnegie Mellon University ECE/CS, 2009-2016, 2016-…
  - PhD from UT-Austin, worked at Google, VMware, Microsoft Research, Intel, AMD
  - https://people.inf.ethz.ch/omutlu/
  - omutlu@gmail.com (Best way to reach me)
  - https://people.inf.ethz.ch/omutlu/projects.htm
- Research and Teaching in:
  - Computer architecture, computer systems, hardware security, bioinformatics
  - Memory and storage systems
  - Hardware security, safety, predictability
  - Fault tolerance
  - Hardware/software cooperation
  - Architectures for bioinformatics, health, medicine
  - …

Current Research Mission

Computer architecture, HW/SW, systems, bioinformatics, security



Heterogeneous Processors and Accelerators



Hybrid Main Memory



Graphics and Vision Processing



Persistent Memory/Storage

Build fundamentally better architectures

Four Key Current Directions

- Fundamentally Secure/Reliable/Safe Architectures
- Fundamentally Energy-Efficient Architectures
  - Memory-centric (Data-centric) Architectures
- Fundamentally Low-Latency and Predictable Architectures
- Architectures for AI/ML, Genomics, Medicine, Health

The Transformation Hierarchy

Computer Architecture (expanded view)



Computer Architecture (narrow view)

Axiom

To achieve the highest energy efficiency and performance:

we must take the expanded view

of computer architecture



Co-design across the hierarchy: Algorithms to devices

Specialize as much as possible within the design goals

Current Research Mission & Major Topics

Build fundamentally better architectures



Broad research spanning apps, systems, logic with architecture at the center

- Data-centric arch. for low energy & high perf.
  - Proc. in Mem/DRAM, NVM, unified mem/storage
- Low-latency & predictable architectures
  - Low-latency, low-energy yet low-cost memory
  - QoS-aware and predictable memory systems
- Fundamentally secure/reliable/safe arch.
  - Tolerating all bit flips; patchable HW; secure mem
- Architectures for ML/AI/Genomics/Health/Med
  - Algorithm/arch./logic co-design; full heterogeneity
- Data-driven and data-aware architectures
  - ML/AI-driven architectural controllers and design
  - Expressive memory and expressive systems

Onur Mutlu's SAFARI Research Group

Computer architecture, HW/SW, systems, bioinformatics, security, memory

https://safari.ethz.ch/safari-newsletter-april-2020/



Think BIG, Aim HIGH!

SAFARI

https://safari.ethz.ch

SAFARI Newsletter April 2020 Edition

- https://safari.ethz.ch/safari-newsletter-april-2020/

SAFARI
SAFARI Research Group

View in your browser

Think Big, Aim High

Dear SAFARI friends,

2019 and the first three months of 2020 have been very positive eventful times for SAFARI.

SAFARI Newsletter January 2021 Edition

- https://safari.ethz.ch/safari-newsletter-january-2021/

SAFARI
SAFARI Research Group

Newsletter
January 2021

Think Big, Aim High, and Have a Wonderful 2021!

Dear SAFARI friends,

Happy New Year! We are excited to share our group highlights with you in this second edition of the SAFARI newsletter (You can find the first edition from April 2020 **here**). 2020 has

SAFARI Newsletter December 2021 Edition

- https://safari.ethz.ch/safari-newsletter-december-2021/

SAFARI
SAFARI Research Group

Think Big, Aim High

ETH zürich

View in your browser
December 2021

Papers, Talks, Artifacts

- All are available at

  https://people.inf.ethz.ch/omutlu/projects.htm

  https://www.youtube.com/onurmutlulectures

  https://github.com/CMU-SAFARI/

Open Source Tools: SAFARI GitHub



https://github.com/CMU-SAFARI/

SAFARI PhD and Post-Doc Alumni

- https://safari.ethz.ch/safari-alumni/

- Minesh Patel (ETH Zurich), MICRO 2020 and DSN 2020 Best Paper Awards; ISCA Hall of Fame 2021
- Damla Senol Cali (Bionano Genomics), SRC TECHCON 2019 Best Student Presentation Award
- Nastaran Hajinazar (ETH Zurich)
- Gagandeep Singh (ETH Zurich), FPL 2020 Best Paper Award Finalist
- Amirali Boroumand (Stanford Univ → Google), SRC TECHCON 2018 Best Student Presentation Award
- Jeremie Kim (ETH Zurich), EDAA Outstanding Dissertation Award 2020; IEEE Micro Top Picks 2019; ISCA/MICRO HoF 2021
- Nandita Vijaykumar (Univ. of Toronto, Assistant Professor), ISCA Hall of Fame 2021
- Kevin Hsieh (Microsoft Research, Senior Researcher)
- Justin Meza (Facebook), HiPEAC 2015 Best Student Presentation Award; ICCD 2012 Best Paper Award
- Mohammed Alser (ETH Zurich), IEEE Turkey Best PhD Thesis Award 2018
- Yixin Luo (Google), HPCA 2015 Best Paper Session
- Kevin Chang (Facebook), SRC TECHCON 2016 Best Student Presentation Award
- Rachata Ausavarungnirun (KMUNTB, Assistant Professor), NOCS 2015 and NOCS 2012 Best Paper Award Finalist
- Gennady Pekhimenko (Univ. of Toronto, Assistant Professor), ISCA Hall of Fame 2021; ASPLOS 2015 SRC Winner
- Vivek Seshadri (Microsoft Research)
- Donghyuk Lee (NVIDIA Research, Senior Researcher), HPCA Hall of Fame 2018
- Yoongu Kim (Software Robotics → Google), TCAD'19 Top Pick Award; IEEE Micro Top Picks'10; HPCA'10 Best Paper Session
- Lavanya Subramanian (Intel Labs → Facebook)

- Samira Khan (Univ. of Virginia, Assistant Professor), HPCA 2014 Best Paper Session
- Saugata Ghose (Univ. of Illinois, Assistant Professor), DFRWS-EU 2017 Best Paper Award
- Jawad Haj-Yahya (Huawei Research Zurich, Principal Researcher)

Principle: Teaching and Research

...

Teaching drives Research

Research drives Teaching

...

Principle: Learning and Scholarship

Focus on

learning and scholarship

Principle: Insight and Ideas

Focus on Insight

Encourage New Ideas

Principle: Learning and Scholarship

The quality of your work defines your impact

Principle: Good Mindset, Goals & Focus

You can make a
good impact
on the world

Research & Teaching: Some Overview Talks

https://www.youtube.com/onurmutlulectures

- Future Computing Architectures
  - https://www.youtube.com/watch?v=kgiZlSOcGFM&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=1
- Enabling In-Memory Computation
  - https://www.youtube.com/watch?v=njX_14584Jw&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=16
- Accelerating Genome Analysis
  - https://www.youtube.com/watch?v=r7sn41lH-4A&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=41
- Rethinking Memory System Design
  - https://www.youtube.com/watch?v=F7xZLNMIY1E&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=3
- Intelligent Architectures for Intelligent Machines
  - https://www.youtube.com/watch?v=c6_LgzuNdkw&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=25
- The Story of RowHammer
  - https://www.youtube.com/watch?v=sgd7PHQQ1AI&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=39

Online Courses & Lectures

- **First Computer Architecture & Digital Design Course**
  - Digital Design and Computer Architecture
  - **Spring 2021 Livestream** Edition: https://www.youtube.com/watch?v=LbC0EZY8yw4&list=PL5Q2soXY2Zi_uej3aY39YB5pfW4SJ7LlN

- **Advanced Computer Architecture Course**
  - Computer Architecture
  - **Fall 2021 Livestream** Edition: https://www.youtube.com/watch?v=c3mPdZA-Fmc&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN
  - **Fall 2020** Edition: https://www.youtube.com/watch?v=4yfkM_5EFgo&list=PL5Q2soXY2Zi-Mnk1PxjEIG32HAGILkTOF

Onur Mutlu Lectures

16.9K subscribers

CUSTOMIZE CHANNEL | MANAGE VIDEOS

HOME | VIDEOS | PLAYLISTS | COMMUNITY | CHANNELS | ABOUT

Popular uploads

PLAY ALL

Digital Design & Computer Architecture: Lecture 1:...

49K views • 1 year ago

Computer Architecture - Lecture 1: Introduction and...

36K views • 3 years ago



Computer Architecture - Lecture 1: Introduction and...

31K views • 1 year ago



Computer Architecture - Lecture 1: Introduction and...

30K views • 8 months ago



Design of Digital Circuits - Lecture 1: Introduction and...

22K views • 2 years ago

Computer Architecture - Lecture 2: Fundamentals,...

17K views • 3 years ago

First Course in Computer Architecture & Digital Design 2021-2013



Livestream - Digital Design and Computer Architecture - ETH...

Onur Mutlu Lectures

VIEW FULL PLAYLIST

Digital Design & Computer Architecture - ETH Zürich...

Onur Mutlu Lectures

VIEW FULL PLAYLIST

Design of Digital Circuits - ETH Zürich - Spring 2019

Onur Mutlu Lectures

VIEW FULL PLAYLIST



Design of Digital Circuits - ETH Zürich - Spring 2018

Onur Mutlu Lectures

VIEW FULL PLAYLIST

Digital Circuits and Computer Architecture - ETH Zurich -...

Onur Mutlu Lectures

VIEW FULL PLAYLIST

Spring 2015 -- Computer Architecture Lectures --...

Carnegie Mellon Computer Architec...

VIEW FULL PLAYLIST

Advanced Computer Architecture Courses 2020-2012



Computer Architecture - ETH Zürich - Fall 2020

Onur Mutlu Lectures

VIEW FULL PLAYLIST



Computer Architecture - ETH Zürich - Fall 2019

Onur Mutlu Lectures

VIEW FULL PLAYLIST

Computer Architecture - ETH Zürich - Fall 2018

Onur Mutlu Lectures

VIEW FULL PLAYLIST

Computer Architecture - ETH Zürich - Fall 2017

Onur Mutlu Lectures

VIEW FULL PLAYLIST

Fall 2015 - 740 Computer Architecture

Carnegie Mellon Computer Architec...

VIEW FULL PLAYLIST



Fall 2013 - 740 Computer Architecture - Carnegie Mellon

Carnegie Mellon Computer Architec...

VIEW FULL PLAYLIST

Special Courses on Memory Systems

Memory Technology Lectures

Onur Mutlu Lectures

VIEW FULL PLAYLIST

Champéry Winter School 2020 - Memory Systems and Memory...

Onur Mutlu Lectures

VIEW FULL PLAYLIST



Perugia NiPS Summer School 2019

Onur Mutlu Lectures

VIEW FULL PLAYLIST



SAMOS Tutorial 2019 - Memory Systems

Onur Mutlu Lectures

VIEW FULL PLAYLIST



TU Wien 2019 - Memory Systems and Memory-Centric...

Onur Mutlu Lectures

VIEW FULL PLAYLIST

ACACES 2018 Lectures -- Memory Systems and Memory...

Onur Mutlu Lectures

VIEW FULL PLAYLIST

Research Talks

https://www.youtube.com/onurmutlulectures

DDCA (Spring 2021)

- https://safari.ethz.ch/digitaltechnik/spring2021/doku.php?id=schedule
- https://www.youtube.com/watch?v=LbC0EZY8yw4&list=PL5Q2soXY2Zi_uej3aY39YB5pfW4SJ7LlN
- Bachelor's course
  - 2nd semester at ETH Zurich
  - Rigorous introduction into "How Computers Work"
  - Digital Design/Logic
  - Computer Architecture
  - 10 FPGA Lab Assignments



Comp Arch (Fall 2020)

- https://safari.ethz.ch/architecture/fall2020/doku.php?id=schedule
- https://www.youtube.com/watch?v=c3mPdZA-Fmc&list=PL5Q2soXY2Zi9xidyIgBxUz7xRPS-wisBN
- Master's level course
  - Taken by Bachelor's/Masters/PhD students
  - Cutting-edge research topics + fundamentals in Computer Architecture
  - 5 Simulator-based Lab Assignments
  - Potential research exploration
  - Many research readings



Week	Date	Lecture	Readings	Lab	HW
W1	17.09 Thu.	L1: Introduction and Basics (PDF) (PPT) Video	Described Suggested		HW 0 Out
	18.09 Fri.	L2a: Memory Performance Attacks (PDF) (PPT) Video	Described Suggested	Lab 1 Out	
		L2b: Data Retention and Memory Refresh (PDF) (PPT) Video	Described Suggested		
		L2c: Course Logistics (PDF) (PPT) Video			
W2	24.09 Thu.	L3a: Introduction to Genome Sequence Analysis (PDF) (PPT) Video	Described Suggested		HW 1 Out
		L3b: Memory Systems: Challenges and Opportunities (PDF) (PPT) Video	Described Suggested		
	25.09 Fri.	L4a: Memory Systems: Solution Directions (PDF) (PPT) Video	Described Suggested		
		L4b: RowHammer (PDF) (PPT) Video	Described Suggested		
W3	01.10 Thu.	L5a: RowHammer in 2020: TRRespass (PDF) (PPT) Video	Described Suggested		
		L5b: RowHammer in 2020: Revisiting RowHammer (PDF) (PPT) Video	Described Suggested		
		L5c: Secure and Reliable Memory	Described		

Comp Arch (Current)

- https://safari.ethz.ch/architecture/fall2021/doku.php?id=schedule

- **Youtube Livestream:**
  - https://www.youtube.com/watch?v=4yfkM_5EFgo&list=PL5Q2soXY2Zi-Mnk1PxjEIG32HAGILkTOF

- Master's level course
  - Taken by Bachelor's/Masters/PhD students
  - Cutting-edge research topics + fundamentals in Computer Architecture
  - 5 Simulator-based Lab Assignments
  - Potential research exploration
  - Many research readings



Seminar (Spring'21)

- https://safari.ethz.ch/architecture_seminar/spring2021/doku.php?id=schedule
- https://www.youtube.com/watch?v=t3m93ZpLOyw&list=PL5Q2soXY2Zi_awYdjmWVIUegsbY7TPGW4
- Critical analysis course
  - Taken by Bachelor's/Masters/PhD students
  - Cutting-edge research topics + fundamentals in Computer Architecture
  - 20+ research papers, presentations, analyses



Seminar in Computer Architecture - Spring 2021

Search | Recent Changes | Media Manager | Sitemap

Trace: · start · schedule

Home

Materials
- Announcements
- **Lectures/Schedule**
- Lecture Buzzwords
- Readings
- Sessions
- Papers
- Synthesis Report
- Homework

Past Course Materials
- Fall 2020
- Spring 2020
- Fall 2019
- Spring 2019

Resources

Computer Architecture
- Fall 2020
- Fall 2020: Lecture Videos
- Fall 2019
- Fall 2019: Lecture Videos
- Fall 2018
- Fall 2018: Lecture Videos

Digital Design and Computer Architecture
- Spring 2020
- Spring 2020: Lecture Videos
- Spring 2019
- Spring 2019: Lecture Videos

schedule

Lecture Video Playlist on YouTube

Lecture Playlist

Spring 2021 Lectures/Schedule

Week	Date	Livestream	Lecture	Readings	Assignments
W1	25.02 Thu.	Live	L1a: Introduction and Basics (PDF) (PPT)	Suggested	
			Optional Lecture: Design Fundamentals (PDF) (PPT)		
			L1b: Course Logistics (PDF) (PPT)	Suggested	
W2	04.03 Thu.	Live	L2: Example Review: RowClone (PDF) (PPT)	Suggested	
W3	11.03 Thu.	Live	L3: Example Review: Memory Channel Partitioning (PDF) (PPT)	Suggested	
W4	18.03 Thu.	Live	L4: Example Review: GateKeeper (PDF) (PPT)	Suggested	
W5	25.03 Thu.		S1.1: Spectre Attacks: Exploiting Speculative Execution, S&P 2019 (PPT) (PDF)	Mentioned	
		Premiere	S1.2: BlockHammer: Preventing RowHammer at Low Cost by Blacklisting Rapidly-Accessed DRAM Rows, HPCA 2021 (PPT) (PDF)		
W6	01.04 Thu.		S2.1: D-RaNGe: Using Commodity DRAM Devices to Generate True Random Numbers with Low Latency and High Throughput, HPCA 2019 (PPT) (PDF)		
		Live	S2.2: ComputeDRAM: In-Memory Compute Using Off-the-Shelf DRAMs, MICRO 2019 (PPT) (PDF)	Mentioned	
W7	15.04 Thu.		S3.1: PIM-Enabled Instructions: A Low-Overhead, Locality-Aware Processing-in-Memory Architecture,	Mentioned	

Seminar (Current)

- https://safari.ethz.ch/architecture_seminar/fall2021/doku.php?id=schedule
- **Youtube Livestream:**
  - https://www.youtube.com/watch?v=4TcP297mdsI&list=PL5Q2soXY2Zi_7UBNmC9B8Yr5JSwTG9yH4
- Critical analysis course
  - Taken by Bachelor's/Masters/PhD students
  - Cutting-edge research topics + fundamentals in Computer Architecture
  - 20+ research papers, presentations, analyses



Hands-On Projects & Seminars Courses

- https://safari.ethz.ch/projects_and_seminars/doku.php



PIM Course (Current)

- **Fall 2021 Edition:**
  - https://safari.ethz.ch/projects_and_seminars/fall2021/doku.php?id=processing_in_memory
- **Youtube Livestream:**
  - https://www.youtube.com/watch?v=9e4Chnwdovo&list=PL5Q2soXY2Zi-841fUYYUK9EsXKhQKRPyX
- Project course
  - Taken by Bachelor's/Master's students
  - Processing-in-Memory lectures
  - Hands-on research exploration
  - Many research readings

Lecture Video Playlist on YouTube

Lecture Playlist



Fall 2021 Meetings/Schedule

Week	Date	Livestream	Meeting	Learning Materials	Assignments
W1	05.10 Tue.	YouTube Live	M1: P&S PIM Course Presentation (PDF) (PPT)	Required Materials Recommended Materials	HW 0 Out
W2	12.10 Tue.	YouTube Live	M2: Real-World PIM Architectures (PDF) (PPT)		
W3	19.10 Tue.	YouTube Live	M3: Real-World PIM Architectures II (PDF) (PPT)		
W4	26.10 Tue.	YouTube Live	M4: Real-World PIM Architectures III (PDF) (PPT)		
W5	02.11 Tue.	YouTube Live	M5: Real-World PIM Architectures IV (PDF) (PPT)		
W6	09.11 Tue.	YouTube Live	M6: End-to-End Framework for Processing-using-Memory (PDF) (PPT)		
W7	16.11 Tue.	YouTube Live	M7: How to Evaluate Data Movement Bottlenecks (PDF) (PPT)		
W8	23.11 Tue.	YouTube Live	M8: Programming PIM Architectures (PDF) (PPT)		
W9	30.11 Tue.	YouTube Live	M9: Benchmarking and Workload Suitability on PIM (PDF) (PPT)		
W10	07.12 Tue.	YouTube Live	M10: Bit-Serial SIMD Processing using DRAM (PDF) (PPT)		

SAFARI Live Seminars (I)

SAFARI Live Seminars in Computer Architecture

Dr. Juan Gómez Luna, ETH Zurich

Understanding a Modern Processing-in-Memory Architecture: Benchmarking and Experimental Characterization

12 Mon Jul 2021



SAFARI Live Seminars in Computer Architecture

Dr. Andrew Walker, Schiltron Corporation & Nexgen Power Systems

An Addiction to Low Cost Per Memory Bit – How to Recognize it and What to Do About it

19 Mo Jul 2021



SAFARI Live Seminars in Computer Architecture

Geraldo F. Oliveira, ETH Zurich

DAMOV: A New Methodology and Benchmark Suite for Evaluating Data Movement Bottlenecks

22 Do Jul 2021





SAFARI Live Seminars in Computer Architecture

Gennady Pekhimenko, University of Toronto

Efficient DNN Training at Scale: from Algorithms to Hardware

5 Do Aug 2021



SAFARI Live Seminars in Computer Architecture

Jawad Haj-Yahya, Huawei Research Center Zurich

Power Management Mechanisms in Modern Microprocessors and Their Security Implications

16 Mo Aug 2021



SAFARI Live Seminars in Computer Architecture

Ataberk Olgun, TOBB & ETH Zurich

QUAC-TRNG: High-Throughput True Random Number Generation Using Quadruple Row Activation in Commodity DRAM Chips

15 Mi Sep 2021



SAFARI Live Seminars in Computer Architecture

Minesh Patel, ETH Zurich

Enabling Effective Error Mitigation in Memory Chips That Use On-Die ECCs

21 Tues Sep 2021



SAFARI Live Seminars in Computer Architecture

Christina Giannoula, National Technical University of Athens

Efficient Synchronization Support for Near-Data-Processing Architectures

27 Mo Sep 2021





SAFARI Live Seminars in Computer Architecture

Jawad Haj-Yahya, Huawei Research Center Zurich

Security Implications of Power Management Mechanisms In Modern Processors, Current Studies and Future Trends

4 Mo Okt 2021



https://safari.ethz.ch/safari-seminar-series/

SAFARI Live Seminars (II)

SAFARI Live Seminar: Nastaran Hajinazar 27 Oct 2021

Posted on October 1, 2021 by ewent

Join us for our **SAFARI Live Seminar** with **Nastaran Hajinazar.**

Wednesday, October 27 at 7:00 pm Zurich time (CEST)



SAFARI Live Seminar: Damla Senol Cali 07 Nov 2021

Posted on October 18, 2021 by ewent

Join us for our **SAFARI Live Seminar** with **Damla Senol Cali.**

Sunday, November 07 at 6:00 pm Zurich time (CEST)



SAFARI Live Seminar: Gennady Pekhimenko 08 Nov 2021

Posted on November 1, 2021 by ewent

Join us for our **SAFARI Live Seminar** with **Gennady Pekhimenko.**

Monday, November 08 at 4:00 pm Zurich time (CET)

SAFARI Live Seminar: Serghei Mangul 11 Nov 2021

Posted on November 5, 2021 by ewent

Join us for our **SAFARI Live Seminar** with **Serghei Mangul.**

Thursday, November 11 at 11:00 am Zurich time (CET), ETH Zentrum ETZ K91

https://www.youtube.com/watch?v=D8Hjy2iU9l4&list=PL5Q2soXY2Zi_tOTAYm--dYByNPL7JhwR9&index=1

Open-Source Artifacts

https://github.com/CMU-SAFARI

Open Source Tools: SAFARI GitHub



https://github.com/CMU-SAFARI/

SAFARI Research Group at ETH Zurich and Carnegie Mellon University

Site for source code and tools distribution from SAFARI Research Group at ETH Zurich and Carnegie Mellon University.

ETH Zurich and Carnegie Mellon ... https://safari.ethz.ch/ omutlu@gmail.com

Repositories 45 | Packages | People 12 | Projects

Find a repository... | Type | Language | Sort

COVIDHunter

COVIDHunter: An accurate and flexible COVID-19 outbreak simulation model that forecasts the strength of future mitigation measures and the numbers of cases, hospitalizations, and deaths for a given day, while considering the potential effect of environmental conditions. Described by Alser et al. (preliminary version at https://arxiv.org/abs/2...

simulation epidemiology covid-19 covid-19-data covid-19-tracker reproduction-number covidhunter

Swift MIT 1 5 0 0 Updated 9 hours ago

SNP-Selective-Hiding

An optimization-based mechanism to selectively hide the minimum number of overlapping SNPs among the family members who participated in the genomic studies (i.e. GWAS). Our goal is to distort the dependencies among the family members in the original database for achieving better privacy without significantly degrading the data utility.

gwas genomics data-privacy differential-privacy genomic-data-analysis laplace-distribution genomic-privacy

MATLAB 0 0 0 0 Updated 10 hours ago

SneakySnake

SneakySnake is the first and the only pre-alignment filtering algorithm that works efficiently and fast on modern CPU, FPGA, and GPU architectures. It greatly (by more than two orders of magnitude) expedites sequence alignment calculation for both short and long reads. Described in the Bioinformatics (2020) by Alser et al. https://arxiv.org/abs...

fpga gpu smith-waterman needleman-wunsch sequence-alignment long-reads minimap2

VHDL GPL-3.0 6 31 0 1 Updated on May 12

ramulator

A Fast and Extensible DRAM Simulator, with built-in support for modeling many different DRAM technologies including DDRx, LPDDRx, GDDRx, WIOx, HBMx, and various academic proposals. Described in the IEEE CAL 2015 paper by Kim et al. at http://users.ece.cmu.edu/~omutlu/pub/ramulator_dram_simulator-ieee-cal15.pdf

C++ MIT 121 237 47 4 Updated on May 11

Top languages

C++ C C# AGS Script VHDL

Most used topics

dram reliability error-correcting-codes experimental-data pre-alignment-filtering

People 12



https://github.com/CMU-SAFARI

An Interview on Research and Education

- **Computing Research and Education** (@ ISCA 2019)
  - https://www.youtube.com/watch?v=8ffSEKZhmvo&list=PL5Q2soXY2Zi_4oP9LdL3cc8G6NIjD2Ydz

- **Maurice Wilkes Award Speech** (10 minutes)
  - https://www.youtube.com/watch?v=tcQ3zZ3JpuA&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJl&index=15

More Thoughts and Suggestions

- Onur Mutlu,
  "Some Reflections (on DRAM)"
  *Award Speech for ACM SIGARCH Maurice Wilkes Award, at the **ISCA** Awards Ceremony*, Phoenix, AZ, USA, 25 June 2019.
  [Slides (pptx) (pdf)]
  [Video of Award Acceptance Speech (Youtube; 10 minutes) (Youku; 13 minutes)]
  [Video of Interview after Award Acceptance (Youtube; 1 hour 6 minutes) (Youku; 1 hour 6 minutes)]
  [News Article on "ACM SIGARCH Maurice Wilkes Award goes to Prof. Onur Mutlu"]

- Onur Mutlu,
  "How to Build an Impactful Research Group"
  *57th Design Automation Conference Early Career Workshop (**DAC**)*, Virtual, 19 July 2020.
  [Slides (pptx) (pdf)]

More Thoughts and Suggestions (II)

- Onur Mutlu,
  "Computer Architecture: Why Is It So Important and Exciting Today?"
  Invited Lecture at *Izmir Institute of Technology (**IYTE**)* , Virtual, 16 October 2020.
  [Slides (pptx) (pdf)]
  [Talk Video (2 hours 12 minutes)]

- Onur Mutlu,
  "Applying to Graduate School & Doing Impactful Research"
  *Invited Panel Talk at the 3rd Undergraduate Mentoring Workshop, held with the 48th International Symposium on Computer Architecture (**ISCA**)*, Virtual, 18 June 2021.
  [Slides (pptx) (pdf)]
  [Talk Video (50 minutes)]

A Talk on Impactful Research & Teaching

Arch. Mentoring Workshop @ISCA'21 - Applying to Grad School & Doing Impactful Research - Onur Mutlu

1,563 views • Premiered Jun 16, 2021 74 1 SHARE SAVE

Onur Mutlu Lectures
17.2K subscribers

ANALYTICS EDIT VIDEO

Panel talk at Undergraduate Architecture Mentoring Workshop at ISCA 2021
(https://sites.google.com/wisc.edu/uar...)

https://www.youtube.com/watch?v=83tlorht7Mc&list=PL5Q2soXY2Zi8D_5MGV6EnXEJHnV2YFBJI&index=54

An Interview on Computing Futures

https://www.youtube.com/watch?v=8ffSEKZhmvo

Papers, Talks, Videos, Artifacts

- All are available at

  https://people.inf.ethz.ch/omutlu/projects.htm

  http://scholar.google.com/citations?user=7XyGUGkAAAAJ&hl=en

  https://www.youtube.com/onurmutlulectures

  https://github.com/CMU-SAFARI/

Fundamental Thinking

Historical: Opportunities at the Bottom

There's Plenty of Room at the Bottom

From Wikipedia, the free encyclopedia

"**There's Plenty of Room at the Bottom: An Invitation to Enter a New Field of Physics**" was a lecture given by physicist Richard Feynman at the annual American Physical Society meeting at Caltech on December 29, 1959.[1] Feynman considered the possibility of direct manipulation of individual atoms as a more powerful form of synthetic chemistry than those used at the time. Although versions of the talk were reprinted in a few popular magazines, it went largely unnoticed and did not inspire the conceptual beginnings of the field. Beginning in the 1980s, nanotechnology advocates cited it to establish the scientific credibility of their work.

Historical: Opportunities at the Bottom (II)

There's Plenty of Room at the Bottom

From Wikipedia, the free encyclopedia

Feynman considered some ramifications of a general ability to manipulate matter on an atomic scale. He was particularly interested in the possibilities of denser computer circuitry, and microscopes that could see things much smaller than is possible with scanning electron microscopes. These ideas were later realized by the use of the scanning tunneling microscope, the atomic force microscope and other examples of scanning probe microscopy and storage systems such as Millipede, created by researchers at IBM.

Feynman also suggested that it should be possible, in principle, to make nanoscale machines that "arrange the atoms the way we want", and do chemical synthesis by mechanical manipulation.

He also presented the possibility of "swallowing the doctor", an idea that he credited in the essay to his friend and graduate student Albert Hibbs. This concept involved building a tiny, swallowable surgical robot.

https://en.wikipedia.org/wiki/There%27s_Plenty_of_Room_at_the_Bottom

Historical: Opportunities at the Top

REVIEW

There's plenty of room at the Top: What will drive computer performance after Moore's law?

Charles E. Leiserson[1], Neil C. Thompson[1,2,*], Joel S. Emer[1,3], Bradley C. Kuszmaul[1,†], Butler W. Lampson[1,4], ...
+ See all authors and affiliations

Science 05 Jun 2020:
Vol. 368, Issue 6495, eaam9744
DOI: 10.1126/science.aam9744

Much of the improvement in computer performance comes from decades of miniaturization of computer components, a trend that was foreseen by the Nobel Prize–winning physicist Richard Feynman in his 1959 address, "There's Plenty of Room at the Bottom," to the American Physical Society. In 1975, Intel founder Gordon Moore predicted the regularity of this miniaturization trend, now called Moore's law, which, until recently, doubled the number of transistors on computer chips every 2 years.

Unfortunately, semiconductor miniaturization is running out of steam as a viable way to grow computer performance—there isn't much more room at the "Bottom." If growth in computing power stalls, practically all industries will face challenges to their productivity. Nevertheless, opportunities for growth in computing performance will still be available, especially at the "Top" of the computing-technology stack: software, algorithms, and hardware architecture.

https://science.sciencemag.org/content/368/6495/eaam9744

Axiom, Revisited

There **is** plenty of room both at the top and at the bottom

but **much more so**

when you

communicate well between and optimize across

the top and the bottom

Hence the Expanded View

Computer Architecture (expanded view)



Fundamentally Better Architectures

Data-centric

Data-driven

Data-aware

End of Backup Slides